

DATA TRANSMITTAL REPORT

DATE: 05-Dec-13  
ATTENTION: Mr. Donald Eisenheimer, Ph.D.  
CLIENT: Divison of Land & Minerals  
Minnesota Department of Natural Resources  
500 Lafayette Rd  
St. Paul, MN  
55155-4045 USA  
E-MAIL: donald.eisenheimer@dnr.state.mn.us / dennis.martin@state.mn.us

NO. OF PAGES: 8

PROJECT: Cook Area Till Sampling (Phase 2)  
FILE NAME: 20136461 - MDNR - Eisenheimer - (CATS-13), November

SAMPLE NUMBERS: CATS-201 to 234

BATCH NUMBER: 6461

TOTAL SAMPLES: 34


THESE SAMPLES WERE PROCESSED FOR: GOLD GRAIN COUNT  
HMC. <0.063 mm CLAY + SILT FRACTION

SPECIFICATIONS:

1. Submitted by client: Thirty three ~10 kg till samples and one fine sand sample.
2. Larger fragments removed by hand in the field.
3. ±500 g archived split sieved to 0.063 mm.
4. Heavy liquid separation specific gravity: 3.30.
5. Nonferromagnetic and ferromagnetic HMC fractions split 50%.

REMARKS:

50% split of nonferromagnetic and ferromagnetic HMC and <0.063 mm clay + silt fractions sent to Actlabs for analysis.

  
Remy Huneault, P. Geo.  
Laboratory Manager

**OVERBURDEN DRILLING MANAGEMENT LIMITED  
RAW SAMPLE DESCRIPTIONS AND PROCESSING WEIGHTS**

Project: Cook Area Till Sampling (Phase 2)  
 Filename: 20136461 - MDNR - Eisenheimer - (CATS-13), November  
 Total Number of Samples in this Report = 34  
 Batch Number: 6461

Sample Number	Weight (kg wet)					-2.0 mm Table Concentrate Weight (g dry)					Sample Description											CLASS	
	Bulk Rec'd	Archived Split	Table Split	+2.0 mm Clasts	Table Feed	Total	Heavy Liquid Separation (S.G. 3.3)			S i z e	Clasts (> 2.0 mm)				Matrix (<2.0 mm)				Colour				
							Lights	HMC			Percentage				Distribution				O R G	SD	CY		
								Total	Non Mag		Mag	W/S	GR	LS	OT	S/U	SD	ST					CY
CATS-201	12.1	0.5	11.6	3.7	7.9	464.2	372.2	92.0	42.0	50.00	P	60	40	0	0	U	+	Y	-	Y	OC	OC	TILL
CATS-202	10.1	0.5	9.6	3.1	6.5	213.1	174.9	38.2	21.6	16.80	P	60	40	0	0	U	Y	+	-	Y	OC	OC	TILL
CATS-203	9.4	0.5	8.9	2.4	6.5	246.4	223.8	22.6	12.5	10.10	P	70	30	0	0	U	Y	+	-	Y	OC	OC	TILL
CATS-204	7.8	0.5	7.3	0.6	6.7	218.4	210.0	8.4	5.0	3.40	P	40	60	0	0	U	Y	+	-	+	DOC	DOC	TILL + SOIL
CATS-205	7.8	0.5	7.3	0.6	6.7	278.2	266.6	11.6	7.6	4.00	P	30	70	0	0	U	Y	+	-	+	DOC	DOC	TILL + SOIL
CATS-206	9.2	0.5	8.7	0.9	7.8	190.0	179.0	11.0	6.8	4.20	P	30	70	0	0	U	-	+	Y	Y	LOC	LOC	TILL
CATS-207	11.1	0.5	10.6	1.6	9.0	370.3	362.2	8.1	7.5	0.60	P	70	30	0	0	U	Y	+	-	Y	LOC	LOC	TILL
CATS-208	9.0	0.5	8.5	0.6	7.9	278.8	273.9	4.9	4.8	0.10	P	30	70	0	0	U	-	Y	Y	Y	LOC	LOC	TILL
CATS-209	10.3	0.5	9.8	0.7	9.1	330.6	316.5	14.1	10.1	4.00	P	80	20	0	0	U	+	Y	-	Y	LOC	LOC	TILL
CATS-210	9.6	0.5	9.1	0.4	8.7	395.3	383.7	11.6	11.4	0.20	P	30	70	0	0	U	+	Y	-	Y	OC	OC	TILL
CATS-211	8.0	0.5	7.5	0.8	6.7	236.9	232.3	4.6	3.8	0.80	P	40	60	0	0	U	+	Y	-	+	OC	OC	TILL + SOIL
CATS-212	10.4	0.5	9.9	2.9	7.0	187.2	180.9	6.3	3.7	2.60	P	70	30	0	0	U	+	Y	-	Y	OC	OC	TILL
CATS-213	8.8	0.5	8.3	1.2	7.1	199.3	194.7	4.6	2.7	1.90	P	30	70	0	0	U	+	Y	-	Y	OC	OC	TILL
CATS-214	9.5	0.5	9.0	0.7	8.3	299.3	276.8	22.5	18.5	4.00	P	40	60	0	0	U	+	Y	-	Y	DOC	DOC	TILL
CATS-215	7.6	0.5	7.1	0.1	7.0	188.5	182.9	5.6	5.0	0.60	P	40	60	0	0	U	Y	Y	Y	+	DOC	DOC	TILL + SOIL
CATS-216	10.4	0.5	9.9	1.7	8.2	324.5	310.1	14.4	13.2	1.20	P	20	80	0	0	U	+	Y	-	Y	LOC	LOC	TILL
CATS-217	11.7	0.5	11.2	1.8	9.4	263.0	221.4	41.6	26.2	15.40	P	70	30	0	0	U	+	Y	-	Y	OC	OC	TILL
CATS-218	9.7	0.5	9.2	0.9	8.3	224.2	210.9	13.3	8.7	4.60	P	70	30	0	0	U	Y	+	-	Y	OC	OC	TILL
CATS-219	10.2	0.5	9.7	1.9	7.8	288.8	256.7	32.1	21.9	10.20	P	90	10	0	0	U	Y	+	-	Y	OC	OC	TILL
CATS-220	8.5	0.5	8.0	0.8	7.4	273.5	257.3	16.2	11.4	4.80	P	100	Tr	0	0	U	Y	+	-	+	DOC	DOC	TILL + SOIL
CATS-221	9.6	0.5	9.1	1.7	7.4	357.1	311.3	45.8	25.4	20.40	P	80	20	0	0	U	Y	+	-	Y	OC	OC	TILL
CATS-222	8.5	0.5	8.0	1.1	6.9	190.8	173.8	17.0	9.2	7.80	P	95	5	0	0	U	-	+	Y	+	OC	OC	TILL + SOIL
CATS-223	9.3	0.5	8.8	1.4	7.4	277.9	268.6	9.3	7.5	1.80	P	40	60	0	0	U	Y	+	-	Y	LOC	LOC	TILL
CATS-224	8.7	0.5	8.2	0.0	8.2	143.7	143.4	0.3	0.2	0.07		No Clasts				S	F	+	Y	Y	DOC	DOC	SAND + SILT
CATS-225	11.8	0.5	11.3	1.4	9.9	327.3	240.9	86.4	60.2	26.20	P	10	90	0	0	U	+	Y	-	Y	OC	OC	TILL
CATS-226	8.3	0.5	7.8	0.3	7.5	178.0	147.4	30.6	28.1	2.50	P	60	40	0	0	U	+	Y	-	Y	DOC	DOC	TILL
CATS-227	9.5	0.5	9.0	0.7	8.3	284.0	223.1	60.9	60.0	0.90	P	80	20	0	0	U	+	Y	-	Y	DOC	DOC	TILL
CATS-228	11.5	0.5	11.0	0.9	10.1	366.9	238.9	128.0	100.0	28.00	P	80	20	0	0	U	+	Y	-	Y	OC	OC	TILL
CATS-229	9.7	0.5	9.2	0.4	8.8	411.1	311.6	99.5	93.4	6.10	P	60	40	0	0	U	+	Y	-	Y	OC	OC	TILL
CATS-230	11.3	0.5	10.8	1.9	8.9	404.1	292.6	111.5	90.4	21.10	P	70	30	0	0	U	+	Y	-	Y	OC	OC	TILL
CATS-231	10.1	0.5	9.6	1.2	8.4	291.4	225.5	65.9	58.7	7.20	P	60	40	0	0	U	+	Y	-	Y	OC	OC	TILL
CATS-232	10.7	0.5	10.2	2.1	8.1	405.7	352.7	53.0	45.2	7.80	P	60	40	0	0	U	+	Y	-	Y	OC	OC	TILL
CATS-233	9.6	0.5	9.1	0.2	8.9	171.7	170.5	1.2	0.9	0.30	P	90	10	0	0	U	-	+	Y	+	OC	OC	TILL + SOIL
CATS-234	8.8	0.5	8.3	0.6	7.7	330.1	313.0	17.1	11.9	5.20	P	20	80	0	0	U	Y	+	-	Y	OC	OC	TILL

\*Larger fragments removed by hand.

\*\* Values greater than 0.1 g were weighed only to one decimal place; the zero was added in the second decimal position to facilitate column alignment.

**OVERBURDEN DRILLING MANAGEMENT LIMITED  
GOLD GRAIN SUMMARY**

Filename: 20136461 - MDNR - Eisenheimer - (CATS-13), November

Total Number of Samples in this Report = 34

Batch Number: 6461

Sample Number	Number of Visible Gold Grains				Total Weight (g)	Calculated PPB Visible Gold in HMC			
	Total	Reshaped	Modified	Pristine		Total	Reshaped	Modified	Pristine
CATS-201	7	1	5	1	42.0	27	9	19	<1
CATS-202	18	1	8	9	21.6	27	4	13	11
CATS-203	2	0	1	1	12.5	7	0	<1	7
CATS-204	1	0	1	0	5.0	5	0	5	0
CATS-205	2	0	2	0	7.6	14	0	14	0
CATS-206	1	0	0	1	6.8	94	0	0	94
CATS-207	7	3	1	3	7.5	194	79	26	89
CATS-208	7	4	1	2	4.8	174	128	40	6
CATS-209	9	5	3	1	10.1	170	132	30	8
CATS-210	1	1	0	0	11.4	17	17	0	0
CATS-211	4	4	0	0	3.8	298	298	0	0
CATS-212	3	1	1	1	3.7	126	52	52	22
CATS-213	0	0	0	0	2.7	0	0	0	0
CATS-214	3	1	2	0	18.5	31	10	20	0
CATS-215	0	0	0	0	5.0	0	0	0	0
CATS-216	7	3	3	1	13.2	195	191	3	2
CATS-217	7	2	4	1	26.2	84	1	82	1
CATS-218	5	2	1	2	8.7	90	86	3	1
CATS-219	3	2	1	0	21.9	13	9	4	0
CATS-220	7	3	4	0	11.4	52	40	12	0
CATS-221	8	5	3	0	25.4	46	19	26	0
CATS-222	4	2	2	0	9.2	13	12	1	0
CATS-223	7	3	0	4	7.5	122	25	0	97
CATS-224	5	2	3	0	0.2	2478	434	2043	0
CATS-225	5	5	0	0	60.2	9	9	0	0
CATS-226	2	2	0	0	28.1	2	2	0	0
CATS-227	7	5	2	0	60.0	16	14	2	0
CATS-228	5	4	1	0	100.0	16	16	<1	0
CATS-229	4	3	1	0	93.4	21	14	7	0
CATS-230	1	0	0	1	90.4	1	0	0	1
CATS-231	3	2	0	1	58.7	12	12	0	<1
CATS-232	1	0	0	1	45.2	4	0	0	4
CATS-233	0	0	0	0	0.9	0	0	0	0
CATS-234	3	1	0	2	11.9	5	2	0	2

**OVERBURDEN DRILLING MANAGEMENT LIMITED  
DETAILED GOLD GRAIN DATA**

Filename: 20136461 - MDNR - Eisenheimer - (CATS-13), November

Total Number of Samples in this Report = 34

Batch Number: 6461

Sample Number	Panned Yes/No	Dimensions (microns)			Number of Visible Gold Grains				Total Weight (g)	Calculated V.G. Assay in HMC (ppb)	Metallic Minerals in Pan Concentrate
		Thickness	Width	Length	Reshaped	Modified	Pristine	Total			
CATS-201	Yes	3 C	15	15			2	1	3	~10 grains pyrite (25-75µm). SEM check: 1 sperrylite candidate = 1 native platinum (25µm).	
		5 C	25	25			1		1		
		13 C	50	75	1		2		3		
								7	42.0	28	
CATS-202	Yes	3 C	15	15			2	5	7	6 grains pyrite (25-50µm).	
		5 C	25	25			4	2	6		
		8 C	25	50	1		2	2	5		
								18	21.6	27	
CATS-203	Yes	3 C	15	15			1		1	3 grains pyrite (15-25µm).	
		8 C	25	50				1	1		
								2	12.5	7	
CATS-204	Yes	5 C	25	25			1		1	4 grains pyrite (25-50µm).	
								1	5.0	5	
CATS-205	Yes	5 C	25	25			1		1	2 grains pyrite (25-75µm).	
		8 C	25	50			1		1		
								2	7.6	14	
CATS-206	Yes	15 C	50	100				1	1	5 grains pyrite (50-125µm). SEM checks: 2 arsenopyrite candidates = 2 arsenopyrite (50-100µm).	
								1	6.8	94	
CATS-207	Yes	3 C	15	15				1	1	1 grain pyrite (50µm).	
		5 C	25	25	1			1	2		
		10 C	25	75			1		1		
		10 C	50	50	1				1		
		13 C	50	75	1				1		
		15 C	75	75				1	1		
								7	7.5	194	
CATS-208	Yes	3 C	15	15				1	1	8 grains pyrite (25-75µm).	
		5 C	25	25	2			1	3		
		10 C	50	50	1	1			2		
		13 C	50	75	1				1		
								7	4.8	174	
CATS-209	Yes	3 C	15	15	1				1	4 grains pyrite (25-75µm).	
		5 C	25	25	2		1		3		
		8 C	25	50			1	1	2		
		10 C	25	75			1		1		
		15 C	50	100	1				1		
		15 C	75	75	1				1		
								9	10.1	170	
CATS-210	Yes	10 C	50	50	1				1	No sulphides.	
								1	11.4	17	
CATS-211	Yes	10 C	25	75	1				1	1 grain pyrite (25µm).	
		10 C	50	50	1				1		
		13 C	50	75	2				2		
								4	3.8	298	
CATS-212	Yes	8 C	25	50				1	1	~20 grains pyrite (50-125µm).	
		10 C	50	50	1	1			2		
								3	3.7	126	
CATS-213	Yes	NO VISIBLE GOLD									5 grains pyrite (25-50µm).
CATS-214	Yes	3 C	15	15			1		1	1 grain pyrite (75µm).	
		10 C	50	50	1				1		
		13 C	50	75			1		1		
								3	18.5	31	

**OVERBURDEN DRILLING MANAGEMENT LIMITED  
DETAILED GOLD GRAIN DATA**

Filename: 20136461 - MDNR - Eisenheimer - (CATS-13), November

Total Number of Samples in this Report = 34

Batch Number: 6461

Sample Number	Panned Yes/No	Dimensions (microns)			Number of Visible Gold Grains				Total Weight (g)	Calculated V.G. Assay in HMC (ppb)	Metallic Minerals in Pan Concentrate
		Thickness	Width	Length	Reshaped	Modified	Pristine	Total			
CATS-215	Yes	NO VISIBLE GOLD									No sulphides.
CATS-216	Yes	3 C	15	15		2		2		1 grain pyrite (25µm).	
		5 C	25	25	1	1	1	3			
		13 C	50	75	1			1			
		22 C	75	150	1			1			
								<u>7</u>	13.2	195	
CATS-217	Yes	3 C	15	15	1	2		3		1 grain pyrite (50µm).	
		5 C	25	25	1	1	1	3			
		22 C	100	125		1		1			
								<u>7</u>	26.2	84	
CATS-218	Yes	3 C	15	15			2	2		1 grain pyrite (50µm).	
		5 C	25	25		1		1			
		13 C	50	75	2			2			
								<u>5</u>	8.7	90	
CATS-219	Yes	3 C	15	15	1			1		2 grains pyrite (50-75µm).	
		8 C	25	50		1		1			
		10 C	50	50	1			1			
								<u>3</u>	21.9	13	
CATS-220	Yes	3 C	15	15	1	1		2		1 grain pyrite (75µm).	
		5 C	25	25		2		2			
		8 C	25	50	1	1		2			
		13 C	50	75	1			1			
								<u>7</u>	11.4	52	
CATS-221	Yes	3 C	15	15	2	1		3		2 grains pyrite (100-125µm).	
		5 C	25	25	1	1		2			
		8 C	25	50	1			1			
		13 C	50	75	1			1			
		15 C	50	100		1		1			
								<u>8</u>	25.4	46	
CATS-222	Yes	3 C	15	15		2		2		1 grain pyrite (75µm).	
		5 C	25	25	1			1			
		8 C	25	50	1			1			
								<u>4</u>	9.2	13	
CATS-223	Yes	5 C	25	25	1			1		1 grain pyrite (50µm).	
		8 C	25	50	2		2	4			
		10 C	25	75			1	1			
		13 C	50	75			1	1			
								<u>7</u>	7.5	122	
CATS-224	Yes	3 C	15	15	1			1		4 grains pyrite (75-175µm).	
		5 C	25	25		1		1			
		8 C	25	50	1			1			
		10 C	25	75		1		1			
		10 C	50	50		1		1			
								<u>5</u>	0.2	2478	
CATS-225	Yes	3 C	15	15	1			1		No sulphides.	
		5 C	25	25	1			1			
		8 C	25	50	2			2			
		13 C	50	75	1			1			
								<u>5</u>	60.2	9	
CATS-226	Yes	5 C	25	25	2			2		1 grain pyrite (50µm).	
								<u>2</u>	28.1	2	
CATS-227	Yes	5 C	25	25	1	1		2		1 grain pyrite (50µm).	
		8 C	25	50	1	1		2			
		10 C	25	75	1			1			
		10 C	50	50	1			1			
		13 C	50	75	1			1			
								<u>7</u>	60.0	16	

**OVERBURDEN DRILLING MANAGEMENT LIMITED  
DETAILED GOLD GRAIN DATA**

Filename: 20136461 - MDNR - Eisenheimer - (CATS-13), November

Total Number of Samples in this Report = 34

Batch Number: 6461

Sample Number	Panned Yes/No	Dimensions (microns)			Number of Visible Gold Grains				Total Weight (g)	Calculated V.G. Assay in HMC (ppb)	Metallic Minerals in Pan Concentrate	
		Thickness	Width	Length	Reshaped	Modified	Pristine	Total				
CATS-228	Yes	3 C	15	15			1	1	5	100.0	16	No sulphides.
		10 C	50	50	1			1				
		13 C	50	75				2				
		15 C	75	75				1				
CATS-229	Yes	8 C	25	50	1			1	4	93.4	21	No sulphides.
		10 C	50	50	1			1				
		15 C	75	75			1	1				
		18 C	75	100	1			1				
CATS-230	Yes	8 C	25	50			1	1	1	90.4	1	1 grain arsenopyrite (75µm).
CATS-231	Yes	3 C	15	15			1	1	3	58.7	12	No sulphides.
		8 C	25	50	1			1				
		15 C	75	75	1			1				
CATS-232	Yes	10 C	25	75			1	1	1	45.2	4	1 grain pyrite (50µm).
CATS-233	Yes	NO VISIBLE GOLD										~10 grains pyrite (50-100µm).
CATS-234	Yes	3 C	15	15			1	1	3	11.9	5	2 grains pyrite (50-75µm).
		5 C	25	25	1			1				

**OVERBURDEN DRILLING MANAGEMENT LIMITED  
HEAVY MINERAL CONCENTRATE SPLITS**

Filename: 20136461 - MDNR - Eisenheimer - (CATS-13), November  
Total Number of Samples in this Report = 34  
Batch Number: 6461

Sample Number	Weight (g)					
	Nonmag HMC*			Mag HMC*		
	Total	50% Splits		Total	50% Splits	
		A	B		A	B
CATS-201	42.0	21.0	21.0	50.0	25.0	25.0
CATS-202	21.6	10.8	10.8	16.6	8.3	8.3
CATS-203	12.5	6.2	6.3	10.1	5.0	5.1
CATS-204	5.0	2.5	2.5	3.4	1.7	1.7
CATS-205	7.6	3.8	3.8	4.0	2.0	2.0
CATS-206	6.8	3.4	3.4	4.2	2.1	2.1
CATS-207	7.5	3.7	3.8	0.6	0.6	0.0
CATS-208	4.8	2.4	2.4	0.1	0.1	0.0
CATS-209	10.1	5.0	5.1	4.0	2.0	2.0
CATS-210	11.4	5.7	5.7	0.2	0.2	0.0
CATS-211	3.8	1.9	1.9	0.8	0.4	0.4
CATS-212	3.7	1.8	1.9	2.6	1.3	1.3
CATS-213	2.7	1.3	1.4	1.9	0.9	1.0
CATS-214	18.5	9.2	9.3	4.0	2.0	2.0
CATS-215	5.0	2.5	2.5	0.6	0.6	0.0
CATS-216	13.2	6.6	6.6	1.2	0.6	0.6
CATS-217	26.2	13.1	13.1	15.4	7.7	7.7
CATS-218	8.7	4.3	4.4	4.6	2.3	2.3
CATS-219	21.9	10.9	11.0	10.2	5.1	5.1
CATS-220	11.4	5.7	5.7	4.8	2.4	2.4
CATS-221	25.4	12.7	12.7	20.4	10.2	10.2
CATS-222	9.2	4.6	4.6	7.8	3.9	3.9
CATS-223	7.5	3.7	3.8	1.8	0.9	0.9
CATS-224	0.2	0.2	0.0	0.1	0.1	0.0
CATS-225	60.2	30.5	29.7	26.2	13.1	13.1
CATS-226	28.1	14.0	14.1	2.5	1.2	1.3
CATS-227	60.0	30.0	30.0	0.9	0.9	0.0
CATS-228	100.0	50.0	50.0	28.0	14.0	14.0
CATS-229	93.4	46.7	46.7	6.1	3.0	3.1
CATS-230	90.4	45.2	45.2	21.1	10.5	10.6
CATS-231	58.7	29.3	29.4	7.2	3.6	3.6
CATS-232	45.2	22.6	22.6	7.8	3.9	3.9
CATS-233	0.9	0.9	0.0	0.3	0.3	0.0
CATS-234	11.9	5.9	6.0	5.2	2.6	2.6

\*Split A of Nonmag and Mag HMC sent to Actlabs in Ancaster, Ontario for analysis. Split B returned to MDNR in St. Paul, MN.

**OVERBURDEN DRILLING MANAGEMENT LIMITED  
NONFERROMAGNETIC HEAVY MINERAL CONCENTRATE**

Sample Number	Weight (g) of Archival Split				
	Total	Excess	Sieved Split		
			Total	<0.063mm	>0.063 mm
CATS-201	425.2	239.8	185.4	36.7	148.7
CATS-202	336.4	160.2	176.2	49.5	126.7
CATS-203	429.8	250.1	179.7	71.3	108.4
CATS-204	359.6	230.0	129.6	61.0	68.6
CATS-205	355.7	248.0	107.7	52.8	54.9
CATS-206	415.4	292.6	122.8	36.3	86.5
CATS-207	347.0	228.6	118.4	44.7	73.7
CATS-208	351.0	245.6	105.4	40.1	65.3
CATS-209	458.7	376.1	82.6	37.0	45.6
CATS-210	430.8	254.9	175.9	41.7	134.2
CATS-211	436.7	346.4	90.3	45.3	45.0
CATS-212	399.2	265.8	133.4	40.0	93.4
CATS-213	343.3	238.6	104.7	30.8	73.9
CATS-214	430.6	224.4	206.2	33.0	173.2
CATS-215	338.8	260.4	78.4	33.6	44.8
CATS-216	494.7	364.7	130.0	42.0	88.0
CATS-217	319.8	169.8	150.0	61.8	88.2
CATS-218	386.6	278.9	107.7	46.1	61.6
CATS-219	354.2	233.3	120.9	41.4	79.5
CATS-220	372.0	241.5	130.5	68.9	61.6
CATS-221	389.4	303.4	86.0	31.9	54.1
CATS-222	367.4	262.6	104.8	46.8	58.0
CATS-223	390.4	275.0	115.4	41.1	74.3
CATS-224	401.5	296.9	104.6	54.3	50.3
CATS-225	489.8	338.5	151.3	36.8	114.5
CATS-226	342.5	219.2	123.3	38.8	84.5
CATS-227	439.3	277.8	161.5	39.4	122.1
CATS-228	434.1	315.8	118.3	31.0	87.3
CATS-229	404.4	215.6	188.8	48.6	140.2
CATS-230	448.6	310.3	138.3	26.7	111.6
CATS-231	359.0	232.7	126.3	35.5	90.8
CATS-232	462.8	0.0	462.8	53.3	409.5
CATS-233	380.7	292.3	88.4	59.0	29.4
CATS-234	390.3	281.6	108.7	45.0	63.7