



Minnesota Department of Natural Resources Fisheries Management



STANDARD LAKE SURVEY REPORT

DRAFT VERSION - PRELIMINARY DATA (AS OF 08/03/2012)

Lake Name: Clear

Survey Type: Population Assessment

DOW Number: 46-0096-00

Survey ID Date: 07/30/2012

Lake Identification

Alternate Lake Name: N/A
Primary Lake Class ID: 43

DNR Sounding Map Number: D0153
Alternate Lake Class ID: N/A

Lake Location

Primary County: Martin

Nearest Town: Ceylon

Legal Descriptions

Lake Center: Township - 101N Range - 32W Section - 26
PLS Section Lake Center: 10103226

All Legal Descriptions:

Martin County: Township - 101N Range - 32W Sections - 22, 23, 26, 27

Area Office

Area Name: Windom
Region Name: Southern

ORG Code: F418
Region Number: 4

Lake Access

(Information based on Re-Survey dated 07/24/1995)

Station ID	Ownership	Public Use	Type	Location / Comments
AC - 1	DNR	Open to Public use	Concrete	STATE OWNED ACCESS ON THE SOUTH END OF THE LAKE.

(Data excludes records where public use is not designated or is designated "No Public Use")

Lake Characteristics

Lake Area (planimetered acres): 273.00	GIS Shoreline Length (miles): 2.65
GIS Lake Area (acres): 267.34	Maximum Fetch (miles): 1.00
DOW Lake Area (acres): 261.00	Fetch Orientation (degrees): 315
Littoral Area (acres): 267.34	USGS Quad Map Number: X11c
Area in MN (acres): 267.34	USGS Quad 24K GIS Index: 4721
Maximum Depth (feet): 7.0	
Mean Depth (feet): N/A	

Watershed Characteristics

Major Watershed

Name: E. Fork Des Moines River
Watershed Number: 53
Watershed size (acres): 129,425

Minor Watershed

Name: E Fork Des Moines R
Watershed Number: 5
Watershed size (acres): 14,567

Surveys And Investigations

Initial Survey: 07/07/1986.
 Re-Survey: 07/28/2003, 07/24/1995.
 Population Assessment: 08/06/2007, 07/26/1999, 07/23/1991.
 Special Assessment: 05/03/2001, 10/05/1999, 07/29/1951.
 Dissolved Oxygen Check: 01/11/2012, 01/18/2011, 01/15/2010.

Current Water Level

Station ID	Date	Level	Reading (feet)	Reading Type
BM - 1	07/30/2012	Normal	3.60	Above or below Benchmark

Benchmark and Gauge Descriptions / Locations

Station ID	Location Description
BM - 1	Top of middle culvert on north side of lake.

Water Level History - Readings

Station ID	Date	Level	Reading (feet)	Reading Type
BM - 1	07/30/2012	Normal	3.60	Above or below Benchmark
	08/07/2007	Low	-3.70	Above or below Benchmark

Water Level History - Station Summary

Station ID	Minimum Level		Maximum Level		Range (feet)	Average Level (feet)	Reading Type (and number of readings)
	Feet	Date	Feet	Date			
BM - 1	-3.70	08/07/2007	3.60	07/30/2012	7.30	-0.05	Above or below Benchmark (2)

Dissolved Oxygen And Temperature Profile Of Lake Water

Station ID	Sampling Date	Bottom Depth (Feet)	Sample Depth (Feet)	Water Temperature (°F)	Dissolved Oxygen (ppm)
WQ - 1	07/30/2012	6.0	Surface	75.7	9.0
			1.0	75.6	9.0
			2.0	75.6	9.0
			3.0	75.6	9.0
			4.0	75.6	9.0
			5.0	75.6	9.0
			6.0	75.6	8.9

Field Measurements Of Water Quality

Station ID	Sampling Date	Sample Depth (Feet)	Secchi Depth (Feet)	Field pH	Alkalinity (ppm)	Water Color	Color Cause
WQ - 1	07/30/2012	Surface	0.7	N/A	187	Brown Grn	Algae

Net Catch Summary by Numbers for GN

Standard gill net sets

Number of Sets: 2
 First Set Date: 07/30/2012
 Last Lift Date: 08/01/2012
 Target Species: N/A

Abbr	Species	Total Fish	Number Per Set	Quartiles for Lake Class 43*		
				25%	50%	75%
BIB	Bigmouth Buffalo	43	21.50	0.75	2.58	6.96
BLB	Black Bullhead	77	38.50	30.34	75.58	150.62
BLC	Black Crappie	7	3.50	1.41	3.71	13.75
CCF	Channel Catfish	13	6.50	N/A	N/A	N/A
CAP	Common Carp	2	1.00	1.00	3.33	13.75
WAE	Walleye	65	32.50	2.28	6.83	18.06
WHC	White Crappie	59	29.50	0.50	2.00	8.42
YEP	Yellow Perch	5	2.50	2.65	8.00	25.00
Total Fish/Set:			135.50	* Quartiles for Number Per Set		

Net Catch Summary by Weight for GN

Standard gill net sets

Abbr	Species	Total Weight (Pounds)	Pounds Per Set	Mean Weight	Quartiles for Lake Class 43*		
					25%	50%	75%
BIB	Bigmouth Buffalo	121.17	60.59	2.82	N/A	N/A	N/A
BLB	Black Bullhead	24.06	12.03	0.31	0.17	0.26	0.39
BLC	Black Crappie	1.96	0.98	0.28	0.16	0.25	0.35
CCF	Channel Catfish	7.48	3.74	0.58	N/A	N/A	N/A
CAP	Common Carp	7.33	3.67	3.67	0.81	1.98	3.70
WAE	Walleye	72.24	36.12	1.11	1.01	1.53	2.30
WHC	White Crappie	6.19	3.09	0.10	0.15	0.21	0.32
YEP	Yellow Perch	0.74	0.37	0.15	0.13	0.21	0.31
Total Pounds Fish/Set:			120.58	* Quartiles for Mean Weight			

Net Catch Summary by Numbers for TN

Standard 3/4-in mesh, double frame trap net sets

Number of Sets: 9
 First Set Date: 07/30/2012
 Last Lift Date: 08/02/2012
 Target Species: N/A

Abbr	Species	Total Fish	Number Per Set	Quartiles for Lake Class 43*		
				25%	50%	75%
BIB	Bigmouth Buffalo	11	1.22	0.17	0.38	1.04
BLB	Black Bullhead	52	5.78	11.50	42.00	132.61
BLC	Black Crappie	282	31.33	1.17	4.88	20.50
BLG	Bluegill	3	0.33	1.17	3.89	20.00
CCF	Channel Catfish	21	2.33	N/A	N/A	N/A
CAP	Common Carp	17	1.89	1.00	2.44	5.51
WAE	Walleye	27	3.00	0.50	1.33	2.95
WHC	White Crappie	70	7.78	0.25	1.83	5.96
WTS	White Sucker	2	0.22	0.34	0.88	2.58
YEB	Yellow Bullhead	43	4.78	0.50	1.13	2.50
YEP	Yellow Perch	4	0.44	0.33	1.37	3.76
Total Fish/Set:			59.11	* Quartiles for Number Per Set		

Net Catch Summary by Weight for TN

Standard 3/4-in mesh, double frame trap net sets

Abbr	Species	Total Weight (Pounds)	Pounds Per Set	Mean Weight	Quartiles for Lake Class 43*		
					25%	50%	75%
BIB	Bigmouth Buffalo	43.26	4.81	3.93	2.56	3.75	5.83
BLB	Black Bullhead	18.90	2.10	0.36	0.18	0.28	0.40
BLC	Black Crappie	62.23	6.91	0.22	0.22	0.34	0.50
BLG	Bluegill	1.32	0.15	0.44	0.13	0.24	0.39
CCF	Channel Catfish	10.36	1.15	0.49	N/A	N/A	N/A
CAP	Common Carp	66.38	7.38	3.90	1.42	2.92	4.58
WAE	Walleye	21.45	2.38	0.79	0.82	1.44	2.28
WHC	White Crappie	13.58	1.51	0.19	0.27	0.40	0.63
WTS	White Sucker	2.91	0.32	1.46	1.05	1.47	2.04
YEB	Yellow Bullhead	19.70	2.19	0.46	0.31	0.48	0.67
YEP	Yellow Perch	0.54	0.06	0.14	0.11	0.18	0.30
Total Pounds Fish/Set:			28.96	* Quartiles for Mean Weight			

Length Frequency Distribution For GN

Standard gill net sets

(Field work conducted between 07/30/2012 and 08/01/2012)

	<u>BIB</u>	<u>BLB</u>	<u>BLC</u>	<u>CAP</u>	<u>CCF</u>	<u>WAE</u>	<u>WHC</u>	<u>YEP</u>
< 3.00	-	-	-	-	-	-	-	-
3.00 - 3.49	-	-	-	-	-	-	-	-
3.50 - 3.99	-	-	-	-	-	-	-	-
4.00 - 4.49	-	-	-	-	-	-	4	-
4.50 - 4.99	-	1	-	-	-	-	8	-
5.00 - 5.49	-	-	-	-	-	-	20	-
5.50 - 5.99	-	2	-	-	-	-	16	2
6.00 - 6.49	-	4	-	-	-	-	2	-
6.50 - 6.99	-	7	-	-	-	-	1	-
7.00 - 7.49	-	-	1	-	-	-	-	-
7.50 - 7.99	-	8	2	-	2	1	1	4
8.00 - 8.49	-	11	4	-	-	-	2	-
8.50 - 8.99	-	8	-	-	1	-	2	-
9.00 - 9.49	-	21	-	-	-	-	1	-
9.50 - 9.99	-	12	-	-	-	-	1	-
10.00 - 10.49	-	3	-	-	-	-	-	-
10.50 - 10.99	-	-	-	-	-	-	-	-
11.00 - 11.49	-	-	-	-	-	2	-	-
11.50 - 11.99	-	-	-	-	-	2	-	-
12.00 - 12.99	1	-	-	-	1	8	-	-
13.00 - 13.99	-	-	-	-	7	13	-	-
14.00 - 14.99	1	-	-	-	2	12	-	-
15.00 - 15.99	4	-	-	-	-	13	-	-
16.00 - 16.99	21	-	-	-	-	1	-	-
17.00 - 17.99	10	-	-	1	-	4	-	-
18.00 - 18.99	3	-	-	-	-	2	-	-
19.00 - 19.99	2	-	-	-	-	2	-	-
20.00 - 20.99	1	-	-	-	-	-	-	-
21.00 - 21.99	-	-	-	-	-	1	-	-
22.00 - 22.99	-	-	-	1	-	2	-	-
23.00 - 23.99	-	-	-	-	-	2	-	-
24.00 - 24.99	-	-	-	-	-	-	-	-
25.00 - 25.99	-	-	-	-	-	-	-	-
26.00 - 26.99	-	-	-	-	-	-	-	-
27.00 - 27.99	-	-	-	-	-	-	-	-
28.00 - 28.99	-	-	-	-	-	-	-	-
29.00 - 29.99	-	-	-	-	-	-	-	-
30.00 - 30.99	-	-	-	-	-	-	-	-
31.00 - 31.99	-	-	-	-	-	-	-	-
32.00 - 32.99	-	-	-	-	-	-	-	-
33.00 - 33.99	-	-	-	-	-	-	-	-
34.00 - 34.99	-	-	-	-	-	-	-	-
35.00 - 35.99	-	-	-	-	-	-	-	-
= > 36.00	-	-	-	-	-	-	-	-

	<u>BIB</u>	<u>BLB</u>	<u>BLC</u>	<u>CAP</u>	<u>CCF</u>	<u>WAE</u>	<u>WHC</u>	<u>YEP</u>
Total	43	77	7	2	13	65	58	6
Min. Length	12.95	4.84	7.44	17.76	7.87	7.91	4.21	5.83
Max. Length	20.31	10.20	8.35	22.28	14.41	23.50	9.88	7.64
Mean Length	16.84	8.48	8.05	20.02	12.30	15.04	5.82	7.16
# Measured	43	77	7	2	13	65	52	4
No Lengths for	0	0	0	0	0	0	7	1

Note: Unless all fish were measured in the catch, totals shown for some length-frequency distributions may differ from the total number of fish in the catch, due to rounding of fractions used in the estimation of length frequency from a subsample of measured fish

Length Frequency Distribution For TN

Standard 3/4-in mesh, double frame trap net sets

(Field work conducted between 07/30/2012 and 08/02/2012)

	<u>BIB</u>	<u>BLB</u>	<u>BLC</u>	<u>BLG</u>	<u>CAP</u>	<u>CCF</u>	<u>WAE</u>	<u>WHC</u>	<u>WTS</u>	<u>YEB</u>	<u>YEP</u>
< 3.00	-	-	-	-	-	-	-	-	-	-	-
3.00 - 3.49	-	-	-	-	-	-	-	-	-	-	-
3.50 - 3.99	-	-	-	-	-	-	-	-	-	-	-
4.00 - 4.49	-	-	6	-	-	-	-	4	-	-	-
4.50 - 4.99	-	-	39	-	-	-	-	11	-	-	-
5.00 - 5.49	-	-	14	-	-	-	-	5	-	1	-
5.50 - 5.99	-	1	12	-	-	-	-	12	-	-	1
6.00 - 6.49	-	1	-	-	-	-	-	7	-	-	1
6.50 - 6.99	-	-	20	-	-	-	-	-	-	2	-
7.00 - 7.49	-	1	61	-	-	3	-	-	-	-	1
7.50 - 7.99	-	1	55	2	-	3	1	7	-	5	1
8.00 - 8.49	-	1	43	-	-	1	-	4	-	2	-
8.50 - 8.99	-	7	23	-	-	1	-	12	-	-	-
9.00 - 9.49	-	20	1	1	-	-	-	3	-	5	-
9.50 - 9.99	-	14	-	-	-	-	-	1	-	7	-
10.00 - 10.49	-	5	5	-	-	-	-	-	-	6	-
10.50 - 10.99	-	1	1	-	-	-	-	2	-	8	-
11.00 - 11.49	-	-	-	-	-	-	2	2	-	6	-
11.50 - 11.99	-	-	-	-	-	-	5	-	-	-	-
12.00 - 12.99	-	-	-	-	-	1	9	-	-	1	-
13.00 - 13.99	-	-	-	-	-	8	3	-	1	-	-
14.00 - 14.99	-	-	-	-	-	4	-	-	-	-	-
15.00 - 15.99	1	-	-	-	1	-	1	-	1	-	-
16.00 - 16.99	1	-	-	-	6	-	2	-	-	-	-
17.00 - 17.99	3	-	-	-	2	-	1	-	-	-	-
18.00 - 18.99	3	-	-	-	2	-	1	-	-	-	-
19.00 - 19.99	1	-	-	-	1	-	-	-	-	-	-
20.00 - 20.99	-	-	-	-	-	-	-	-	-	-	-
21.00 - 21.99	-	-	-	-	-	-	1	-	-	-	-
22.00 - 22.99	1	-	-	-	1	-	1	-	-	-	-
23.00 - 23.99	-	-	-	-	1	-	-	-	-	-	-
24.00 - 24.99	-	-	-	-	-	-	-	-	-	-	-
25.00 - 25.99	-	-	-	-	-	-	-	-	-	-	-
26.00 - 26.99	1	-	-	-	1	-	-	-	-	-	-
27.00 - 27.99	-	-	-	-	1	-	-	-	-	-	-
28.00 - 28.99	-	-	-	-	1	-	-	-	-	-	-
29.00 - 29.99	-	-	-	-	-	-	-	-	-	-	-
30.00 - 30.99	-	-	-	-	-	-	-	-	-	-	-
31.00 - 31.99	-	-	-	-	-	-	-	-	-	-	-
32.00 - 32.99	-	-	-	-	-	-	-	-	-	-	-
33.00 - 33.99	-	-	-	-	-	-	-	-	-	-	-
34.00 - 34.99	-	-	-	-	-	-	-	-	-	-	-
35.00 - 35.99	-	-	-	-	-	-	-	-	-	-	-
= > 36.00	-	-	-	-	-	-	-	-	-	-	-
	<u>BIB</u>	<u>BLB</u>	<u>BLC</u>	<u>BLG</u>	<u>CAP</u>	<u>CCF</u>	<u>WAE</u>	<u>WHC</u>	<u>WTS</u>	<u>YEB</u>	<u>YEP</u>
Total	11	52	280	3	17	21	27	70	2	43	4
Min. Length	15.75	5.55	4.29	7.83	15.87	7.05	7.52	4.29	13.82	5.12	5.87
Max. Length	26.61	10.63	10.67	9.25	28.27	14.25	22.48	11.46	15.79	12.20	7.68
Mean Length	18.91	9.22	6.97	8.32	19.72	11.49	13.60	6.90	14.80	9.62	6.85
# Measured	11	52	160	3	17	21	27	70	2	43	4
No Lengths for	0	0	122	0	0	0	0	0	0	0	0

Note: Unless all fish were measured in the catch, totals shown for some length-frequency distributions may differ from the total number of fish in the catch, due to rounding of fractions used in the estimation of length frequency from a subsample of measured fish

Other Species

Gear Type (1)	Other Species (Gender) (2)	Total Num	Number Measured	Length (inches) Min - Mean - Max	Number Weighed	Weight (pounds) Min - Mean - Max
TN	Painted Turtle	4	0	N/A	0	N/A
	Snapping Turtle	1	1	13.35	0	N/A

(1) Key to sampling gear abbreviations:

TN = Standard 3/4-in mesh, double frame trap net sets

(2) Gender: If identified and reported.

Approval Dates And Notices

Date Approved By Windom Area Fisheries Supervisor: _____

Date Approved By Southern Region Fisheries Manager: _____

This Draft version of the Standard Lake Survey Report contains preliminary data (as of 08/03/2012), and is therefore subject to change at any time.



Minnesota Department of Natural Resources

By accepting the data in this report, the user agrees the data will be used for personal benefit and not for profit. Any other uses or publication of the data needs the consent of the Department. The Minnesota Department of Natural Resources assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on the data.

REPORT OVERVIEW - FOR OFFICE USE ONLY

(This page is not part of the Standard Lake Survey Report and should be discarded)

Lake Name: Clear

Survey Type: Population Assessment

DOW Number: 46-0096-00

Survey ID Date: 07/30/2012

Survey Status: Proposed

The following 18 (of 31) report components are not included in this report:

1. Water Level History*
2. Lake Inlets
3. Additional Inlet Information
4. Lake Outlets
5. Additional Outlet Information
6. Water Control Structure (Dam)
7. Surrounding Watershed Characteristics, Shoreline Characteristics, and Riparian Landscape Observations
8. Resorts And Campgrounds
9. Fish Spawning Conditions
10. Erosion And Pollution
11. Fish Diseases And Parasites
12. Aquatic Vegetation And Shoalwater Substrates
13. Laboratory Analysis Of Water Chemistry
14. Length At Capture With Last Incremental Length*
15. Back-Calculated Lengths
16. Age Class Frequency Distributions
17. Status Of Fishery And Field Notes
18. Water Quality (Winter Observations) (added to revision 01/21/2010)

* Water Level History report: This data has not yet been migrated into the Fisheries LSM database. On 01/08/2009, two additional Water Level History report components (Readings and Station Summary) were added.

* Length At Capture With Last Incremental Length report: The following criteria must be met for a report to be generated:

1. The fish species must have an assigned body scale constant.
2. Fish must have an "official" age assigned.
3. Fish must have a digitized measurement marked for back calculation use.

Note: The data source for Length and Age Class Frequency Distribution tables is updated twice daily - once at noon and once overnight. Any changes to the data made before noon on 08/03/2012 may not be reflected in the Distribution tables until after 12:30 pm on 08/03/2012.