

Minnesota Department of Natural Resources Fisheries Management



LAKE SURVEY REPORT

DRAFT VERSION - PRELIMINARY DATA (AS OF 07/09/2015)

Lake Name: Fish Survey Type: Standard Survey

DOW Number: 46-0145-00 Survey ID Date: 07/06/2015

Lake Identification

Alternate Lake Name: N/A

Primary Lake Class ID: 43

DNR Sounding Map Number: N/A

Alternate Lake Class ID: N/A

Lake Location

Primary County: Martin Nearest Town: Odin

Legal Descriptions

Lake Center: Township - 104N Range - 33W Section - 2

PLS Section Lake Center: 10403302

All Legal Descriptions:

Martin County: Township - 104N Range - 33W Sections - 1, 2, 11, 12

Area Office

Area Name: Windom ORG Code: F418
Region Name: Southern Region Number: 4

Lake Access

(Information based on Re-Survey dated 07/05/1995)

Station ID	Ownership	Public Use	Type	Location / Comments
AC - 2	DNR	Open to Public use	Other	UNDEVELOPED STATE OWNED ACCESS ON NORTH SIDE OF LAKE.

(Data excludes records where public use is not designated or is designated "No Public Use")

Lake Characteristics

Lake Area (planimetered acres): 175.00 GIS Shoreline Length (miles): 2.48

GIS Lake Area (acres): 155.63 Maximum Fetch (miles): 0.84

DOW Lake Area (acres): 156.00 Fetch Orientation (degrees): 315

Littoral Area (acres): 155.63 USGS Quad Map Number: W10d

Area in MN (acres): 155.63 USGS Quad 24K GIS Index: 4520

Maximum Depth (feet): 5.0

Mean Depth (feet): N/A

Watershed Characteristics

Major Watershed Minor Watershed

Name: Blue Earth River Name: Cedar L
Watershed Number: 30 Watershed Number:

Watershed size (acres): 777,240 Watershed size (acres): 10,025

Lake Survey Report revision: 20150625. Data Date: 07/09/2015 at 8:22 am.



Surveys and Investigations

Re-Survey: 07/05/1995, 07/10/1989, 07/09/1984.

Population Assessment: 07/06/2009, 07/05/2000.

Dissolved Oxygen Check: 02/24/2015, 01/03/2014, 01/08/2013, 12/28/2012, 02/14/2012, 12/29/2010, 01/12/2010.

Standard Survey: <u>07/06/2015</u>. **Targeted Survey:** <u>07/06/2015</u>.

Current V	Vater	Level
------------------	-------	-------

Station ID	Date	Level	Reading (feet)	Reading Type
BM - 1	07/08/2015	Low	-2.60	Above or below Benchmark

Benchmark and Gauge Descriptions / Locations

Station ID	Location Description
BM - 1	top of metal culvert at outlet

Water Level History - Readings

Station ID	Date	Level	Reading (feet)	Reading Type
BM - 1	07/08/2015	Low	-2.60	Above or below Benchmark
	07/06/2009	Low	-2.40	Above or below Benchmark

Water Level History - Station Summary

	Minimum Level		Maximum Level		Range	Average	Reading Type
Station ID	Feet	Date	Feet	Date	(feet)	Level (feet)	(and number of readings)
BM - 1	-2.60	07/08/2015	-2.40	07/06/2009	0.20	-2.50	Above or below Benchmark (2)

Dissolved Oxygen and Temperature Profile of Lake Water

Station ID	Sampling Date	Bottom Depth (Feet)	Sample Depth (Feet)	Water Temperature (°F)	Dissolved Oxygen (ppm)
WQ - 1	07/06/2015	4.9	Surface	76.5	5.6
			1.0	76.5	5.6
			2.0	76.5	5.5
			3.0	76.5	5.5
			4.0	76.5	5.5

Field Measurements of Water Quality

			Secchi				
	Sampling	Sample	Depth	Field	Alkalinity		
Station ID	Date	Depth (Feet)	(Feet)	pH	(ppm)	Water Color	Color Cause
WQ - 1	07/06/2015	Surface	0.6	8.30	153	Brown Grn	Algae

Net Catch Summary by Numbers for **GN**

Standard gill net sets

Number of Sets: 2

First Set Date: 07/06/2015 Last Lift Date: 07/08/2015 Target Species: N/A

Quartiles for Lake Class 43*

Abbr	Species	Total Fish	Number Per Set	25%	50%	75%
BIB	Bigmouth Buffalo	3	1.50	0.75	2.58	6.96
BLB	Black Bullhead	73	36.50	30.34	75.58	150.62
BLC	Black Crappie	10	5.00	1.41	3.71	13.75
CCF	Channel Catfish	35	17.50	N/A	N/A	N/A
CAP	Common Carp	8	4.00	1.00	3.33	13.75
FRD	Freshwater Drum	24	12.00	0.50	2.56	8.33
NOP	Northern Pike	2	1.00	1.08	3.00	8.00
WAE	Walleye	10	5.00	2.28	6.83	18.06
WHC	White Crappie	6	3.00	0.50	2.00	8.42
YEP	Yellow Perch	2	1.00	2.65	8.00	25.00
		Total Fish/Set: 86.50 * Quartiles for Number Per Se		er Set		

Net Catch Summary by Weight for GN

Standard gill net sets

		Total Weight	Pounds	Mean	Quartiles	for Lake Clas	s 43*
Abbr	Species	(Pounds)	Per Set	Weight	25%	50%	75%
BIB	Bigmouth Buffalo	13.34	6.67	4.45	N/A	N/A	N/A
BLB	Black Bullhead	16.02	8.01	0.22	0.17	0.26	0.39
BLC	Black Crappie	1.39	0.69	0.14	0.16	0.25	0.35
CCF	Channel Catfish	17.53	8.77	0.50	N/A	N/A	N/A
CAP	Common Carp	46.64	23.32	5.83	0.81	1.98	3.70
FRD	Freshwater Drum	5.67	2.83	0.24	0.40	0.82	1.67
NOP	Northern Pike	6.54	3.27	3.27	1.82	2.50	3.35
WAE	Walleye	11.03	5.51	1.10	1.01	1.53	2.30
WHC	White Crappie	1.14	0.57	0.19	0.15	0.21	0.32
YEP	Yellow Perch	0.18	0.09	0.09	0.13	0.21	0.31
		Total Pounds Fish/Set:	59.73		* Quarti	les for Mean W	eight

Net Catch Summary by Numbers for TN

Standard 3/4-in mesh, double frame trap net sets

Number of Sets: 8

First Set Date: 07/06/2015 Last Lift Date: 07/08/2015 Target Species: N/A

Quartiles for Lake Class 43*

Abbr	Species	Total Fish	Number Per Set	25%	50%	75%
BIB	Bigmouth Buffalo	6	0.75	0.17	0.38	1.04
BLB	Black Bullhead	5	0.63	11.50	42.00	132.61
BLC	Black Crappie	72	9.00	1.17	4.88	20.50
CAP	Common Carp	7	0.88	1.00	2.44	5.51
FRD	Freshwater Drum	15	1.88	0.23	0.92	3.25
NOP	Northern Pike	20	2.50	N/A	N/A	N/A
WAE	Walleye	13	1.63	0.50	1.33	2.95
WHC	White Crappie	18	2.25	0.25	1.83	5.96
YEP	Yellow Perch	3	0.38	0.33	1.37	3.76
		Total Fish/Set:	19.88	* Quartiles	s for Number Pe	er Set

Net Catch Summary by Weight for TN

Standard 3/4-in mesh, double frame trap net sets

		Total Weight	Pounds	Mean	Quartiles	for Lake Clas	s 43*
Abbr	Species	(Pounds)	Per Set	Weight	25%	50%	75%
BIB	Bigmouth Buffalo	29.99	3.75	5.00	2.56	3.75	5.83
BLB	Black Bullhead	1.59	0.20	0.32	0.18	0.28	0.40
BLC	Black Crappie	19.65	2.46	0.27	0.22	0.34	0.50
CAP	Common Carp	35.17	4.40	5.02	1.42	2.92	4.58
FRD	Freshwater Drum	9.78	1.22	0.65	0.28	0.60	0.95
NOP	Northern Pike	85.28	10.66	4.26	N/A	N/A	N/A
WAE	Walleye	7.37	0.92	0.57	0.82	1.44	2.28
WHC	White Crappie	5.31	0.66	0.29	0.27	0.40	0.63
YEP	Yellow Perch	0.52	0.06	0.17	0.11	0.18	0.30
		Total Pounds Fish/Set:	24.33		* Quartiles for Mean Weight		eight

Length Frequency Distribution for GN

Standard gill net sets

(Field work conducted between 07/06/2015 and 07/08/2015)

	BIB	BLB	BLC	CAP	CCF	FRD	NOP	WAE	<u>WHC</u>	<u>YEP</u>
< 3.00	-	-	-	-	-	-	-	-	-	-
3.00 - 3.49	-	-	-	-	-	-	-	-	-	-
3.50 - 3.99	-	-	-	-	-	-	-	-	-	-
4.00 - 4.49	-	_	-	_	_	_	_	_	-	-
4.50 - 4.99	_	_	1	_	_	_	_	_	_	_
5.00 - 5.49	_	_	_	_	_	_	_	_	_	_
5.50 - 5.99	_	_	1	_	_	_	_	_	1	1
6.00 - 6.49	_	_	3	_	_	3	_	_	_	1
6.50 - 6.99	_	9	5	_	2	3	_	_	_	_
7.00 - 7.49	_	49	-	_	13	9	_	_	2	_
7.50 - 7.99	_	9	_	_	5	-	_	_	3	_
8.00 - 8.49	_	3	_	_	-	_	_	_	-	_
8.50 - 8.99	_	-	_	_	_	_	_	_	_	_
9.00 - 9.49	_	1	_	_	_	2	_	_	_	_
9.50 - 9.49	_	1				5				
	_	1	_	_	_	3	_	_	_	_
10.00 - 10.49	-	'	-	-	-	-	-	1	-	-
10.50 - 10.99	-	-	-	-	-	-	-	1	-	-
11.00 - 11.49	-	-	-	-	-	-	-	2	-	-
11.50 - 11.99	-	-	-	-	-	-	-		-	-
12.00 - 12.99	-	-	-	-	5	-	-	3	-	-
13.00 - 13.99	-	-	-	-	3	-	-	1	-	-
14.00 - 14.99	-	-	-	-	-	-	-	-	-	-
15.00 - 15.99	-	-	-	-	-	-	-	-	-	-
16.00 - 16.99	1	-	-	-	1	-	1	-	-	-
17.00 - 17.99	-	-	-	-	4	-	-	-	-	-
18.00 - 18.99	-	-	-	-	1	-	-	-	-	-
19.00 - 19.99	-	-	-	-	-	-	-	-	-	-
20.00 - 20.99	1	-	-	-	1	-	-	-	-	-
21.00 - 21.99	-	-	-	2	-	-	-	-	-	-
22.00 - 22.99	-	-	-	2	-	-	-	-	-	-
23.00 - 23.99	1	-	-	1	-	-	-	-	-	-
24.00 - 24.99	-	-	-	2	-	-	-	-	-	-
25.00 - 25.99	-	-	-	-	-	-	-	1	-	-
26.00 - 26.99	-	-	-	1	-	-	-	-	-	-
27.00 - 27.99	-	-	-	-	-	-	-	-	-	-
28.00 - 28.99	-	-	-	-	-	-	-	-	-	-
29.00 - 29.99	-	-	-	-	-	-	-	-	-	-
30.00 - 30.99	-	-	-	-	-	-	1	-	-	-
31.00 - 31.99	-	-	-	-	-	-	-	-	-	-
32.00 - 32.99	-	-	-	-	-	-	-	-	-	-
33.00 - 33.99	-	-	-	-	-	-	-	-	-	-
34.00 - 34.99	-	_	-	_	_	_	_	_	-	-
35.00 - 35.99	_	_	_	_	_	_	_	_	_	_
= > 36.00	_	_	_	_	_	_	_	_	_	_
	BIB	<u>BLB</u>	BLC	CAP	CCF	FRD	NOP	WAE	WHC	<u>YEP</u>
Total	3	73	10	8	35	25	2	9	6	2
Min. Length	16.38	6.69	4.57	21.02	6.85	6.34	16.14	10.87	5.91	5.83
Max. Length	23.98	10.31	6.93	26.69	20.28	10.24	30.51	25.79	7.95	6.02
Mean Length	20.14	7.38	6.31	23.29	10.68	8.20	23.33	13.43	7.35	5.93
# Measured	3	64	10	8	35	21	2	9	6	2
No Lengths for	0	9	0	0	0	3	0	1	0	0
			•	•	•	•	•	•		

Note: Unless all fish were measured in the catch, totals shown for some length-frequency distributions may differ from the total number of fish in the catch, due to rounding of fractions used in the estimation of length frequency from a subsample of measured fish

Length Frequency Distribution for TN

Standard 3/4-in mesh, double frame trap net sets

(Field work conducted between 07/06/2015 and 07/08/2015)

-									
	BIB	BLB	BLC	CAP	<u>FRD</u>	<u>NOP</u>	WAE	WHC	<u>YEP</u>
< 3.00	-	-	-	-	-	-	-	-	-
3.00 - 3.49	-	-	-	-	-	-	-	-	-
3.50 - 3.99	-	-	1	-	-	-	-	-	-
4.00 - 4.49	-	-	-	-	-	-	-	-	-
4.50 - 4.99	-	-	2	-	-	-	-	-	-
5.00 - 5.49	-	-	-	-	-	-	-	-	1
5.50 - 5.99	-	-	1	-	-	-	-	-	1
6.00 - 6.49	-	1	20	-	-	-	-	-	-
6.50 - 6.99	-	-	33	-	-	-	-	3	-
7.00 - 7.49	-	2	1	-	1	-	-	9	-
7.50 - 7.99	-	-	1	-	1	-	-	1	-
8.00 - 8.49	-	-	1	_	_	_	-	-	-
8.50 - 8.99	-	-	3	_	_	_	-	-	-
9.00 - 9.49	-	_	5	_	5	_	_	_	1
9.50 - 9.99	_	_	_	_	5	_	_	_	_
10.00 - 10.49	_	2	_	_	1	_	_	3	_
10.50 - 10.99	_	_	_	_	_	_	_	1	_
11.00 - 11.49	_	_	_	_	_	_	2	1	_
11.50 - 11.99	_	_	_	_	_	_	1	_	_
12.00 - 12.99	_	_	_	_	_	_	7	_	_
13.00 - 13.99	_	_	_	_	_	_	3	_	_
14.00 - 14.99	_	_	2	_	_	_	-	_	_
15.00 - 15.99	_	_	-	_	_	_	_	_	_
16.00 - 16.99	_	_	2	_	1	_	_	_	_
17.00 - 17.99	2	_	-	_		_	_	_	_
18.00 - 18.99	1	_	_	_	1	1	_	_	_
19.00 - 19.99				_		2			
20.00 - 20.99	1	_	_	1	_	2		_	_
21.00 - 21.99			_	2		_			
22.00 - 21.99	1		_	1		_			
23.00 - 23.99	1		_	2		2			
24.00 - 24.99		_	_	1	_	1	_	_	_
25.00 - 25.99	_	_	_	-	_	3		_	_
	_	_	_	_	_	-	_	_	_
26.00 - 26.99	_	_	_	_	_	4	_	_	_
27.00 - 27.99 28.00 - 28.99	_	_	_	_	_	-	_	_	_
	-	-	-	-	-	-	-	-	-
29.00 - 29.99	-	-	-	-	-	2	-	-	-
30.00 - 30.99	-	-	-	-	-	2	-	-	-
31.00 - 31.99	-	-	-	-	-	1	-	-	-
32.00 - 32.99	-	-	-	-	-	'	-	-	-
33.00 - 33.99	-	-	-	-	-	-	-	-	-
34.00 - 34.99	-	-	-	-	-	-	-	-	-
35.00 - 35.99	-	-	-	-	-	-	-	-	-
= > 36.00									
	BIB	BLB	BLC	CAP	FRD	NOP	WAE	WHC	YEP
Total	6	5	72	7	15	20	13	18	3
Min. Length	17.13	6.34	3.82	20.94	7.44	18.86	11.38	6.50	5.47
Max. Length	23.19	10.24	16.69	24.84	18.03	32.36	13.23	11.34	9.41
Mean Length	19.77	8.17	7.26	22.45	10.44	25.72	12.26	8.10	6.86
# Measured	19.77	5	7.20	22.45 7	15	18	12.20	18	3
No Lengths for	0	0	0	0	0	2	1	0	0

Note: Unless all fish were measured in the catch, totals shown for some length-frequency distributions may differ from the total number of fish in the catch, due to rounding of fractions used in the estimation of length frequency from a subsample of measured fish

Other Species

Gear		Total	Number	Length (inches)	Number	Weight (pounds)
Type (1)	Other Species (Gender) (2)	Num	Measured	Min - Mean - Max	Weighed	Min - Mean - Max
TN	Painted Turtle	5	0	N/A	0	N/A

(1) Key to sampling gear abbreviations:

TN = Standard 3/4-in mesh, double frame trap net sets

(2) Gender: If identified and reported.



Approval Dates And Notices

Date Approved By Windom Area Fisheries Supervisor:	
Date Approved By Southern Region Fisheries Manager:	

This **DRAFT VERSION** of the Lake Survey Report contains preliminary data (as of 07/09/2015), and is therefore subject to change at any time.



Minnesota Department of Natural Resources

By accepting the data in this report, the user agrees the data will be used for personal benefit and not for profit. Any other uses or publication of the data needs the consent of the Department. The Minnesota Department of Natural Resources assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on the data.

REPORT OVERVIEW - FOR OFFICE USE ONLY

(This page is not part of the Lake Survey Report and should be discarded)

Lake Name: Fish Survey Type: Standard Survey

DOW Number: 46-0145-00 Survey ID Date: 07/06/2015

Survey Status: Field Work Complete

The following 19 (of 32) report components are not included in this Lake Survey Report:

- 1. Water Level History1
- 2. Lake Inlets
- 3. Additional Inlet Information
- 4. Lake Outlets
- 5. Additional Outlet Information
- 6. Water Control Structure (Dam)
- 7. Surrounding Watershed Characteristics, Shoreline Characteristics, and Riparian Landscape Observations²
- 8. Resorts And Campgrounds
- 9. Fish Spawning Conditions
- 10. Erosion And Pollution
- 11. Fish Diseases And Parasites
- 12. Aquatic Vegetation And Shoalwater Substrates
- 13. Laboratory Analysis Of Water Chemistry
- 14. Length At Capture With Last Incremental Length*
- 15. Back-Calculated Lengths
- 16. Age Class Frequency Distributions
- 17. Status Of Fishery And Field Notes
- 18. Water Quality (Winter Observations) (added to revision 01/21/2010)
- 19. Survey Attachments (added to revision 20150622)
- ¹ Water Level History report: This data has not yet been migrated into the Fisheries LSM database. On 01/08/2009, two additional Water Level History report components (Readings and Station Summary) were added.
- ² Effective 03/25/2014, the Surrounding Watershed Characteristics, Shoreline Characteristics, and Riparian Landscape Observations report component was modified to be included in the Lake Survey report if it did not include any Watershed and Shoreline characteristics and only consisted of Riparian Landscape Observations.
- * Length At Capture With Last Incremental Length report: The following criteria must be met for a report to be generated:
 - 1. The fish species must have an assigned body scale constant.
 - 2. Fish must have an "official" age assigned.
 - 3. Fish must have a digitized measurement marked for back calculation use.

Note: The data source for Length and Age Class Frequency Distribution tables is updated twice daily - once at noon and once overnight. Any changes to the data made before noon on 07/09/2015 may not be reflected in the Distribution tables until after 12:30 pm on 07/09/2015.

The following survey component was flagged to be specifically excluded from this report: TN - 2

FOR OFFICE USE ONLY: As of revision 20150622, this page is automatically suppressed on signed versions of this report (area supervisor, region manager, research biologist, research supervisor, program staff, or program manager signed).