

## Minnesota Department of Natural Resources **Fisheries Management**

#### LAKE SURVEY REPORT

**DRAFT VERSION** - PRELIMINARY DATA (AS OF 07/31/2015)

Lake Name: Shaokotan Survey Type: Standard Survey

DOW Number: 41-0089-00 Survey ID Date: 07/27/2015

Lake Identification

Alternate Lake Name: Shoakotan DNR Sounding Map Number: B0204 Primary Lake Class ID: 41 Alternate Lake Class ID: N/A

**Lake Location** 

Primary County: Lincoln Nearest Town: Ivanhoe

**Legal Descriptions** 

Lake Center: Township - 111N Range - 46W Section - 23

PLS Section Lake Center: 11104623

**All Legal Descriptions:** 

Lincoln County: Township - 111N Range - 46W Sections - 22, 23, 24, 26, 27, 28

**Area Office** 

Area Name: Windom ORG Code: F418 Region Name: Southern Region Number: 4

**Lake Access** 

(Information based on Population Assessment dated 08/12/1996)

Station ID	Ownership	Public Use	Туре	Location / Comments
AC - 1	DNR	Open to Public use	Concrete	STATE OWNED BOAT ACCESS ON NORTH SIDE.

(Data excludes records where public use is not designated or is designated "No Public Use")

Name: L Shaokatan Outlet

**Lake Characteristics** 

Lake Area (planimetered acres): 995.00 GIS Shoreline Length (miles): 8.73

GIS Lake Area (acres): 996.29 Maximum Fetch (miles): 2.84 DOW Lake Area (acres): 1,043.00 Fetch Orientation (degrees): 67 Littoral Area (acres): 996.28 USGS Quad Map Number: U04a USGS Quad 24K GIS Index: 4008 Area in MN (acres): 996.28

Maximum Depth (feet): 10.0 Mean Depth (feet): N/A

**Watershed Characteristics** 

**Major Watershed** Minor Watershed

Name: Minn R-Yellow Medicine R.

Watershed Number: 25

Watershed Number: Watershed size (acres): 1,332,769 Watershed size (acres): 8,817

Lake Survey Report revision: 20150625. Data Date: 07/31/2015 at 2:25 pm.

### **Surveys and Investigations**

**Re-Survey:** 08/07/2000, 08/17/1992, 07/06/1983.

**Population Assessment:** 07/28/2014, 07/29/2013, 08/01/2011, 08/04/2008, 08/02/2004, 08/12/1996, 08/15/1988.

**Special Assessment:** 08/12/2014, 08/13/2013, 09/28/2010, 08/05/2010, 08/02/2010, 10/19/2009, 08/04/2009,

08/03/2009, 09/16/2008, 08/04/2008, 10/13/1999, 09/15/1998, 10/09/1996, 08/17/1967.

**Dissolved Oxygen Check:** 02/19/2015, 01/02/2014, 02/06/2013, 01/03/2013, 01/10/2012, 12/29/2010, 01/05/2010.

**Research Survey:** 06/25/2014.

External Management Survey: 06/03/2009, 07/21/2008.

Standard Survey: 07/27/2015.

### **Current Water Level**

Station ID	Date	Level	Reading (feet)	Reading Type
GA - 1	07/30/2015	Normal	2.48	Direct Gauge Reading

#### **Benchmark and Gauge Descriptions / Locations**

Station ID	Location Description
GA - 1	N/A

#### Water Level History - Readings

Station ID	Date	Level	Reading (feet)	Reading Type
BM - 1	07/28/2014	Normal	-5.10	Above or below Benchmark
	08/05/2010	Normal	-4.30	Above or below Benchmark
	08/05/2008	N/A	-4.80	Above or below Benchmark
GA - 1	07/30/2015	Normal	2.48	Direct Gauge Reading
	07/28/2014	Normal	2.63	Direct Gauge Reading
	08/01/2013	Normal	2.30	Direct Gauge Reading
	08/03/2011	Normal	2.14	Direct Gauge Reading
	08/05/2010	Normal	2.20	Direct Gauge Reading
	08/05/2008	N/A	1.70	Direct Gauge Reading

#### Water Level History - Station Summary

	Minimum Level		Maximum Level		Range	Average	Reading Type	
Station ID	Feet	Date	Feet	Date	(feet)	Level (feet)	(and number of readings)	
BM - 1	-5.10	07/28/2014	-4.30	08/05/2010	0.80	-4.73	Above or below Benchmark (3)	
GA - 1	1.70	08/05/2008	2.63	07/28/2014	0.93	2.24	Direct Gauge Reading (6)	

#### Dissolved Oxygen and Temperature Profile of Lake Water

Station ID	Sampling Date	Bottom Depth (Feet)	Sample Depth (Feet)	Water Temperature (°F)	Dissolved Oxygen (ppm)
WQ - 1	1 07/27/2015		Surface	73.9	11.3
			2.0	73.9	7.3
			4.0	73.9	7.0
			6.0	73.9	7.0
			8.0	73.9	6.9
			10.0	73.9	6.9

### Field Measurements of Water Quality

			Secchi				
	Sampling	Sample	Depth	Field	Alkalinity		
Station ID	Date	Depth (Feet)	(Feet)	pH	(ppm)	Water Color	Color Cause
WQ - 1	07/27/2015	9.0	9.0	9.41	140	Clear	N/A

<b>Laboratory Analysis</b>	of Water Che	mistry
----------------------------	--------------	--------

Station ID	Sampling Date	Analysis Date	Sample Depth (ft)	Chemical Parameter	Chemical Value
WQ - 1	07/27/2015	06/12/2015	9.0	Sulphate ion	269.0 ppm
				Total phosphorus	0.220 ppm
				Total alkalinity	120 ppm
				Total dissolved solids	568 ppm
				Chlorophyll-a trichromatic method calculation	1.9 ppb
				Conductivity	754 :S/cm
				pH	8.92 pH
				Chlorophyll-a corrected for pheophytin	1.94 ppb



### Net Catch Summary by Numbers for GN

### Standard gill net sets

Number of Sets: 3

First Set Date: 07/27/2015 Last Lift Date: 07/30/2015 Target Species: N/A

### Quartiles for Lake Class 41\*

Abbr	Species	Total Fish	Number Per Set	25%	50%	75%
BLB	Black Bullhead	137	45.67	4.56	23.42	83.00
NOP	Northern Pike	12	4.00	1.20	3.50	7.79
WAE	Walleye	31	10.33	3.22	7.67	15.33
YEP	Yellow Perch	240	80.00	3.00	8.94	22.50
		Total Fish/Set:	140.00	* Quartile:	* Quartiles for Number Per Set	

### Net Catch Summary by Weight for GN

### Standard gill net sets

		Total Weight	Pounds	Mean	Quartiles	for Lake Clas	s 41*
Abbr	Species	(Pounds)	Per Set	Weight	25%	50%	75%
BLB	Black Bullhead	61.72	20.57	0.45	0.21	0.38	0.60
NOP	Northern Pike	29.29	9.76	2.44	1.53	2.12	2.95
WAE	Walleye	97.33	32.44	3.14	0.88	1.37	1.90
YEP	Yellow Perch	58.33	19.44	0.24	0.14	0.24	0.36
		Total Pounds Fish/Set:	82.22		* Quartiles for Mean Weight		

### Net Catch Summary by Numbers for TN

#### Standard 3/4-in mesh, double frame trap net sets

Number of Sets: 12

First Set Date: 07/27/2015 Last Lift Date: 07/30/2015 Target Species: N/A

### Quartiles for Lake Class 41\*

Abbr	Species	Total Fish	Number Per Set	25%	50%	75%
BLB	Black Bullhead	237	19.75	1.33	14.73	78.13
BLG	Bluegill	8	0.67	1.05	3.00	14.93
GSF	Green Sunfish	36	3.00	0.13	0.33	0.66
HSF	Hybrid Sunfish	8	0.67	N/A	N/A	N/A
NOP	Northern Pike	6	0.50	N/A	N/A	N/A
WAE	Walleye	28	2.33	0.31	0.73	1.69
YEP	Yellow Perch	646	53.83	0.25	0.81	2.62
		Total Fish/Set:	80.75	* Quartiles	s for Number P	er Set

### Net Catch Summary by Weight for TN

Standard 3/4-in mesh, double frame trap net sets

		Total Weight	Pounds	Mean	Quartiles for Lake Class 41*		
Abbr	Species	(Pounds)	Per Set	Weight	25%	50%	75%
BLB	Black Bullhead	114.27	9.52	0.48	0.21	0.36	0.59
BLG	Bluegill	0.84	0.07	0.10	0.16	0.25	0.38
GSF	Green Sunfish	1.84	0.15	0.05	0.06	0.10	0.17
HSF	Hybrid Sunfish	1.98	0.17	0.25	N/A	N/A	N/A
NOP	Northern Pike	24.93	2.08	4.15	N/A	N/A	N/A
WAE	Walleye	56.90	4.74	2.03	0.85	1.63	2.41
YEP	Yellow Perch	57.74	4.81	0.09	0.13	0.20	0.31
	Total Pounds Fish/Set:		21.54		* Quarti	les for Mean W	eight eight

### Length Frequency Distribution for GN

### Standard gill net sets

(Field work conducted between 07/27/2015 and 07/30/2015)

<pre></pre>	(I ICIG WOLK CO	Huucieu	Detwee	11 01/21/	2013 ai
3.00 - 3.49 3.50 - 3.99 4.00 - 4.49 4.50 - 4.99 5.00 - 5.49 1		<u>BLB</u>	<u>NOP</u>	<u>WAE</u>	<u>YEP</u>
3.50 - 3.99 4.00 - 4.49 4.50 - 4.99 5.00 - 5.49 1	< 3.00	-	-	-	-
4.00 - 4.49	3.00 - 3.49	-	-	-	-
4.50 - 4.99	3.50 - 3.99	-	-	-	-
5.00 - 5.49	4.00 - 4.49	-	-	-	-
5.50 - 5.99	4.50 - 4.99	-	-	-	-
6.00 - 6.49 6 6.50 - 6.99 13 7.00 - 7.49 21 7.50 - 7.99 6 3 3 8.00 - 8.49 12 44 8.50 - 8.99 9 5 9.00 - 9.49 6 3 3 9.50 - 9.99 3 3 10.00 - 10.49 22 10.50 - 10.99 24 - 1 1.00 - 11.49 6 11.50 - 11.99 4 - 1 1.50 - 11.99 4 - 1 1.50 - 11.99 1 - 2 15.00 - 15.99 - 1 1 1.00 - 16.99 - 1 1 1.00 - 17.99 - 1 1 1 1.00 - 17.99 - 1 1 1 1.00 - 19.99 - 2 1.00 - 20.99 - 2 2 1.00 - 20.99 - 2 2 1.00 - 21.99 - 5 22.00 - 22.99 - 5 23.00 - 23.99 - 2 2 3 24.00 - 24.99 - 1 1 2 2 6.00 - 26.99 2 2 2 2 6.00 - 26.99 2 2 2 2 6.00 - 26.99 2 2 2 6.00 - 27.99 - 1 1 2 2 6.00 - 28.99 3 1 1 2 2 6.00 - 29.99 3 1 1 2 2 6.00 - 29.99 2 2 2 3 3 3.00 - 33.99 3 3.00 - 33.99 3 3.00 - 33.99 3 3.00 - 33.99 3 3.00 - 33.99 3 3.00 - 33.99 3 3.00 - 33.99 3 3.00 - 35.99	5.00 - 5.49	1	-	-	9
6.50 - 6.99	5.50 - 5.99	3	-	-	49
6.50 - 6.99       13       -       -         7.00 - 7.49       21       -       -         7.50 - 7.99       6       -       -       3         8.00 - 8.49       12       -       -       4         8.50 - 8.99       9       -       -       5         9.00 - 9.49       6       -       -       3         9.50 - 9.99       3       -       -       -         10.00 - 10.49       22       -       -       -         10.50 - 10.99       24       -       1       -       -         11.50 - 11.99       4       -       1       - <td< td=""><td>6.00 - 6.49</td><td>6</td><td>-</td><td>-</td><td>8</td></td<>	6.00 - 6.49	6	-	-	8
7.00 - 7.49		13	_	-	3
7.50 - 7.99       6       -       -       3         8.00 - 8.49       12       -       -       44         8.50 - 8.99       9       -       -       5         9.00 - 9.49       6       -       -       3         9.50 - 9.99       3       -       -       3         9.50 - 9.99       3       -       -       3         10.00 - 10.49       22       -       -       -         10.50 - 10.99       24       -       1       -       -         11.50 - 11.99       4       -       1       -		21	_	_	5
8.00 - 8.49		6	_	_	33
8.50 - 8.99       9       -       -       5         9.00 - 9.49       6       -       -       3         9.50 - 9.99       3       -       -       3         9.50 - 9.99       3       -       -       3         10.00 - 10.49       22       -       -       -       1         10.50 - 10.99       24       -       1       2			_	_	46
9.00 - 9.49			_	_	50
9.50 - 9.99 3 10.00 - 10.49 22 11.50 - 10.99 24 - 1 1.50 - 11.99 4 - 1 1.50 - 11.99 4 - 1 1.50 - 11.99 1 1 - 2 15.00 - 15.99 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			_	_	31
10.00 - 10.49			_	_	2
10.50 - 10.99			_	_	2
11.00 - 11.49			_	1	-
11.50 - 11.99			_		_
12.00 - 12.99			_	1	_
13.00 - 13.99		7	_	-	_
14.00 - 14.99		-	-	-	-
15.00 - 15.99		-	-	-	-
16.00 - 16.99		1	-		-
17.00 - 17.99		-	-	-	-
18.00 - 18.99		-	-	•	-
19.00 - 19.99		-	•	•	-
20.00 - 20.99		-			-
21.00 - 21.99		-	1		-
22.00 - 22.99 5 23.00 - 23.99 - 2 3 24.00 - 24.99 - 1 1 25.00 - 25.99 - 1 2 26.00 - 26.99 27.00 - 27.99 - 1 1 28.00 - 28.99 - 1 29.00 - 29.99 30.00 - 30.99 31.00 - 31.99 32.00 - 32.99 33.00 - 33.99 35.00 - 35.99 35.00 - 35.99 35.00 - 35.99		-	-		-
23.00 - 23.99		-	-		-
24.00 - 24.99		-			-
25.00 - 25.99 - 1 2 26.00 - 26.99 27.00 - 27.99 - 1 1 28.00 - 28.99 - 1 - 29.00 - 29.99 30.00 - 30.99 31.00 - 31.99 32.00 - 32.99 33.00 - 33.99 35.00 - 35.99 = > 36.00		-			-
26.00 - 26.99		-	-		-
27.00 - 27.99	25.00 - 25.99	-	1	2	-
28.00 - 28.99		-	-	-	-
29.00 - 29.99	27.00 - 27.99	-	-	1	-
30.00 - 30.99	28.00 - 28.99	-	1	-	-
31.00 - 31.99	29.00 - 29.99	-	-	-	-
32.00 - 32.99	30.00 - 30.99	-	-	-	-
33.00 - 33.99	31.00 - 31.99	-	-	-	-
34.00 - 34.99	32.00 - 32.99	-	-	-	-
35.00 - 35.99	33.00 - 33.99	-	-	-	-
35.00 - 35.99	34.00 - 34.99	-	-	-	-
BLB NOP WAE YE		-	-	-	-
	= > 36.00	-	-	<u>-</u>	
		BI P	NOP	WAE	VED
10tal 137 11 31 23	Total	137	11	31	238

	BLB	NOP	WAE	<u>YEP</u>
Total	137	11	31	238
Min. Length	5.35	16.85	10.94	5.28
Max. Length	14.37	28.58	27.87	10.00
Mean Length	8.91	22.13	19.94	7.85
# Measured	137	11	31	150
No Lengths for	0	1	0	90

**Note:** Unless all fish were measured in the catch, totals shown for some length-frequency distributions may differ from the total number of fish in the catch, due to rounding of fractions used in the estimation of length frequency from a subsample of measured fish

### Length Frequency Distribution for TN (for fish < 36.00 inches)

#### Standard 3/4-in mesh, double frame trap net sets

(Field work conducted between 07/27/2015 and 07/30/2015)

	BLB	BLG	<u>GSF</u>	<u>HSF</u>	NOP	WAE	YEP
< 3.00	-	-	-	-	-	-	-
3.00 - 3.49	-	1	-	-	-	-	-
3.50 - 3.99	-	4	26	1	-	-	-
4.00 - 4.49	-	1	10	-	-	-	-
4.50 - 4.99	-	-	-	-	-	-	-
5.00 - 5.49	-	-	-	-	-	-	199
5.50 - 5.99	2	-	-	-	-	-	324
6.00 - 6.49	8	2	-	1	-	-	69
6.50 - 6.99	27	-	-	5	-	2	5
7.00 - 7.49	38	-	-	1	-	2	2
7.50 - 7.99	38	-	-	-	-	3	7
8.00 - 8.49	16	-	-	-	-	-	19
8.50 - 8.99	4	-	-	-	-	-	17
9.00 - 9.49	5	-	-	-	1	2	2
9.50 - 9.99	5	-	-	-	-	-	2
10.00 - 10.49	34	-	-	-	-	-	-
10.50 - 10.99	17	-	-	-	-	-	-
11.00 - 11.49	17	-	-	-	-	-	-
11.50 - 11.99	4	-	-	-	-	1	-
12.00 - 12.99	4	-	-	-	-	4	-
13.00 - 13.99	14	-	-	-	-	1	-
14.00 - 14.99	2	-	-	-	-	2	-
15.00 - 15.99	-	-	-	-	-	-	-
16.00 - 16.99	-	-	-	-	-	-	-
17.00 - 17.99	-	-	-	-	-	-	-
18.00 - 18.99	-	-	-	-	- 1	-	-
19.00 - 19.99	-	-	-	-	'	2	-
20.00 - 20.99	-	-	-	-	-	-	-
21.00 - 21.99	-	_	-	-	-	3	-
22.00 - 22.99 23.00 - 23.99	_	_	_	_	_	5	_
	_	_	-	_	_	2	_
24.00 - 24.99 25.00 - 25.99	_	-	-	_	_	-	_
26.00 - 26.99	_	_	_	_	2	_	_
27.00 - 27.99 27.00 - 27.99	_	_	_	_	_	_	_
28.00 - 28.99	_	_	_	_		_	_
29.00 - 29.99	_	_	_	_	_	_	_
30.00 - 30.99	_	_	_	_	_	_	_
31.00 - 31.99	_	_	_	_	1	_	_
32.00 - 32.99	_	_	_	_		_	_
33.00 - 33.99	_	_	_	_	_	_	_
34.00 - 34.99	_	_	_	_	_	_	_
35.00 - 35.99	_	_	_	_	_	_	_
= > 36.00	_	_	_	_	1	_	_
	<u>BLB</u>	BLG	<u>GSF</u>	<u>HSF</u>	<u>NOP</u>	<u>WAE</u>	YEP
Total	235	8	36	8	6	29	646
Min. Length	5.67	3.31	3.62	3.70	9.29	6.85	5.08
Max. Length	14.65	6.46	4.37	7.32	36.02	24.72	9.84
Mean Length	9.05	4.44	3.90	6.40	24.84	16.16	5.89
# Measured	149	8	36	8	6	27	287
No Lengths for	88	0	0	0	0	1	359

Note: Unless all fish were measured in the catch, totals shown for some length-frequency distributions may differ from the total number of fish in the catch, due to rounding of fractions used in the estimation of length frequency from a subsample of measured fish

### Length Frequency Distribution for $\underline{TN}$ (for fish $\geq$ 36.00 inches)

#### Standard 3/4-in mesh, double frame trap net sets

(Field work conducted between 07/27/2015 and 07/30/2015)

	BLB	BLG	<u>GSF</u>	<u>HSF</u>	NOP	<u>WAE</u>	YEP
< 36.00	237	8	36	8	5	28	646
36.00 - 36.99	-	-	-	-	1	-	-
37.00 - 37.99	-	-	-	-	-	-	-
38.00 - 38.99	-	-	-	-	-	-	-
39.00 - 39.99	-	-	-	-	-	-	-
40.00 - 40.99	-	-	-	-	-	-	-
41.00 - 41.99	-	-	-	-	-	-	-
42.00 - 42.99	-	-	-	-	-	-	-
43.00 - 43.99	-	-	-	-	-	-	-
44.00 - 44.99	-	-	-	-	-	-	-
45.00 - 45.99	-	-	-	-	-	-	-
46.00 - 46.99	-	-	-	-	-	-	-
47.00 - 47.99	-	-	-	-	-	-	-
48.00 - 48.99	_	-	-	_	-	-	_
49.00 - 49.99	-	_	_	_	_	_	_
50.00 - 50.99	_	_	_	_	_	_	_
51.00 - 51.99	_	_	_	_	_	_	_
52.00 - 52.99	_	_	_	_	_	_	_
53.00 - 53.99	_	_	_	_	_	_	_
54.00 - 54.99	_	_	_	_	_	_	_
55.00 - 55.99			_				
	_	_	_	_	_	_	_
56.00 - 56.99	-	-	-	-	-	_	-
57.00 - 57.99	-	-	-	-	-	_	-
58.00 - 58.99	-	-	-	-	-	-	-
59.00 - 59.99	-	-	-	-	-	-	-
60.00 - 60.99	-	-	-	-	-	-	-
61.00 - 61.99	-	-	-	-	-	-	-
62.00 - 62.99	-	-	-	-	-	-	-
63.00 - 63.99	-	-	-	-	-	-	-
64.00 - 64.99	-	-	-	-	-	-	-
65.00 - 65.99	-	-	-	-	-	-	-
66.00 - 66.99	-	-	-	-	-	-	-
67.00 - 67.99	-	-	-	-	-	-	-
68.00 - 68.99	-	-	-	-	-	-	-
69.00 - 69.99	-	-	-	-	-	-	-
70.00 - 70.99	-	-	-	-	-	-	-
71.00 - 71.99	-	-	-	-	-	-	-
72.00 - 72.99	-	-	-	-	-	-	-
73.00 - 73.99	-	-	-	-	-	-	-
74.00 - 74.99	-	-	-	-	-	-	-
75.00 - 75.99	-	-	-	-	-	-	-
76.00 - 76.99	-	-	-	-	-	-	-
77.00 - 77.99	-	-	-	-	-	-	-
= > 78.00	-	-	-	-	-	-	-
	BLB	<u>BLG</u>	<u>GSF</u>	<u>HSF</u>	<u>NOP</u>	<u>WAE</u>	<u>YEP</u>
Total	237	8	36	8	6	28	646
Min. Length	5.67	3.31	3.62	3.70	9.29	6.85	5.08
Max. Length	14.65	6.46	4.37	7.32	36.02	24.72	9.84
Mean Length	9.05	4.44	3.90	6.40	24.84	16.16	5.89
# Measured	149	8	36	8	6	27	287
No Lengths for	88	0	0	0	0	1	359

**Note:** Unless all fish were measured in the catch, totals shown for some length-frequency distributions may differ from the total number of fish in the catch, due to rounding of fractions used in the estimation of length frequency from a subsample of measured fish

### **Other Species**

Gear		Total	Number	Length (inches)	Number	Weight (pounds)
Type (1)	Other Species (Gender) (2)	Num	Measured	Min - Mean - Max	Weighed	Min - Mean - Max
TN	Painted Turtle	28	0	N/A	0	N/A

### (1) Key to sampling gear abbreviations:

TN = Standard 3/4-in mesh, double frame trap net sets

(2) Gender: If identified and reported.



**Approval Dates And Notices** 

Date Approved By Windom Area Fisheries Supervisor:	
Date Approved By Southern Region Fisheries Manager:	

This DRAFT VERSION of the Lake Survey Report contains preliminary data (as of 07/31/2015), and is therefore subject to change at any time.



Minnesota Department of Natural Resources

By accepting the data in this report, the user agrees the data will be used for personal benefit and not for profit. Any other uses or publication of the data needs the consent of the Department. The Minnesota Department of Natural Resources assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on the data.

#### REPORT OVERVIEW - FOR OFFICE USE ONLY

(This page is not part of the Lake Survey Report and should be discarded )

Lake Name: Shaokotan Survey Type: Standard Survey

DOW Number: 41-0089-00 Survey ID Date: 07/27/2015

Survey Status: Field Work Complete

The following 18 (of 32) report components are not included in this Lake Survey Report:

- 1. Water Level History1
- 2. Lake Inlets
- 3. Additional Inlet Information
- 4. Lake Outlets
- 5. Additional Outlet Information
- 6. Water Control Structure (Dam)
- 7. Surrounding Watershed Characteristics, Shoreline Characteristics, and Riparian Landscape Observations<sup>2</sup>
- 8. Resorts And Campgrounds
- 9. Fish Spawning Conditions
- 10. Erosion And Pollution
- 11. Fish Diseases And Parasites
- 12. Aquatic Vegetation And Shoalwater Substrates
- 13. Length At Capture With Last Incremental Length\*
- 14. Back-Calculated Lengths
- 15. Age Class Frequency Distributions
- 16. Status Of Fishery And Field Notes
- 17. Water Quality (Winter Observations) (added to revision 01/21/2010)
- 18. Survey Attachments (added to revision 20150622)
- <sup>1</sup> Water Level History report: This data has not yet been migrated into the Fisheries LSM database. On 01/08/2009, two additional Water Level History report components (Readings and Station Summary) were added.
- <sup>2</sup> Effective 03/25/2014, the Surrounding Watershed Characteristics, Shoreline Characteristics, and Riparian Landscape Observations report component was modified to be included in the Lake Survey report if it did not include any Watershed and Shoreline characteristics and only consisted of Riparian Landscape Observations.
- \* Length At Capture With Last Incremental Length report: The following criteria must be met for a report to be generated:
  - 1. The fish species must have an assigned body scale constant.
  - 2. Fish must have an "official" age assigned.
  - 3. Fish must have a digitized measurement marked for back calculation use.

Note: The data source for Length and Age Class Frequency Distribution tables is updated twice daily - once at noon and once overnight. Any changes to the data made after noon on 07/31/2015 may not be reflected in the Distribution tables until 08/01/2015.

**FOR OFFICE USE ONLY:** As of revision 20150622, this page is automatically suppressed on signed versions of this report (area supervisor, region manager, research biologist, research supervisor, program staff, or program manager signed).