



Minnesota Department of Natural Resources  
 Fisheries Management  
**LAKE SURVEY REPORT**



**DRAFT VERSION - PRELIMINARY DATA (AS OF 08/25/2016)**

Lake Name: South Silver

Survey Type: Standard Survey

DOW Number: 46-0020-00

Survey ID Date: 08/15/2016

**Lake Identification**

Alternate Lake Name: N/A  
 Primary Lake Class ID: 24

DNR Sounding Map Number: C0458  
 Alternate Lake Class ID: N/A

**Lake Location**

Primary County: Martin

Nearest Town: Fairmont

**Legal Descriptions**

Lake Center: Township - 101N Range - 30W Section - 29  
 PLS Section Lake Center: 10103029

**All Legal Descriptions:**

Martin County: Township - 101N Range - 30W Sections - 29, 30, 31, 32

**Area Office**

Area Name: Windom  
 Region Name: Southern

ORG Code: F418  
 Region Number: 4

**Lake Access**

(Information based on Re-Survey dated 08/08/1994)

Station ID	Ownership	Public Use	Type	Location / Comments
AC - 1	DNR	Open to Public use	Concrete	STATE-OWNED BOAT ACCESS LOCATED ON THE SOUTH SHORE.

(Data excludes records where public use is not designated or is designated "No Public Use")

**Lake Characteristics**

Lake Area (planimetered acres): 245.00	GIS Shoreline Length (miles): 3.97
GIS Lake Area (acres): 252.38	Maximum Fetch (miles): 1.10
DOW Lake Area (acres): 252.00	Fetch Orientation (degrees): 360
Littoral Area (acres): 142.00	USGS Quad Map Number: X12c
Area in MN (acres): 252.38	USGS Quad 24K GIS Index: 4723
Maximum Depth (feet): 22.0	
Mean Depth (feet): 14.0	

**Watershed Characteristics**

**Major Watershed**

Name: Blue Earth River  
 Watershed Number: 30  
 Watershed size (acres): 777,240

**Minor Watershed**

Name: Iowa L  
 Watershed Number: 65  
 Watershed size (acres): 9,774

## Surveys and Investigations

Re-Survey: 08/16/2010, 08/12/2002, 08/08/1994, 08/12/1985.  
 Population Assessment: 08/14/2006, 08/10/1998, 08/13/1990.  
 Special Assessment: 06/18/1957.  
 Standard Survey: 08/15/2016.  
 Targeted Survey: 08/15/2016.

## Current Water Level

Station ID	Date	Level	Reading (feet)	Reading Type
BM - 1	08/25/2016	Normal	4.90	Above or below Benchmark

## Benchmark and Gauge Descriptions / Locations

Station ID	Location Description
BM - 1	Top of green steel fence post near an oak tree approximately 1600 feet east of the public access.

## Water Level History - Readings

Station ID	Date	Level	Reading (feet)	Reading Type
BM - 1	08/25/2016	Normal	4.90	Above or below Benchmark
	08/19/2010	Normal	4.70	Above or below Benchmark
	08/14/2006	Normal	-4.85	Above or below Benchmark

## Water Level History - Station Summary

Station ID	Minimum Level		Maximum Level		Range (feet)	Average Level (feet)	Reading Type (and number of readings)
	Feet	Date	Feet	Date			
BM - 1	-4.85	08/14/2006	4.90	08/25/2016	9.75	1.58	Above or below Benchmark (3)

## Dissolved Oxygen and Temperature Profile of Lake Water

Station ID	Sampling Date	Bottom Depth (Feet)	Sample Depth (Feet)	Water Temperature (°F)		Dissolved Oxygen (ppm)
WQ - 1	08/24/2016	21.4	Surface		75.0	6.7
				3.0	74.8	6.8
				6.0	74.8	6.7
				9.0	74.8	6.6
				12.0	74.8	6.6
				15.0	74.8	6.6
				18.0	74.8	6.5
				21.0	74.5	6.0

## Field Measurements of Water Quality

Station ID	Sampling Date	Sample Depth (Feet)	Secchi Depth (Feet)	Field pH	Alkalinity (ppm)	Water Color	Color Cause
WQ - 1	08/24/2016	Surface	3.0	8.90	153	Brown Grn	Algae

**Net Catch Summary by Numbers for GN**

Standard gill net sets

Number of Sets: 3  
 First Set Date: 08/22/2016  
 Last Lift Date: 08/25/2016  
 Target Species: N/A

Abbr	Species	Total Fish	Number Per Set	Quartiles for Lake Class 24*		
				25%	50%	75%
BIB	Bigmouth Buffalo	3	1.00	0.25	0.55	1.69
BLB	Black Bullhead	11	3.67	2.50	10.46	44.95
BLC	Black Crappie	3	1.00	2.50	6.91	16.50
CAP	Common Carp	13	4.33	0.33	1.00	3.00
FRD	Freshwater Drum	42	14.00	4.00	11.75	32.25
WAE	Walleye	5	1.67	1.17	2.82	6.33
WHB	White Bass	3	1.00	0.27	0.83	3.83
YEP	Yellow Perch	177	59.00	2.00	10.50	27.94
Total Fish/Set:			85.67	* Quartiles for Number Per Set		

**Net Catch Summary by Weight for GN**

Standard gill net sets

Abbr	Species	Total Weight (Pounds)	Pounds Per Set	Mean Weight	Quartiles for Lake Class 24*		
					25%	50%	75%
BIB	Bigmouth Buffalo	7.22	2.41	2.41	N/A	N/A	N/A
BLB	Black Bullhead	4.99	1.66	0.45	0.29	0.44	0.66
BLC	Black Crappie	0.95	0.32	0.32	0.15	0.20	0.26
CAP	Common Carp	25.40	8.47	1.95	1.87	3.41	5.24
FRD	Freshwater Drum	19.31	6.44	0.46	0.25	0.50	1.13
WAE	Walleye	10.98	3.66	2.20	1.20	1.81	2.69
WHB	White Bass	0.87	0.29	0.29	N/A	N/A	N/A
YEP	Yellow Perch	30.70	10.23	0.17	0.10	0.13	0.18
Total Pounds Fish/Set:			33.48	* Quartiles for Mean Weight			

**Net Catch Summary by Numbers for TN**

Standard 3/4-in mesh, double frame trap net sets

Number of Sets: 9  
 First Set Date: 08/15/2016  
 Last Lift Date: 08/25/2016  
 Target Species: N/A

Abbr	Species	Total Fish	Number Per Set	Quartiles for Lake Class 24*		
				25%	50%	75%
BIB	Bigmouth Buffalo	2	0.22	0.20	0.25	0.75
BLB	Black Bullhead	44	4.89	0.71	3.75	25.65
BLC	Black Crappie	69	7.67	1.83	6.50	21.16
BLG	Bluegill	7	0.78	7.54	23.13	62.50
CCF	Channel Catfish	1	0.11	N/A	N/A	N/A
CAP	Common Carp	13	1.44	0.38	0.74	2.00
FRD	Freshwater Drum	19	2.11	0.50	1.17	4.19
NOP	Northern Pike	2	0.22	N/A	N/A	N/A
WAE	Walleye	10	1.11	0.27	0.60	1.24
WHB	White Bass	59	6.56	0.23	0.33	0.88
YEB	Yellow Bullhead	1	0.11	0.88	2.15	5.68
YEP	Yellow Perch	11	1.22	0.25	0.60	1.67
Total Fish/Set:			26.44	* Quartiles for Number Per Set		

**Net Catch Summary by Weight for TN**

Standard 3/4-in mesh, double frame trap net sets

Abbr	Species	Total Weight (Pounds)	Pounds Per Set	Mean Weight	Quartiles for Lake Class 24*		
					25%	50%	75%
BIB	Bigmouth Buffalo	6.39	0.71	3.20	2.50	4.13	5.65
BLB	Black Bullhead	22.74	2.53	0.52	0.28	0.43	0.62
BLC	Black Crappie	21.65	2.41	0.31	0.18	0.24	0.33
BLG	Bluegill	1.28	0.14	0.18	0.13	0.18	0.25
CCF	Channel Catfish	5.73	0.64	5.73	N/A	N/A	N/A
CAP	Common Carp	43.97	4.89	3.38	2.58	4.07	6.02
FRD	Freshwater Drum	16.85	1.87	0.89	0.43	0.79	1.21
NOP	Northern Pike	11.14	1.24	5.57	N/A	N/A	N/A
WAE	Walleye	12.86	1.43	1.29	0.80	1.50	2.78
WHB	White Bass	28.30	3.14	0.48	0.49	1.04	1.49
YEB	Yellow Bullhead	0.51	0.06	0.51	0.50	0.67	0.84
YEP	Yellow Perch	1.78	0.20	0.16	0.10	0.13	0.20
Total Pounds Fish/Set:			19.25	* Quartiles for Mean Weight			

**Length Frequency Distribution for GN**

**Standard gill net sets**

(Field work conducted between 08/22/2016 and 08/25/2016)

	<u>BIB</u>	<u>BLB</u>	<u>BLC</u>	<u>CAP</u>	<u>FRD</u>	<u>WAE</u>	<u>WHB</u>	<u>YEP</u>
< 3.00	-	-	-	-	-	-	-	-
3.00 - 3.49	-	-	-	-	1	-	-	-
3.50 - 3.99	-	-	-	-	-	-	-	-
4.00 - 4.49	-	-	-	-	-	-	-	-
4.50 - 4.99	-	-	-	-	-	-	-	-
5.00 - 5.49	-	-	-	-	1	-	-	2
5.50 - 5.99	-	-	-	-	2	-	-	21
6.00 - 6.49	-	-	-	-	-	-	-	42
6.50 - 6.99	-	1	-	-	-	-	-	16
7.00 - 7.49	-	-	-	-	-	-	-	13
7.50 - 7.99	-	-	-	1	-	-	-	29
8.00 - 8.49	-	-	1	-	4	-	-	42
8.50 - 8.99	-	1	2	-	1	-	1	10
9.00 - 9.49	-	5	-	-	5	-	2	1
9.50 - 9.99	-	1	-	-	5	-	-	-
10.00 - 10.49	-	3	-	-	9	-	-	-
10.50 - 10.99	-	-	-	-	5	-	-	-
11.00 - 11.49	-	-	-	-	-	-	-	-
11.50 - 11.99	-	-	-	1	-	2	-	-
12.00 - 12.99	-	-	-	-	2	-	-	-
13.00 - 13.99	-	-	-	1	5	-	-	-
14.00 - 14.99	-	-	-	4	1	-	-	-
15.00 - 15.99	2	-	-	-	-	-	-	-
16.00 - 16.99	1	-	-	-	-	-	-	-
17.00 - 17.99	-	-	-	4	-	-	-	-
18.00 - 18.99	-	-	-	1	-	-	-	-
19.00 - 19.99	-	-	-	-	-	-	-	-
20.00 - 20.99	-	-	-	-	-	-	-	-
21.00 - 21.99	-	-	-	-	-	1	-	-
22.00 - 22.99	-	-	-	-	-	-	-	-
23.00 - 23.99	-	-	-	-	-	-	-	-
24.00 - 24.99	-	-	-	-	-	-	-	-
25.00 - 25.99	-	-	-	1	-	1	-	-
26.00 - 26.99	-	-	-	-	-	-	-	-
27.00 - 27.99	-	-	-	-	-	-	-	-
28.00 - 28.99	-	-	-	-	-	-	-	-
29.00 - 29.99	-	-	-	-	-	-	-	-
30.00 - 30.99	-	-	-	-	-	-	-	-
31.00 - 31.99	-	-	-	-	-	-	-	-
32.00 - 32.99	-	-	-	-	-	-	-	-
33.00 - 33.99	-	-	-	-	-	-	-	-
34.00 - 34.99	-	-	-	-	-	-	-	-
35.00 - 35.99	-	-	-	-	-	-	-	-
= > 36.00	-	-	-	-	-	-	-	-
	<u>BIB</u>	<u>BLB</u>	<u>BLC</u>	<u>CAP</u>	<u>FRD</u>	<u>WAE</u>	<u>WHB</u>	<u>YEP</u>
Total	3	11	3	13	41	4	3	176
Min. Length	15.12	6.93	8.11	7.72	3.15	11.61	8.70	5.39
Max. Length	16.02	10.35	8.90	25.63	14.13	25.51	9.13	9.17
Mean Length	15.63	9.33	8.58	15.74	10.03	17.50	8.98	7.44
# Measured	3	11	3	13	40	4	3	102
No Lengths for	0	0	0	0	2	1	0	75

**Note:** Unless all fish were measured in the catch, totals shown for some length-frequency distributions may differ from the total number of fish in the catch, due to rounding of fractions used in the estimation of length frequency from a subsample of measured fish

**Length Frequency Distribution for TN**

**Standard 3/4-in mesh, double frame trap net sets**

(Field work conducted between 08/15/2016 and 08/25/2016)

	<u>BIB</u>	<u>BLB</u>	<u>BLC</u>	<u>BLG</u>	<u>CAP</u>	<u>CCF</u>	<u>FRD</u>	<u>NOP</u>	<u>WAE</u>	<u>WHB</u>	<u>YEB</u>	<u>YEP</u>
< 3.00	-	-	-	-	-	-	-	-	-	-	-	-
3.00 - 3.49	-	-	-	2	-	-	-	-	-	-	-	-
3.50 - 3.99	-	-	-	1	-	-	-	-	-	-	-	-
4.00 - 4.49	-	-	-	-	-	-	-	-	-	-	-	-
4.50 - 4.99	-	-	-	-	-	-	-	-	-	-	-	-
5.00 - 5.49	-	-	-	-	-	-	-	-	-	-	-	-
5.50 - 5.99	-	-	-	1	-	-	-	-	-	-	-	2
6.00 - 6.49	-	-	-	-	-	-	-	-	-	-	-	3
6.50 - 6.99	-	-	1	1	-	-	-	-	-	-	-	1
7.00 - 7.49	-	-	1	1	-	-	-	-	-	-	-	1
7.50 - 7.99	-	-	10	-	-	-	-	-	-	-	-	-
8.00 - 8.49	-	-	37	1	-	-	-	-	-	3	-	4
8.50 - 8.99	-	-	16	-	-	-	-	-	-	1	-	-
9.00 - 9.49	-	4	3	-	-	-	1	-	-	8	-	-
9.50 - 9.99	-	16	-	-	-	-	2	-	-	15	-	-
10.00 - 10.49	-	17	-	-	-	-	3	-	-	23	-	-
10.50 - 10.99	-	6	-	-	1	-	1	-	-	5	-	-
11.00 - 11.49	-	1	-	-	-	-	3	-	1	-	-	-
11.50 - 11.99	-	-	-	-	-	-	1	-	-	-	1	-
12.00 - 12.99	-	-	1	-	-	-	-	-	1	-	-	-
13.00 - 13.99	-	-	-	-	1	-	2	-	3	1	-	-
14.00 - 14.99	-	-	-	-	-	-	2	-	1	2	-	-
15.00 - 15.99	-	-	-	-	-	-	1	-	2	-	-	-
16.00 - 16.99	1	-	-	-	-	-	1	-	1	-	-	-
17.00 - 17.99	-	-	-	-	3	-	1	-	-	1	-	-
18.00 - 18.99	-	-	-	-	1	-	1	-	-	-	-	-
19.00 - 19.99	-	-	-	-	2	-	-	-	-	-	-	-
20.00 - 20.99	1	-	-	-	-	-	-	-	-	-	-	-
21.00 - 21.99	-	-	-	-	-	-	-	-	-	-	-	-
22.00 - 22.99	-	-	-	-	1	-	-	-	-	-	-	-
23.00 - 23.99	-	-	-	-	1	1	-	-	1	-	-	-
24.00 - 24.99	-	-	-	-	-	-	-	-	-	-	-	-
25.00 - 25.99	-	-	-	-	2	-	-	-	-	-	-	-
26.00 - 26.99	-	-	-	-	-	-	-	-	-	-	-	-
27.00 - 27.99	-	-	-	-	1	-	-	-	-	-	-	-
28.00 - 28.99	-	-	-	-	-	-	-	-	-	-	-	-
29.00 - 29.99	-	-	-	-	-	-	-	2	-	-	-	-
30.00 - 30.99	-	-	-	-	-	-	-	-	-	-	-	-
31.00 - 31.99	-	-	-	-	-	-	-	-	-	-	-	-
32.00 - 32.99	-	-	-	-	-	-	-	-	-	-	-	-
33.00 - 33.99	-	-	-	-	-	-	-	-	-	-	-	-
34.00 - 34.99	-	-	-	-	-	-	-	-	-	-	-	-
35.00 - 35.99	-	-	-	-	-	-	-	-	-	-	-	-
= > 36.00	-	-	-	-	-	-	-	-	-	-	-	-

	<u>BIB</u>	<u>BLB</u>	<u>BLC</u>	<u>BLG</u>	<u>CAP</u>	<u>CCF</u>	<u>FRD</u>	<u>NOP</u>	<u>WAE</u>	<u>WHB</u>	<u>YEB</u>	<u>YEP</u>
Total	2	44	69	7	13	1	19	2	10	59	1	11
Min. Length	16.57	9.09	6.61	3.19	10.94	23.66	9.41	29.53	11.14	8.35	11.61	5.91
Max. Length	20.47	11.10	12.60	8.35	27.44	23.66	18.70	29.53	23.74	17.44	11.61	8.46
Mean Length	18.52	10.07	8.34	5.44	19.81	23.66	12.66	29.53	14.97	10.28	11.61	7.08
# Measured	2	44	69	7	13	1	19	2	9	54	1	11
No Lengths for	0	0	0	0	0	0	0	0	1	5	0	0

**Note:** Unless all fish were measured in the catch, totals shown for some length-frequency distributions may differ from the total number of fish in the catch, due to rounding of fractions used in the estimation of length frequency from a subsample of measured fish

**Other Species**

Gear Type (1)	Other Species (Gender) (2)	Total Num	Number Measured	Length (inches) Min - Mean - Max	Number Weighed	Weight (pounds) Min - Mean - Max
TN	Painted Turtle	4	0	N/A	0	N/A
	Snapping Turtle	3	3	9.49 - 11.31 - 13.39	0	N/A

**(1) Key to sampling gear abbreviations:**

TN = Standard 3/4-in mesh, double frame trap net sets

**(2) Gender:** If identified and reported.

**Approval Dates And Notices**

Date Approved By Windom Area Fisheries Supervisor: \_\_\_\_\_

Date Approved By Southern Region Fisheries Manager: \_\_\_\_\_

**This DRAFT VERSION of the Lake Survey Report contains preliminary data (as of 08/25/2016), and is therefore subject to change at any time.**



**MNDNR**

Minnesota Department of Natural Resources

By accepting the data in this report, the user agrees the data will be used for personal benefit and not for profit. Any other uses or publication of the data needs the consent of the Department. The Minnesota Department of Natural Resources assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on the data.

---

Lake Survey Report revision: 20160309-RJE. Data Date: 08/25/2016 at 12:57 pm .



## REPORT OVERVIEW - FOR OFFICE USE ONLY

*(This page is not part of the Lake Survey Report and should be discarded )*

**Lake Name: South Silver**

**Survey Type: Standard Survey**

**DOW Number: 46-0020-00**

**Survey ID Date: 08/15/2016**

**Survey Status:** Active

The following 19 (of 32) report components are not included in this Lake Survey Report:

1. Water Level History<sup>1</sup>
2. Lake Inlets
3. Additional Inlet Information
4. Lake Outlets
5. Additional Outlet Information
6. Water Control Structure (Dam)
7. Surrounding Watershed Characteristics, Shoreline Characteristics, and Riparian Landscape Observations<sup>2</sup>
8. Resorts And Campgrounds
9. Fish Spawning Conditions
10. Erosion And Pollution
11. Fish Diseases And Parasites
12. Aquatic Vegetation And Shoalwater Substrates
13. Laboratory Analysis Of Water Chemistry
14. Length At Capture With Last Incremental Length\*
15. Back-Calculated Lengths
16. Age Class Frequency Distributions
17. Status Of Fishery And Field Notes
18. Water Quality (Winter Observations) (added to revision 01/21/2010)
19. Survey Attachments (added to revision 20150622)

<sup>1</sup> Water Level History report: This data has not yet been migrated into the Fisheries LSM database. On 01/08/2009, two additional Water Level History report components (Readings and Station Summary) were added.

<sup>2</sup> Effective 03/25/2014, the Surrounding Watershed Characteristics, Shoreline Characteristics, and Riparian Landscape Observations report component was modified to be included in the Lake Survey report if it did not include any Watershed and Shoreline characteristics and only consisted of Riparian Landscape Observations.

\* Length At Capture With Last Incremental Length report: The following criteria must be met for a report to be generated:

1. The fish species must have an assigned body scale constant.
2. Fish must have an "official" age assigned.
3. Fish must have a digitized measurement marked for back calculation use.

**Note: The data source for Length and Age Class Frequency Distribution tables is updated twice daily - once at noon and once overnight. Any changes to the data made after noon on 08/25/2016 may not be reflected in the Distribution tables until 08/26/2016.**

**FOR OFFICE USE ONLY:** As of revision 20150622, this page is automatically suppressed on signed versions of this report (area supervisor, region manager, research biologist, research supervisor, program staff, or program manager signed).