

Appendix K

References by Chapter

Chapter 1

- Groves, Craig. 2003. *Drafting a conservation blueprint: A practitioner's guide to planning for biodiversity*. The Nature Conservancy. Washington, DC: Island Press.
- Hunter, Malcolm L. 2005. A mesofilter conservation strategy to complement fine and coarse filters. *Conservation Biology*, 19(4): 1025–1029.

Chapter 2

None

Chapter 3

See listing within chapter.

Chapter 4

None

Chapter 5

References used for the State Overview

- Fagan, B. M. 1987. *The great journey: The peopling of ancient America*. New York: Thames and Hudson.
- Gibbon, G. E. 1979. *The Mississippian occupation of the Red Wing area*. St. Paul: Minnesota Historical Society.
- Hudak, G. Joseph, Elizabeth Hobbs, Allyson Brooks, Carol Ann Sersland, and Crystal Phillips. A predictive model of precontact archaeological site location for the State of Minnesota, final report. MN/DOT Agreement No. 73217, SHPO Reference Number 95-4098. Online at <http://www.mnmodel.dot.state.mn.us>.
- Matsch, C. L. 1983. River Warren, the southern outlet of Glacial Lake Agassiz. In *Glacial Lake Agassiz*, edited by J. T. Teller and L. Clayton, 231–244. St. John's, Newfoundland, Canada: Memorial University of Newfoundland, Department of Geology, Geological Association of Canada.
- McMurry, Martha. 2002. Minnesota Department of Administration, State Demographic Center. MN Population Projections, 2000–2030. Online at <http://www.demography.state.mn.us>.
- Minnesota Department of Natural Resources (2003). Field Guide to the Native Plant Communities of Minnesota: The Laurentian Mixed Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program, MNDNR St Paul, MN.
- Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program, MNDNR St. Paul, MN.

- Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Prairie Parkland and Tallgrass Aspen Parklands Provinces. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program, MNDNR St Paul, MN.
- Teller, J. T., and L. H. Thorleifson. 1983. The Lake Agassiz–Lake Superior connection. In *Glacial Lake Agassiz*, edited by J. T. Teller and L. Clayton, 26–90. St. John’s, Newfoundland, Canada: Memorial University of Newfoundland, Department of Geology, Geological Association of Canada.
- Tester, John R. 1995. *Minnesota’s natural heritage: An ecological perspective*. Minneapolis: University of Minnesota Press.

GIS datasources for Maps in subsection profiles

- Grassland Bird Conservation Areas (GBCA). 2002. GIS dataset. Habitat and Population Evaluation Team (HAPET) , U.S. Fish and Wildlife Service, Fergus Falls, MN. <http://www.fws.gov/midwest/hapet/GrasslandBirdMaps.htm> Accessed June 28, 2005.
- HAPET Landcover Classification. 2002. GIS dataset. Habitat and Population Evaluation Team (HAPET) , U.S. Fish and Wildlife Service, Fergus Falls, MN. <http://www.fws.gov/midwest/hapet> Accessed June 28, 2005.
- Major River Centerline Traces in Minnesota. 1984. GIS dataset. Land Management Information Center, Minnesota Planning, St. Paul, MN. GIS Metadata Record for: Major River Centerline Traces in Minnesota, found under “Hydrography” at: http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005.
- MCBS Native Plant Communities. 2005. GIS dataset. MN Department of Natural Resources, Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program, St. Paul, MN. GIS Metadata Record for: MCBS Native Plant Communities found under “Land Cover” at: http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005.
- MCBS Railroad Rights-of-Way Prairies. 1997. GIS dataset. MN Department of Natural Resources, Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program, St. Paul, MN. GIS Metadata Record for MCBS Railroad Rights-of-Way Prairies found under “Land Cover” at: http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005.
- MN DNR 24K Lakes. 1990. GIS dataset. Minnesota Department of Natural Resources. GIS Metadata Record for DNR 24K Lakes found under “Hydrography” at” http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005.
- MN DNR 24K Rivers and Streams. 2005. GIS dataset. Minnesota Department of Natural Resources. GIS Metadata Record for DNR 24K Rivers and Streams found under “Hydrography” at: http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005.
- MN GAP Landcover. 1993. GIS dataset. Minnesota Department of Natural Resources. GIS Metadata Record for GAP Land Cover – Tiled Raster found under “Land Cover” at http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005.
- MN GAP Stewardship. 1995. GIS dataset. Minnesota Department of Natural Resources. GIS Metadata Record for GAP Stewardship found under “Ownership” at http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005. This dataset is still being developed and may have omissions.

- Shallow Lakes in Minnesota. 2005. GIS dataset. Minnesota Department of Natural Resources. Shallow Lake Program. Website:
<http://www.dnr.state.mn.us/wildlife/shallowlakes/index.html> Metadata unavailable.
- The Nature Conservancy Rivers and Streams combined dataset. 2005. GIS dataset. The Nature Conservancy, Minnesota Chapter. Minneapolis, MN. Metadata unavailable.
- Twin Cities Metro Regionally Significant Ecological Areas (RSEA). 2000. GIS dataset. Minnesota Department of Natural Resources. GIS Metadata Record for Twin Cities Metro Regionally Significant Ecological Areas found under “Land Cover” at:
http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005.

Chapter 6

- Annear, T. I., I. Chisholm, H. Beecher, A. Locke, P. Aarrestad, C. Coomer, C. Estes, J. Hunt, R. Jacobson, G. Jöbbsis, J. Kauffman, J. Marshall, K. Mayes, G. Smith, R. Wentworth, and C. Stalnaker. 2004. *Instream flows for riverine resource stewardship*. Cheyenne, WY: Instream Flow Council.
- Breining, G. 1989. *Managing Minnesota's fish*. St. Paul: Minnesota Department of Natural Resources.
- Conroy, T. 2005. *Shallow lakes: Hope for Minnesota's troubled waters*. St. Paul: Minnesota Department of Natural Resources.
- Friedman, S. K., and P. B. Reich. 2005. Regional legacies of logging: departure from presettlement forest conditions in northern Minnesota. *Ecological Applications* 15(2): 726–744.
- Marschner, F. J. 1930. Presettlement Vegetation. Minnesota Department of Natural Resources GIS Metadata Record for Presettlement Vegetation found under “Land Cover” at
http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005.
- Minnesota Department of Natural Resources. 2003. Field Guide to the Native Plant Communities of Minnesota: The Laurentian Mixed Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program, MNDNR St Paul, MN.
- Minnesota Department of Natural Resources. 2005. Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program, MNDNR St Paul, MN.
- Minnesota Department of Natural Resources. 2006. Field Guide to the Native Plant Communities of Minnesota: The Prairie Parkland and Tallgrass Aspen Parklands Provinces. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program, MNDNR St Paul, MN.
- Minnesota Department of Natural Resources, 2003. Minnesota's Native Plant Community Classification (version 2.0). Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program, St. Paul, MN.
- MN GAP Landcover. 1993. GIS dataset. Minnesota Department of Natural Resources. GIS Metadata Record for GAP Land Cover – Tiled Raster found under “Land Cover” at
http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005.
- Owen, J. G. 1984. *Sorex fumeus*. *Mammalian Species* 215: 1–8.

- Perry, David A., and Michael P. Amaranthus. 1997. Disturbance, recovery, and stability. In Kathryn A. Kohm and Jerry F. Franklin, eds., *Creating a forestry for the 21st century: The science of ecosystem management*. Washington, DC: Island Press.
- Sample, David W., and Michael J. Mossman. 1997. Managing habitat for grassland birds - a guide for Wisconsin. Wisconsin Department of Natural Resources, Madison, WI, PUBL-SS-925-97. 154 pp. Jamestown, ND: Northern Prairie Wildlife Research Center Online. <http://www.npwr.usgs.gov/resource/2002/wiscbird/wiscbird.htm> (Version 03JUN2002).
- Valley, R. D., T. K. Cross, and P. Radomski. 2004. *The role of submersed aquatic vegetation as habitat for fish in Minnesota lakes, including the implications of non-native plant invasions and their management*. Special Publication 160. St. Paul: Minnesota Department of Natural Resources.

Chapter 7

- Almendinger, J. 1997. *Minnesota's bearing tree database*. Biological Report No. 56. St. Paul: Minnesota Department of Natural Resources.
- Almendinger, J. C., and D. S. Hanson. 2004. *Changes in relative abundance of trees Between public land survey bearing trees circa 1900 and forest inventory and analysis plot trees circa 1990*. Unpublished ARCVIEW shapefiles and databases.
- Anderson, J. P., and W. J. Craig, 1984. *Growing energy crops on Minnesota's wetlands: The land use perspective*. Publication CURA 84-3.95. Minneapolis: University of Minnesota, Center for Urban and Regional Affairs.
- Dephilip, M. 2001. *Aquatic ecoregional planning in the U.S. portion of the Great Lakes watershed*. Great Lakes Program, The Nature Conservancy.
- Friedman, S. K., and P. B. Reich. 2005. Regional legacies of logging: Departure from presettlement forest conditions in northern Minnesota. *Ecological Applications*. 15(2): 726–744.
- Gagnon, P., P. Gerla, B. Schreurs, M. Cornett, M. Khoury, and J. Hall. 2004. *The Northern Tallgrass Prairie Ecoregion: A river and stream conservation portfolio*. The Nature Conservancy.
- Groves, C. R. 2003. *Drafting a conservation blueprint: A practitioner's guide to regional planning for biodiversity*. Washington, DC: Island Press.
- Hatch, J. T., K. P. Schmidt, D. P. Siems, J. C. Underhill, R. A. Bellig, and R. A. Baker. 2003. A new distributional checklist of Minnesota fishes, with comments on historical occurrence. *Journal of the Minnesota Academy of Science* 67: 1–17.
- Higgins, J. V., M. T. Bryer, M. L. Khoury, and T. W. Fitzhugh. 2005. A freshwater classification approach for biodiversity conservation planning. *Conservation Biology* 19(2): 432–445.
- Marschner, F. J. 1930. Presettlement Vegetation. Minnesota Department of Natural Resources GIS Metadata Record for Presettlement Vegetation found under “Land Cover” at http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005.
- MN GAP Landcover. 1993. GIS dataset. Minnesota Department of Natural Resources. GIS Metadata Record for GAP Land Cover – Tiled Raster found under “Land Cover” at http://deli.dnr.state.mn.us/data_catalog.html Accessed June 28, 2005.
- The Nature Conservancy, Prairie Forest Border Ecoregional Planning Team. 2000. *The Prairie-Forest Border Ecoregion: A conservation plan*. Madison, WI: The Nature Conservancy, Wisconsin Chapter.

- Superior Mixed Forest Ecoregional Planning Team. 2002. The Superior Mixed Forest Ecoregion: A conservation plan. 75 pages + appendixes. Madison, WI: The Nature Conservancy.
- USGS GAP Analysis Program. <http://www.gap.uidaho.edu/>
- Valley, R. D., T. K. Cross, and P. Radomski. 2004. *The role of submersed aquatic vegetation as habitat for fish in Minnesota Lakes, including the implications of non-native plant invasions and their management*. Minnesota Department of Natural Resources Special Publication 160.
- Weitzell, R. E., M. L. Khoury, P. Gagnon, B. Schreurs, D. Grossman, and J. Higgins. 2003. *Conservation priorities for freshwater biodiversity in the Upper Mississippi River Basin*. Arlington, VA: Nature Serve and The Nature Conservancy.