



Hydrogeology of Fractured Bedrock in the Vicinity of the NorthMet Project

Prepared for
Poly Met Mining Inc.

December 2014

Hydrogeology of Fractured Bedrock in the Vicinity of the NorthMet Project

December 2014

Contents

1.0	Introduction	1
2.0	Summary of Geologic and Hydrogeologic Work.....	5
2.1	Geologic Information	5
2.2	Hydrogeologic Information	6
2.2.1	Information from Groundwater Use and Management.....	6
2.2.2	Hydrogeologic Studies.....	6
3.0	Bedrock Geology and Hydrogeology Description.....	8
3.1	Geologic History.....	9
3.1.1	Neoproterozoic (2690-2670 Ma).....	9
3.1.2	Paleoproterozoic (1880-1860 Ma).....	9
3.1.3	Mesoproterozoic (1110-1050 Ma).....	10
3.1.4	Phanerozoic (540 Ma to Present).....	14
3.1.5	Summary.....	14
3.2	Bedrock Hydrogeology	15
3.2.1	Giants Range Granite and Archean Schists.....	21
3.2.2	Duluth Complex	23
3.2.3	Virginia Formation	27
3.2.4	Biwabik Iron Formation (BIF).....	27
3.2.5	Summary.....	28
4.0	Implications for Impact Analysis.....	29
4.1	Mine Site	29
4.1.1	Groundwater Inflow to Pits.....	30
4.1.2	Groundwater Impacts from Mine Pit Outflow	30
4.1.3	Groundwater Impacts from Stockpile Seepage or Leakage.....	31
4.2	Plant Site	31
5.0	References	33

List of Tables

Table 1-1	Local and Regional Bedrock Hydrogeologic Studies.....	3
Table 3-1	Field Hydraulic Conductivity (K) Measurements for Bedrock Units	18
Table 3-2	Duluth Complex Hydraulic Conductivity Estimates under Different Assumed Aquifer Thicknesses.....	26

List of Figures

Figure 3-1	Conceptual Illustration of Structural Features that Affect the Hydraulic Conductivity of Rock Units at NorthMet.....	8
Figure 3-2	Timeline of Geologic Events, Local and Regional Stress History, and Resultant Structural Features Evident in the Vicinity of the Project.....	11
Figure 3-3	Cross-Section Depicting the Stratigraphy of the Partridge River Intrusion and Footwall Rocks at the Site	12
Figure 3-4	Field Hydraulic Conductivity (K) Measurements for Bedrock Units	17
Figure 3-5	Number of Fractures per Foot (Fracture Index) with Depth in the Giants Range Granite ..	22
Figure 3-6	Number of Fractures per Foot (Fracture Index) with Depth in the Duluth Complex	24

List of Large Figures

Large Figure 1	Bedrock Geology; Minnesota Geological Survey M-163
Large Figure 2	Bedrock Hydraulic Conductivity (K) Data

List of Appendices

Appendix A	August 14, 2014 PolyMet Geotechnical Exploration - Winter 2013/2014 Memo
------------	--

1.0 Introduction

The NorthMet Project (Project) is located adjacent to the Mesabi Iron Range, which has been mined for iron since the discovery of rich deposits in 1890 (Reference (1)). The Project includes the Mine Site and the Plant Site, which includes the Tailings Basin and processing plant structures formerly operated by LTV Steel Mining Company (LTVSMC). The bedrock geology in the vicinity of the Project consists of granites and associated lithologies overlain by metamorphosed sedimentary (meta-sedimentary) rocks that host the northeast trending Biwabik Iron Formation (BIF), and the intruded igneous Duluth Complex, which is the source of the ore to be mined by the Project. This report was prepared to summarize work conducted to date that results in the current understanding of bedrock structure and hydrogeology at the Mine Site and the Plant Site and describe the regional and local bedrock geology and hydrogeology, including the nature of fractured bedrock.

Numerous bedrock geology and hydrogeology studies, ranging in scale from regional to Project-specific, have been completed in the Project area (Table 1-1). Based on these studies, the Project Supplemental Draft Environmental Impact Statement (SDEIS) (Reference (2)) describes the bedrock at the Mine Site and Plant Site as being fractured. Fractures are breaks in rocks such as faults or joints. A fault is a fracture or fracture zone along which there has been displacement parallel to the fracture (or offset) of geologic units relative to one another. Faults are variably shown on regional and local geologic maps of the Project area (Large Figure 1) and brecciated fault zones, slickensides and gouge mineralization sometimes feet thick have all been identified through core logging at NorthMet (Reference (3); Reference (4)). Faults tend to be more laterally and vertically extensive than joints and can extend to great depths. A joint, on the other hand, is a fracture or parting without displacement, which can be caused by many different types of stresses, including cooling of magma, tectonic deformation, and/or erosional loading/unloading. In crystalline rocks, joints can be abundant, particularly near the surface, although they generally are of limited extent. Where abundant, they can form a three-dimensional network of conduits in the near-surface bedrock. Deeper, more extensive joints also can occur due to regional tectonic stresses, but are typically much less common.

During the environmental review process, concerns were raised regarding the potential for impacted water to preferentially migrate through fractured bedrock and the adequacy of the hydrogeologic characterization of the fractured bedrock. The SDEIS language specifically discussing these concerns is located on SDEIS page 5-33, and is included for reference here:

"Concerns have been raised that fractures or faults may exist at the Mine Site that could function as high-permeability conduits for groundwater over long distances through the bedrock. Such features have been identified elsewhere on the Canadian Shield. Most of these features, however, have been associated with tectonic events occurring more than 1.6 billion years ago. These events would not be relevant to the Duluth Complex as they predate its emplacement, which occurred during the Mid-Continent Rift approximately 1.1 billion years ago. A few studies have identified the presence of fracturing and faults in the Duluth Complex, but these features were believed to have formed during emplacement of the Duluth Complex and are unlikely to transmit water and, where fractures were

found, they were largely filled with gouge (Foose and Cooper 1979; 1981), or relate to an unusual cleavage pattern known to occur in one location west of Duluth, about 70 miles from the Mine Site (Foster and Huddelston 1986).

Although the presence of fractures at the Mine Site cannot be completely ruled out, site specific data, such as boring logs, indicate the bedrock appears competent, only rarely encountered deep fractures near the surface, and hydrogeologic investigations have indicated that the bulk hydraulic conductivity of bedrock at the Mine Site is very low."

In the bedrock units in Northeastern Minnesota, the bulk hydraulic conductivity of the bedrock reflects fracture flow. Intrusive igneous rock, for example, has little, if any, primary porosity (Reference (5)), indicating that water moves almost *entirely* through fractures and secondary porosity features. In order for groundwater flow to occur, there must be fractures, such as joints and open faults, the characteristics of which can be highly variable within the rock body. Factors associated with groundwater flow in fractured rock include effective stress and pore water pressures, fracture aperture and surface area, temperature, and fracture geometry (roughness and waviness). Fractures can also control groundwater movement by acting as barriers to flow due to the presence of clay gouge or competent igneous rock such as diabase that has been intruded along structural features. This variability in the hydrogeologic behavior of fractured rock is borne out by variable well yields experienced by thousands of domestic drinking water well owners whose water source is from bedrock units in Northeastern Minnesota (Reference (6)).

Fractures in water-bearing rocks can be the result of compression and/or tension caused by regional tectonic stresses, shrinking during cooling of igneous rock masses, pressure relief due to erosion of overburden rock (erosional 'unroofing'), and crustal loading and unloading during periods of glaciation. The fractures resulting from these "stress" events are evident in the regional and local geologic record, which has been studied extensively because of economic mineralization in the rock bodies (iron and taconite in the BIF, and copper, nickel, palladium, platinum and gold (Cu/Ni ± PGE) in the base of the Duluth Complex). Local and regional bedrock hydrogeology has been studied for various purposes including groundwater supply, potential for storage of radioactive wastes, and potential for environmental impact due to mining.

This report was prepared at the request of the Co-lead Agencies and includes four sections including this introduction: Section 2.0 presents a summary of the geologic and hydrogeologic work that has been conducted, and Section 3.0 presents the results of these investigations and a description of the bedrock geology and hydrogeology at the NorthMet Site. Section 4 presents implications for impact assessment and project planning.

Table 1-1 Local and Regional Bedrock Hydrogeologic Studies

Study Title	Author/ Commissioner	Date	Synopsis	Bedrock hydraulic conductivity estimates (in cm/s), if available
Surficial geology and ground-water geology of the Babbitt-Kawishiwi area, northeastern Minnesota, with planning implications	Stark, J.R. (Reference (7))	1977	Examined local-scale groundwater hydrogeology. Conducted 5 bedrock permeability tests in exploratory drillholes. Small data set, but transmissivity appeared to be inversely related to distance from a mapped lineament.	Duluth Complex = Range: 1.4×10^{-7} to 1.5×10^{-4} ; Geometric Mean: 4.4×10^{-6}
Water Resources for the Possible Minnimax Mining Facility	AMAX/ E.A. Hickock and Associates (Reference (8))	1977	Water management information during development of a mine shaft in Duluth Complex bedrock. Annual average pumping from the shaft was 9 to 14 gpm. Individual fractures were grouted during shaft development, so this reflects pumping with engineering controls in place.	--
Hydrology and Water Quality of the Copper-Nickel Study Region, Northeastern Minnesota	Siegel, D.I., and Ericson, D.W./USGS (Reference (9))	1980	Study ran from 1974 to 1978. Tested specific capacity in 2 wells in the upper portions of the Duluth Complex, 1 well in the upper portion of the Giants Range granite, and 4 wells in the BIF (various depths). Found that water occurs in fractures that frequently occur in the upper surface of the bedrock. They estimate that groundwater inflow to open pits in the Duluth Complex would be on the order of 0.4 to 1 gpm/acre of pit. K values estimated from specific capacity data.	Upper Duluth Complex = 5.6×10^{-6} , and 9.9×10^{-7} ; Upper GR granite = 9.1×10^{-6} ; BIF = Range: 5.2×10^{-5} to 5.7×10^{-3} ; Geometric Mean: 3.5×10^{-4}
Geology, Hydrology, and Mineral Resources of Crystalline Rock Areas of the Lake Superior Region, United States	Harrison et al., 1983 (Reference (10))	1983	Compilation of bedrock stress history, seismic potential, structural information, hydrology, and hydrogeologic properties for the Giants Range granite and the Duluth Complex. No original testing, but compilation of granite and related crystalline rock hydrogeologic properties.	Granite = 10^{-8} (mean of compiled values)

Study Title	Author/ Commissioner	Date	Synopsis	Bedrock hydraulic conductivity estimates (in cm/s), if available
Preliminary Assessment/Site Investigation: Former Finland Air Force Station, Lake County, Minnesota	U.S. Army Corps of Engineers	1999	Field investigation into frequency and occurrence of fractures in three drillholes in the granitic bedrock underlying Lookout Mountain, where contaminated groundwater was encountered. Fourteen hydrogeologic tests were performed in the bedrock.	Beaver Bay Complex = Range: 2.4×10^{-7} to 2.0×10^{-4} Geometric Mean: 6.9×10^{-6}
East Range Hydrology Project	Adams, et al./MDNR (Reference (11))	2004	Field investigation and hydrology modeling study to predict overflows from taconite mine pits. Describes dominance of groundwater flow in surficial deposits over bedrock inflows. Provides estimates of groundwater inflow into open pits.	--
Hydrogeologic Investigation - Phase I, PolyMet NorthMet Mine Site, RS-02 Draft-02	Barr/ PolyMet (Reference (12))	2006	Ten hydrogeologic tests were performed in exploratory drillholes in the Duluth Complex at the Mine Site.	Duluth Complex = Range: 9.2×10^{-8} to 1.4×10^{-5} ; Geometric Mean: 8.0×10^{-7}
Hydrogeologic Investigation-Phase II, PolyMet NorthMet Mine Site, RS-10 Draft-02	Barr/ PolyMet (Reference (13))	2006	Hydrogeologic characterization of the Virginia Formation. Installation of 4 pumping wells and 6 observation wells. Three 36-hour pumping tests and one 96-hour pumping test were performed.	Virginia Formation = Range: 8.5×10^{-7} to 2.4×10^{-4} ; Geometric Mean: 6.0×10^{-5}
Phase III Hydrogeologic Investigation, RS10A Draft-01	Barr/ PolyMet (Reference (14))	2007	One 30-day pumping test was performed in the Virginia Formation to characterize response in wetland. In addition, two specific capacity tests were conducted in the upper portion of the Virginia Formation.	Upper Virginia Formation = 2.2×10^{-4} and 2.5×10^{-4}
Geotechnical Investigation - Tailings Basin	Barr/ PolyMet (Appendix A)	2014	Investigation along potential alignment of FTB Containment System. Ten permeability tests in upper portion of Giants Range granite.	Upper GR granite = Range: ~ 0 to 7.2×10^{-4} ; Geometric Mean: 1.9×10^{-5}

2.0 Summary of Geologic and Hydrogeologic Work

2.1 Geologic Information

The geologic history of the rocks at the Mine Site and Plant Site forms the basis of our understanding of where and how fractures may be present. The rocks have various depositional or igneous intrusive histories, and have undergone variable tectonic (or “stress”) histories, which lead to the formation of fractures of various orientation or scales. The regional and local geology are well known, due to extensive exploration and mapping of iron ore and Cu/Ni ±PGE mineralization (see summary in Reference (15)). In addition, the Archean granite and Duluth Complex were studied for their potential to host a repository for high-level radioactive waste (Reference (10)). The Archean granitic rocks are frequently investigated to determine the chronology of Archean terrane accretion (Reference (16); Reference (17); Reference (18)). The following provides a summary of the geologic and mineral exploration work.

Early exploration of the BIF dates back to the mid-1800s, when iron ore was actively being mined on the Vermilion Range, located north of the Mesabi Iron Range. Discovery of rich iron ore in Mountain Iron heralded the extensive natural ore (leached and oxidized taconite) and taconite mining on the Mesabi Iron Range that continues today. Scores of mine company and university research geologists have studied the geology, mineralogy, deformation, rock mechanics, and thermal metamorphism of the taconite on the Mesabi Iron Range (see Reference (19)) for a summary and references specifically for the eastern Mesabi Iron Range).

Initial geologic mapping of the adjacent Duluth Complex (Complex) took place from 1852 through 1911. These initial surveys were completed by state and federal agencies that identified general rock types and their extent. From 1911 through 1961 more extensive field mapping of the region was conducted by F. F. Grout and G. M. Schwartz. Grout was also the first individual to conduct an aeromagnetic survey of the Complex which led to identifying the sulfide and oxide minerals in the southern and central portions of the intrusive body (Reference (20)). United States Steel Corporation (USS) was the first entity to conduct extensive exploratory drilling of the Complex in 1970, and copper and nickel ore was identified at the base of the Duluth Complex. This area was initially called the Dunka Road deposit, but is now referred to as NorthMet. USS drilled 112 holes comprising 133,716 feet of intercept over a five-year period (Reference (21)). Amid interest in mining the Cu/Ni ± PGE deposits, Cooper (Reference (22)) and Foose and Cooper (Reference (23)) mapped potential structural features within the Duluth Complex to determine whether those features control mineralization. They delineated the presence of joints and faults in the Duluth Complex by mapping aeromagnetic anomalies, joint density data gathered from outcrops in the surrounding region (Reference (24)), topographic lineations, and truncations of mineralogic horizons within the intrusive rocks.

From 1961-1982, more detailed quadrangle mapping by the Minnesota Geological Survey (MGS) was completed. The Natural Resources Research Institute (NRRI) re-logged the USS drill holes and correlated stratigraphic units between drill holes to create a geologic map of the igneous structure of the Complex from 1988 to 1991. In 1995, when there was more interest in mining the deposits, NRRI staff returned to

the NorthMet deposit and spent two months mapping outcrops, examining drillcore, and mapping the basal contact and igneous stratigraphy (Reference (3)).

The focus of mapping in the area since the time of the MGS quadrangle maps has been on using higher resolution and more extensive aeromagnetic surveys (0.25-mile flight lines flown 1979-1982). The aeromagnetic data, combined with available outcrop and drillhole data at the time, was used to produce the first maps that focused on the structural features that might host mineralization within the Duluth Complex. The aeromagnetic data led to additional shallow drilling in the central Complex from 1989 to 1991. These drillhole data, combined with the aeromagnetic data, were used to produce the MGS map of the Duluth Complex (M-119; Reference (15)). Extensive exploratory drilling at the NorthMet deposit has since been performed by Poly Met Mining, Inc. (PolyMet) (formerly Fleck Resources), and has increased the understanding of Duluth Complex stratigraphy (Reference (25); Reference (26)). Specifically, for the Duluth Complex in this area, there are over 1,100 drillholes and nearly 1,000,000 feet of core have been logged or re-logged in the past 15 years by a small group of company and university research geologists (Reference (27), and references therein).

2.2 Hydrogeologic Information

2.2.1 Information from Groundwater Use and Management

Bedrock in the shallow subsurface (where surficial deposits are limited in thickness) is used regionally as a source for domestic drinking water supplies. Water well records, including driller's logs and variable amounts of well-yield data, are available from the Minnesota Department of Health County Well Index (CWI). The U.S. Geological Survey (USGS), in response to anticipated population growth on the Iron Range, specifically studied the hydrogeology and water resource potential of the surficial deposits and bedrock of the eastern Mesabi Iron Range in the 1960s (Reference (28); Reference (29)).

Management of groundwater that flows into mine pits and underground mine structures in the region has occurred for over a century, and some projects have accessible records documenting the nature of groundwater encountered (including notes on fracture flow, quantity, and quality). Many iron ore reserves were mined out through underground mining (i.e., Soudan Underground Mine). In the 1970s, amid interest in mining the Cu/Ni ± PGE deposits located along the Duluth Complex, a 14-foot diameter exploration shaft was sunk to 1,728 feet in Duluth Complex rock; an additional 3,760 feet of drift were developed at the 1,700-foot level (the AMAX or MinnAMAX Project; Reference (30)).

2.2.2 Hydrogeologic Studies

In the 1970s, the State of Minnesota commissioned a multi-disciplinary study (Copper-Nickel Study), aimed at understanding the potential environmental impacts of mining the copper-nickel deposits. The Copper-Nickel Study work related to hydrogeology was described by Siegel and Ericson (Reference (9)), who conducted specific capacity testing in surficial deposits, the BIF, the Giants Range granite, and the Duluth Complex. During this period, bedrock permeability data related to potential Duluth Complex copper-nickel prospects were also collected by J.R. Stark (Reference (7)). His thesis work included conducting aquifer tests in exploration drillholes within the Duluth Complex and conducting permeability

tests on overlying surficial materials; he specifically estimated potential groundwater flow into hypothetical open-pit Cu/Ni ± PGE mines.

The late 1970s and early 1980s also marked a period of increased hydrogeological work in the region at the federal level. The USGS series of hydrologic atlases for the Rainy Lake and St. Louis River watersheds were published in 1976 and 1979, respectively. Well yields and water quality data from bedrock units used for industrial, municipal (including the BIF at Aurora, Biwabik, Hibbing, McKinley, Mountain Iron and Virginia, and the Virginia Formation at Iron Junction) and domestic supply were summarized (Reference (31)). The Department of Energy (DOE), recognizing the very low permeability of the crystalline rocks in the Lake Superior region (Archean granite and Duluth Complex gabbro,) assessed their potential to host a repository for high-level radioactive waste (Reference (10)). The DOE compendium of information includes extensive discussion of regional tectonic history and stress regimes, and the regional occurrence and density of joints and faults in the bedrock. In addition, the hydrogeology of the crystalline rock units (Archean granite and Duluth Complex) is extensively covered as part of that assessment.

The US Army Corp of Engineers (USACE) investigated the hydrogeology of fractured granitic Beaver Bay Complex rock (which is genetically related to the Duluth Complex) as part of site assessment at the Former Finland Air Force Station in Finland, Minnesota in the late 1990s (Reference (32)). The study was initiated after chlorinated solvents were discovered in a newly- installed community water supply well.


The Minnesota Department of Natural Resources studied the hydrology of the eastern Mesabi Range during the early 2000s after mining was discontinued in several taconite pits (Reference (11)). They calculated water balances for several mine pits, including groundwater contribution, in order to estimate eventual pit outfall quantities and locations.

Engineering plans and environmental permitting requirements resulted in additional hydrogeologic and geotechnical investigation at NorthMet in the early 2000s (Reference (12); Reference (13); Reference (14)). This work included studies specifically aimed at understanding the bulk hydrogeologic characteristics of the Duluth Complex and the Virginia Formation, and the connection between surface water/shallow groundwater and deeper groundwater at the Mine Site. Rock quality designation (RQD) was determined for the Duluth Complex, Virginia Formation, and BIF using tens of thousands of feet of exploratory drillcore to determine if there is a structural control on ore grade (Reference (27)). RQD is a measure of the amount of breaks (fractures) in rock drillcore, where 100% indicates no breaks and 0% indicates that all pieces of core within a core run are less than 10 cm long. In 2014, testing of individual locations within the uppermost Giant's Range Granite underlying the Plant Site was carried out to support design of the proposed FTB Containment System.

3.0 Bedrock Geology and Hydrogeology Description

The rock record in the vicinity of the Project reflects several events that have resulted in structural features that affect the permeability of the rock units. Figure 3-1 conceptually illustrates these structural features.

- The most recent event (and likely the most important with respect to the water-bearing characteristics of the rock) was glacial loading and unloading during the Pleistocene (past 2.5 million years). The fractures and joints that were activated during that time are likely near the surface, and include reactivation of existing planes of weakness (affecting the upper portions of “deep faults”). These features are referred to as “near-surface fractures”.
- Bedding plane fractures and variably-oriented faults within meta-sedimentary footwall rocks (Pokegama Quartzite, BIF, and Virginia Formation) all act to enhance the permeability of those units relative to both the underlying granitic rocks and the overlying Duluth Complex.
- Structures related to Archean deformation are found in the Giants Range granite. Younger structural features related to crustal shortening during the Penocean Orogeny or to extension during the Keweenawan rifting are also prevalent in the Animikean footwall rocks, and may include reactivation of Archean faults in the granitic rocks. Because major fault zones cannot be correlated within the igneous stratigraphy of the Duluth Complex, many of the deep faults within the granitic terrane and footwall rocks likely do not extend into the intrusive rock (Reference (4)).



(Approximate locations of mine features are located with respect to the geologic section. Not to scale.)

Figure 3-1 Conceptual Illustration of Structural Features that Affect the Hydraulic Conductivity of Rock Units at NorthMet

At NorthMet, the meta-sedimentary footwall rocks can be conceptualized as a tilted package of more transmissive bedrock units sandwiched between two massive and less transmissive igneous units, the Giants Range granite below, and the Duluth Complex gabbro above. At the surface, however, all bedrock

units are affected by fracturing (i.e., near-surface fractures). The following sections describe the geology (Section 3.1) and bedrock hydrogeology (Section 3.2) that form the basis of this conceptual model.

3.1 Geologic History

This section summarizes the geologic history of the region as a framework for understanding the occurrence and types of secondary permeability features. A summary of the geologic events responsible for (1) assemblage of the rock (stratigraphic) record and (2) development of key structural features in the rock record is presented (Figure 3-2).

The rock record at the Project site reflects three large-scale tectonic events: (1) Collisional tectonics during the Neoproterozoic, approximately 2690-2670 Ma (million years ago), and emplacement of intrusive rocks; (2) Paleoproterozoic (1880-1860 Ma) arc accretion, back-arc spreading and sedimentation, followed by continent-continent collision, crustal shortening, and additional sedimentation during the Penokean orogeny (1840-1770 Ma); and, most recently, (3) Mesoproterozoic (1110-1050 Ma) crustal extension, voluminous volcanism and emplacement of intrusive rocks (Duluth Complex), and sedimentation (Keweenaw rifting and development of the Midcontinent Rift System). The Archean rocks created through collisional tectonics in the Neoproterozoic underlie the Plant site. At the Mine Site, the Precambrian rocks that were deposited or emplaced on the Archean terrane dip to the south-southeast at 10 to 30° (Figure 3-3). Walking a transect from north to south at the Mine Site is thus equivalent to moving 'up-section' into progressively younger (Precambrian) rocks. A widespread veneer of late-Pleistocene glaciogenic sediments ('drift') covers the bedrock, limiting bedrock exposure and making geologic mapping strongly dependent on geophysical techniques and inference (e.g., in general, faults mapped within the area are inferred from lineaments, such as elongated wetland areas, and have not been independently confirmed by observation of displaced geologic units either at the surface or in drill core).

3.1.1 Neoproterozoic (2690-2670 Ma)

The rocks of the Neoproterozoic Giants Range Granitic Complex (informally termed the Giants Range batholith) were emplaced within older crust, including the Archean schists located near the Plant Site (Large Figure 1; Reference (18)), which, together with a complex collection of lithospheric plates and accreted terranes, form the core of the North American craton. These rocks are referred to collectively as the Canadian Shield. Three phases of compression (crustal shortening) affected the region during the Neoproterozoic Minnesotan orogeny (~2680 Ma) and produced local structural features including regional deformation that resulted in folding of the Soudan Iron Formation, and northwest- to northeast-striking faults and associated compressional structures (Reference (33); Reference (18); and Reference (34)). These compressional events gave rise to many of the deep-seated faults that are mapped within the Giants Range batholith, such as the Camp Rivard, Waasa, Vermilion, and Wolf Lake faults.

3.1.2 Paleoproterozoic (1880-1860 Ma)

Unconformably overlying the Giants Range Granitic Complex is the Animikie Group (Figure 3-3), which, in ascending order, consists of the Pokegama Quartzite, BIF, and the Virginia Formation. Strata of the group have a combined representative thickness of over 1000 feet. The Pokegama Quartzite is relatively thin to absent in the area, and consists of a coarsening-upward collection of argillite, siltstone, and sandstone

deposited in a shallow-marine setting with significant tidal influence (e.g., Reference (35)). The BIF conformably overlies the Pokegema Quartzite and is a ferruginous chemical sedimentary rock unit with an average thickness of about 700 feet. The strata of the BIF are dominated by two facies, the 'cherty' and 'slaty' facies (Reference (36)). Mineralogically, both facies consist of chert and iron oxides, iron silicates, and iron carbonates. Overlying the BIF is the clastic sedimentary Virginia Formation (informally termed the Virginia Slate), which is a succession of turbiditic shale (argillite), siltstone, and sandstone (greywacke) deposited in a deep-water setting. Collectively, at the NorthMet site, the rocks of the Animikie Group are termed the 'footwall rocks' although only the Virginia Formation will actually be encountered in the footwall of the NorthMet mine pits (Figure 3-3).


Recent work by Schulz and Cannon (Reference (37)) and Cannon et al. (Reference (38)) provides a clear interpretation of the complex tectono-stratigraphic evolution of the Animikie Basin (the basin in which Animikie Group rocks were deposited) in the context of Paleoproterozoic development of the southern margin of the North American craton. The turbiditic sediments of the Virginia Formation accumulated in the Animike basin between about 1850 and 1780 Ma. The Virginia Formation and the underlying BIF and Pokegema Quartzite (and their regional correlative equivalents) were subsequently deformed by compressive stresses of the Penokean Orogeny which occurred to the south and east of the Project area during the late Paleoproterozoic. The degree of Penokean deformation decreases northward with distance from the fold-and-thrust belt: deformation is greatest in the Gogebic iron range of northern Michigan and significantly less on the Mesabi iron range. Crustal shortening during the Penokean orogeny was accommodated in part by reactivation of older (Archean) faults.

There are two major north-south trending fault zones located to the west and east of the Project which may have formed during Animike Basin development. They are the Siphon Fault and the Grano Fault respectively (Large Figure 1; Reference (15)). The faults are interpreted to be growth faults (and are thus Animikean in age) because of changes in thickness of the Animike sediments across the faults. The Duluth Complex igneous stratigraphy may also be offset on these faults due to later re-activation; however, the faults do not directly intersect the Duluth Complex at the NorthMet deposit. The Grano Fault is located to the east of the Project area. The Siphon Fault is located approximately halfway between the Mine Site and the Plant Site, and underlies the former Spring Mine (AKA Silverton or Siphon Mine; now Spring Mine Lake). The Siphon Fault is offset 100 to 230 feet and is hypothesized to be a growth fault due to the thickness change of the Iron Formation across the structure (Reference (39)). There is some indication of sulfide mineralization within the Duluth Complex underlying and along the trend of the Siphon Fault.

3.1.3 Mesoproterozoic (1110-1050 Ma)

The Paleoproterozoic Penokean orogeny was followed by over 700 million years of relative tectonic quiescence, which ended with a continental-scale Mesoproterozoic rifting event and the development of the Midcontinent Rift System (MRS). Between approximately 1110 and 1040 Ma (Reference (40); Reference (41); Reference (42)), lithospheric extension, thinning and crustal subsidence was accompanied by the eruption of plateau lavas and the emplacement of immense volumes of intrusive igneous rocks. As active rifting waned, continued thermal subsidence led to the deposition of a thick package of clastic sedimentary rocks. Collectively, the volcanic/plutonic and sedimentary rock assemblage is termed the

Keweenaw Supergroup. Cannon (Reference (43)) attributed failure of the MRS to collisional tectonics in the Grenville Orogeny and associated northwest-directed compression.




Origin of the rock units are shaded gray. Timing of events is approximate and based on compilations of ages in the literature. Timescale is non-linear. Refer to text for details.

Figure 3-2 Timeline of Geologic Events, Local and Regional Stress History, and Resultant Structural Features Evident in the Vicinity of the Project

During rifting, magmas of the Duluth Complex and the Beaver Bay Complex were emplaced at several kilometers depth between overlying Keweenaw volcanics of the North Shore Volcanic Group and

Paleoproterozoic Animikie Group sedimentary rocks (Large Figure 1). Subsequent uplift and erosion have removed the overlying Keweenaw volcanic rocks, leaving Duluth Complex rocks in subcrop.

The Duluth Complex is a mafic layered igneous intrusion with a bulk gabbroic composition. It is one of the largest such intrusions on earth, with a maximum thickness exceeding 15 km. In detail, the Duluth Complex consists of numerous intrusive bodies with a complicated history of emplacement; of these, the Partridge River Intrusion and South Kawishiwi Intrusion are located along the western edge of the complex in close proximity to the Project site (Reference (15)). The NorthMet deposit is located at the base of the Partridge River Intrusion at its contact with the underlying Virginia formation, which is present in subcrop along the northwest edge of the Project mine pits. The Partridge River Intrusion has been subdivided into eight different igneous units based on its internal igneous stratigraphy (several of which are shown on Figure 3-3).



Note: Not shown at the base of the BIF is the relatively thin Pokegama Quartzite.)

Figure 3-3 Cross-Section Depicting the Stratigraphy of the Partridge River Intrusion and Footwall Rocks at the Site

The nature and extent of faulting during emplacement of the Duluth Complex has been the topic of considerable discussion and debate (e.g., Reference (44); Reference (45); Reference (46)). The extensional stress field generated during the rifting phase of Midcontinent Rift System (MRS) evolution would favor the development of northeast-trending, southeast-dipping normal faults (Reference (44)); northwest-directed compressional stresses during rift failure could generate northeast-trending reverse faults and/or reactive former normal faults. These faults would be most apparent in the footwall rocks. Significant

crustal extension during volcanism was accommodated on the Keweenaw Fault located along the south limb of the MRS; during rift failure, this normal fault was reactivated as a reverse fault and accommodated significant crustal shortening (e.g., Reference (47)). In contrast, on the north limb of the MRS in northeastern Minnesota, evidence of similar large-scale faulting is largely absent (Reference (46)), and the mechanisms for accommodating strain during MRS evolution are uncertain.

At NorthMet, the extent of faulting in both the Paleoproterozoic footwall rocks and the Duluth Complex itself is poorly constrained. At the former LTVSMC property, where the BIF is exposed at the surface, numerous faults—with highly variable orientations—have been mapped. Examples of these are the Donora Fault, the Fowler Fault, the Mesabi Lake Fault (Large Figure 1), and the Boundary Fault at the Dunka Mine. The extent to which these faults are Animikean in age, similar to the Siphon structure and the Virginia Horn, or reflect later motion during MRS development is unclear (e.g., Reference (46)). The structures pervasive in the BIF are interpreted by Holst et al. (Reference (46)) to be a result of essentially brittle or semi-brittle deformation of indurated sediments that overlie a strong base (the Giant's Range batholith) and became fractured and warped in response to fairly low stresses.

The extensive faulting mapped in the BIF in mine pits in the area suggests that the footwall rocks (at least the BIF) below the Duluth Complex may be extensively faulted. However, significant displacement of geologic units within the Duluth Complex itself is rare and individual faults and/or fault zones cannot be correlated from drillhole to drillhole despite extensive exploration (Reference (4)). Due to its immense volume, the Duluth Complex is thought to have had a long cooling history, which may have kept the intrusive body relatively ductile, thus limiting the development of large-scale faults within it (Reference (46)), even as footwall rocks became faulted. Some evidence of normal-faulting of footwall rocks during rifting is provided by drillhole data: Severson and Zanko (Reference (3)) described two parallel N 60° E trending faults identified by offset of the top of the BIF in the footwall (Figure 3-3). They also identified northwest trending faults by changes in the top of the BIF as well as changes in the thickness (76 to 623 feet) in one of the units of the Partridge River intrusion. The potential extension of footwall faults into the overlying Duluth Complex (Reference (3)) suggests a complicated history of movement and reactivation along the faults during emplacement of the Duluth Complex. However, the faults have not been positively identified in drillcore that correspond with the stratigraphic displacement.

In addition to footwall fault development, Duluth Complex emplacement may have resulted in local incipient displacement within the intrusive body as it cooled and contracted. These contraction joints are not marked by significant offsets in geologic units, and cannot be correlated between drill cores at NorthMet (Reference (4)). Cooper (Reference (22)) and Foose and Cooper (Reference (23)) described extensive NE and NW trending faulting and fracturing in the Duluth Complex. However, they inferred the presence of faults via truncations of plagioclase-rich anorthositic horizons in the Duluth Complex. This technique is problematic because plagioclase-rich blocks are commonly determined to be inclusions of older anorthositic series rocks that formed at the top of the magma and then sank into the magma chamber before the rest of the magma fully solidified (Reference (20); Reference (21)). In addition, topographic linear features can also be attributed to glacial scour, rather than the presence of underlying bedrock structure.

3.1.4 Phanerozoic (540 Ma to Present)

The Phanerozoic is characterized by three geologic events that influence the hydrogeologic characteristics of the bedrock at NorthMet site (Figure 3-2). The first of these events is the widespread leaching of silica from iron formation and genesis of 'soft' (AKA 'natural') ores within the Animikie Basin iron formations. The volume loss associated with silica leaching generated fractures; some of these fractures (and possibly older fractures and faults) appear to have become permeable conduits for flow during the leaching process. In places, leaching and soft ore formation extended to great depth (in excess of 4,500 feet below current land surface). While the causal mechanism for (and age of) the leaching process remains somewhat equivocal, a general consensus supports the idea of a long-lived, deep, and widespread weathering event. Erosional unloading ('unroofing') and/or crustal uplift during this weathering event may have affected the stress field in the upper crust. Within the footwall rocks at NorthMet, and locally in outcrop within the neighboring Peter Mitchell Pit, no evidence for the presence of leached BIF or natural ore has been encountered, perhaps due to the presence of the adjacent Duluth Complex (Reference (48)). This relationship suggests that leaching post-dates emplacement of the Duluth Complex.

The second geologic event of the Phanerozoic is crustal subsidence and associated sedimentation during the Cretaceous. Phanerozoic rocks are absent at the NorthMet site. However, crustal subsidence associated with this event may have affected reactivated deep-seated faults in the region.

The third and final geologic event is Pleistocene (2.5 Ma to recent) glaciation. A veneer of late-Wisconsinan glaciogenic sediments associated with the last advance of the Rainy Lobe of the Laurentide Ice Sheet covers the entire region. At the NorthMet Mine site, the unconsolidated sediments range in thickness from zero (absent) to 60 feet, with an average value of about 15 feet (Reference (49)).

While Pleistocene-age deposits form a volumetrically insignificant component of the stratigraphic record in the vicinity of the Project, repeated glaciations throughout the Pleistocene likely played a significant role in the development and/or reactivation of near-surface bedrock structures (fractures/ faults). Repeated loading and unloading of the lithosphere—and its associated isostatic adjustment—during ice-sheet growth/advance and collapse/retreat, respectively, affected the stress field in the upper crust. The result of glacial loading/unloading may have enhanced the permeability of the upper portions of bedrock by repeated reactivation of fractures (Reference (50)).

3.1.5 Summary

In summary, the geologic record indicates that fracturing in bedrock can be generally classified into three major groups (Figure 3-1):

- *Near-surface fractures*: These are pressure-release joints that formed due to glacial loading/unloading. They are the most likely to form interconnected networks of fractures capable of transmitting water, and likely affect only the upper portions of the bedrock.
- *Bedding plane fractures and variably-oriented faults affecting the meta-sedimentary bedrock units*: These structures act to enhance the permeability of those units relative to both the underlying granitic Giants Range rocks and the overlying Duluth Complex.

- *Deep-seated faults:* These are mappable structures generally related to tectonic events. Archean structures are found in the Giants Range granite, while younger structural features related to tectonic events are also prevalent in the Animikeyan footwall rocks. Deep faults within the granitic terrane and footwall rocks may not extend into the Duluth Complex. However, exploratory drilling has intersected apparent fault zones in the Duluth Complex, and although they cannot be correlated from drillhole to drillhole, these suggest at least the local presence of what may be deep-seated faults.

3.2 Bedrock Hydrogeology


Site-specific and regional data indicate that the hydraulic conductivity of bedrock in the NorthMet area is generally low. Given the age of the bedrock units and their long histories of deformation and (low-grade) metamorphism (as discussed in Section 3.1), it is likely that most of the primary permeability of these rocks has been overprinted through geologic time. Today, the hydrogeologic characteristics of the bedrock reflect the structural features of the rock, i.e., the secondary permeability associated with joints, fractures, and faults (Figure 3-1).

The low hydraulic conductivity of the crystalline rock units in the region was recognized by the USGS during siting of a geologic repository for long-term storage of high-level radioactive waste (Reference (7)). Hydraulic conductivity generally decreases with depth in bedrock. Literature values describing the depth of pressure-release fractures resulting from crustal loading and unloading during glaciation suggest that enhanced permeability due to these features is limited to the upper approximately 300 feet of rock (Reference (9); Reference (10)). These fractures have little to no offset of geologic units, but indicate that the lower portions of the affected rock masses will be less permeable than the upper portions (Reference (9)). The frequency of occurrence, aperture width, and effective connectivity of these features appears to diminish rapidly with depth as a result of the increased confining pressure from overlying rocks; as such, pressure-release fractures appear to have little effect on groundwater conditions at depths greater than 500 to 650 feet (Reference (10)). Anecdotally, the enhanced permeability of the upper portions of the bedrock is the basis for regional well drillers' expectation that domestic supplies of water in crystalline rocks will only be encountered in the upper 300 feet of rock drilling.

Fractures in crystalline bedrock in northeastern Minnesota were specifically identified and characterized in three drillholes in the granitic rocks near Finland, MN (Reference (32)). The bedrock in this area is granite of the Finland granophyre of the Beaver Bay Complex. The Finland granophyre represents an intrusive granitic complex that perhaps pre-dated the intrusion of the more mafic gabbros and associated rocks that underlie it stratigraphically (Reference (51)). The granophyre is analogous to crystalline rocks at NorthMet: compositionally, it is similar to the Giants Range granite; structurally, it has undergone a similar stress history as the Duluth Complex. The geologic and hydrogeologic studies carried out in the area focused on characterization of groundwater flow in the fractured bedrock. Specifically, fracturing was found to be concentrated in the uppermost 100 feet of rock. The granophyre is more massive (less fractured) with depth, and with distance from major fault zones and geologic contacts. The investigators also identified a strong correlation between fractures and RQD. No significant zones of unusually high hydraulic conductivity were identified. Hydraulic conductivity measurements from single well tests for this

fractured rock ranged from 2.4×10^{-7} to 2.0×10^{-4} cm/s (geometric mean of 6.9×10^{-6} cm/s) and were within the expected range for this type of rock based on literature.

Groundwater flow in bedrock at NorthMet occurs in fractures within three relevant bedrock units: the Duluth Complex, the Virginia Formation that makes up the 'footwall' rocks, and the underlying granite of the Giants Range batholith (which forms the uppermost unit at the Plant Site) (Figure 3-3). The hydrogeology of the BIF is also discussed below as it is present at depth below the mine pits, and it is exposed at the surface in nearby mine pits. A compilation of field-based hydraulic conductivity measurements for these bedrock units is presented in Figure 3-4 and Table 3-1. Figure 3-4 includes site-specific data for the Duluth Complex and Virginia Formation collected during the hydrogeologic investigations of the Mine Site (Reference (12), Reference (13), Reference (14)), site-specific data for the Giants Range Granite collected during the geotechnical investigation of the Tailings Basin (Appendix A), and literature data from studies within close proximity of the project area (Reference (9), Reference (7)). Additionally, site-specific hydraulic conductivity data are shown in plan view in Large Figure 2. In general, the Duluth Complex has the lowest permeability, due to its relatively massive nature (i.e., it has fewer fractures, compared to the other geologic units) and relatively young stress history, followed by the upper portions of the Virginia Formation and Giant's Range batholith, with the more faulted and fractured BIF having the highest permeability (Reference (49)).



Geometric mean indicated by large diamond.

Figure 3-4 Field Hydraulic Conductivity (K) Measurements for Bedrock Units

Table 3-1 Field Hydraulic Conductivity (K) Measurements for Bedrock Units

Study Title	Source Author	Date	Location (with depth interval, in feet)	Bedrock K Estimate, cm/sec	Bedrock K Estimate, ft/day
Duluth Complex					
Surficial geology and ground-water geology of the Babbitt-Kawishiwi area, northeastern Minnesota, with planning implications	Stark	1977	INCO #32786 (12-371)	1.5E-04	4.1E-01
Surficial geology and ground-water geology of the Babbitt-Kawishiwi area, northeastern Minnesota, with planning implications	Stark	1977	HANNA #K-20 (0-250)	1.9E-05	5.3E-02
Surficial geology and ground-water geology of the Babbitt-Kawishiwi area, northeastern Minnesota, with planning implications	Stark	1977	INCO #40913 (10-2795)	1.4E-07	4.0E-04
Surficial geology and ground-water geology of the Babbitt-Kawishiwi area, northeastern Minnesota, with planning implications	Stark	1977	INCO #11533 (19-1319)	4.2E-06	1.2E-02
Surficial geology and ground-water geology of the Babbitt-Kawishiwi area, northeastern Minnesota, with planning implications	Stark	1977	INCO #32758 (0-1250)	9.4E-07	2.7E-03
Hydrology and Water Quality of the Copper-Nickel Study Region, Northeastern Minnesota	Siegel, D.I., and Ericson, D.W./USGS	1980	61-11-19bdc (well depth of 125 ft)	5.6E-06	1.6E-02
Hydrology and Water Quality of the Copper-Nickel Study Region, Northeastern Minnesota	Siegel, D.I., and Ericson, D.W./USGS	1980	61-11-34bbc (well depth of 225 ft)	9.9E-07	2.8E-03
Hydrogeologic Investigation - Phase I, PolyMet NorthMet Mine Site, RS-02 Draft-02	Barr	2006	05-401M (0-349)	1.3E-06	3.6E-03
Hydrogeologic Investigation - Phase I, PolyMet NorthMet Mine Site, RS-02 Draft-02	Barr	2006	05-404M (0-328)	3.5E-06	1.0E-02
Hydrogeologic Investigation - Phase I, PolyMet NorthMet Mine Site, RS-02 Draft-02	Barr	2006	05-407M (8-354)	3.0E-06	8.4E-03

Study Title	Source Author	Date	Location (with depth interval, in feet)	Bedrock K Estimate, cm/sec	Bedrock K Estimate, ft/day
Hydrogeologic Investigation - Phase I, PolyMet NorthMet Mine Site, RS-02 Draft-02	Barr	2006	05-411M (13-639)	3.0E-07	8.4E-04
Hydrogeologic Investigation - Phase I, PolyMet NorthMet Mine Site, RS-02 Draft-02	Barr	2006	05-405C (31-723)	2.4E-07	6.7E-04
Hydrogeologic Investigation - Phase I, PolyMet NorthMet Mine Site, RS-02 Draft-02	Barr	2006	05-406C (6-686)	9.2E-08	2.6E-04
Hydrogeologic Investigation - Phase I, PolyMet NorthMet Mine Site, RS-02 Draft-02	Barr	2006	05-409C (16-442)	1.4E-05	4.1E-02
Hydrogeologic Investigation - Phase I, PolyMet NorthMet Mine Site, RS-02 Draft-02	Barr	2006	05-410C (7-668)	1.5E-07	4.2E-04
Hydrogeologic Investigation - Phase I, PolyMet NorthMet Mine Site, RS-02 Draft-02	Barr	2006	05-413C (12-336)	4.2E-06	1.2E-02
Hydrogeologic Investigation - Phase I, PolyMet NorthMet Mine Site, RS-02 Draft-02	Barr	2006	05-414C (0-1303)	1.4E-07	3.9E-04
Virginia Formation					
Hydrogeologic Investigation-Phase II, PolyMet NorthMet Mine Site, RS-10 Draft-02	Barr	2006	P-1 (27-610)	8.5E-07	2.4E-03
Hydrogeologic Investigation-Phase II, PolyMet NorthMet Mine Site, RS-10 Draft-02	Barr	2006	P-2 (27-610)	2.5E-05	7.2E-02
Hydrogeologic Investigation-Phase II, PolyMet NorthMet Mine Site, RS-10 Draft-02	Barr	2006	P-3 (27-610)	2.0E-04	5.7E-01
Hydrogeologic Investigation-Phase II, PolyMet NorthMet Mine Site, RS-10 Draft-02	Barr	2006	Ob-3 (21-100)	2.4E-04	6.8E-01
Hydrogeologic Investigation-Phase II, PolyMet NorthMet Mine Site, RS-10 Draft-02	Barr	2006	Ob-3a (17-50)	1.7E-04	4.9E-01
Hydrogeologic Investigation-Phase II, PolyMet NorthMet Mine Site, RS-10 Draft-02	Barr	2006	717971 (19-260)	1.3E-04	3.6E-01
Hydrogeologic Investigation-Phase II, PolyMet NorthMet Mine Site, RS-10 Draft-02	Barr	2006	P-4 (46-485)	1.2E-04	3.3E-01

Study Title	Source Author	Date	Location (with depth interval, in feet)	Bedrock K Estimate, cm/sec	Bedrock K Estimate, ft/day
Phase III Hydrogeologic Investigation, RS10A Draft-01	Barr	2007	Ob-2 (18-100)	1.7E-05	4.7E-02
Phase III Hydrogeologic Investigation, RS10A Draft-02	Barr	2007	P-3 (27-300)	2.2E-04	6.3E-01
Phase III Hydrogeologic Investigation, RS10A Draft-03	Barr	2007	P-4 (46-200)	2.5E-04	7.0E-01
Giants Range Granite					
Hydrology and Water Quality of the Copper-Nickel Study Region, Northeastern Minnesota	Siegel, D.I., and Ericson, D.W./USGS	1980	59-14-2adc (well depth of 197 ft)	9.1E-06	2.6E-02
Geotechnical Investigation - Tailings Basin	Barr	2014	B14-36 (14-18.5)	<1.4E-06 ¹	<1.4E-06 ¹
Geotechnical Investigation - Tailings Basin	Barr	2014	B14-36 (20.5-26.5)	1.4E-06	4.0E-03
Geotechnical Investigation - Tailings Basin	Barr	2014	B14-55 (37-41.5)	7.2E-04	2.0E+00
Geotechnical Investigation - Tailings Basin	Barr	2014	B14-55 (41.5-46.5)	<1.4E-06 ¹	<1.4E-06 ¹
Geotechnical Investigation - Tailings Basin	Barr	2014	B14-55 (46-50.5)	<1.4E-06 ¹	<1.4E-06 ¹
Geotechnical Investigation - Tailings Basin	Barr	2014	B14-44 (34-42)	3.9E-05	1.1E-01
Geotechnical Investigation - Tailings Basin	Barr	2014	B14-44 (42-46)	5.8E-05	1.6E-01
Geotechnical Investigation - Tailings Basin	Barr	2014	B14-65 (24-30)	5.2E-05	1.5E-01
Geotechnical Investigation - Tailings Basin	Barr	2014	B14-65 (27.5-33.5)	1.9E-04	5.4E-01
Geotechnical Investigation - Tailings Basin	Barr	2014	B14-76 (37-42)	9.0E-05	2.6E-01
Specific Capacity Analysis from Well and Boring Record for Residential Well 620123	MDH - CWI	1999	620123 (18-65)	1.2E-03	4.2E+01

¹ These tests did not produce water, suggesting that the permeability of the interval is less than the lowest value observed using the measurement technique (1.4E-06 cm/sec).

Study Title	Source Author	Date	Location (with depth interval, in feet)	Bedrock K Estimate, cm/sec	Bedrock K Estimate, ft/day
Biwabik Iron Formation					
Hydrology and Water Quality of the Copper-Nickel Study Region, Northeastern Minnesota	Siegel, D.I., and Ericson, D.W./USGS	1980	58-15-3cca2 (well depth of 455 ft)	5.6E-04	1.6E+00
Hydrology and Water Quality of the Copper-Nickel Study Region, Northeastern Minnesota	Siegel, D.I., and Ericson, D.W./USGS	1980	59-15-26dbc (well depth of 299 ft)	6.3E-05	1.8E-01
Hydrology and Water Quality of the Copper-Nickel Study Region, Northeastern Minnesota	Siegel, D.I., and Ericson, D.W./USGS	1980	59-15-26dbc (well depth of 398 ft)	5.2E-05	1.5E-01
Hydrology and Water Quality of the Copper-Nickel Study Region, Northeastern Minnesota	Siegel, D.I., and Ericson, D.W./USGS	1980	60-12-17aad (well depth of 110 ft)	5.7E-03	1.6E+01

3.2.1 Giants Range Granite and Archean Schists

Granite of the Giants Range batholith (granite) and associated Archean schists underlie the Plant Site. At the Tailings Basin, 'mounding' of the water table within the tailings pile, which is generally constructed on a groundwater divide, drives groundwater flow into the underlying surficial deposits and potentially into the upper portions of the underlying granitic bedrock.

Harrison et al. (Reference (10)) recognized that the type of crystalline rock (i.e., Duluth Complex versus Archean granite) is less important than site-specific conditions (e.g., stress history, type of stress, and fracture geometry) in controlling the overall permeability of the bedrock in the region. In general this means that crystalline rock units behave similarly under the glacial loading/unloading regime, and the upper portions of all rock units are more likely than rock at depth to contain a fracture network capable of transmitting water.

RQD data support the presence of fracturing in the upper portions of bedrock. RQD data from the bedrock that underlies the area to the north and west of the Plant Site (Appendix A) indicate the influence of the upper fractured bedrock: average RQD increases from about 60% to 85% from the bedrock surface to 20 feet below the top of bedrock. Figure 3-5 presents these RQD data converted to number of fractures per foot of core, using a relationship between RQD and number of fractures per length of core (fracture index, F_i) developed by Priest and Hudson, (Reference (52)). The number of fractures per foot of core decreases by more than half within the first 20 feet of bedrock.




Figure 3-5 Number of Fractures per Foot (Fracture Index) with Depth in the Giants Range Granite

The literature-based assessment of the upper fractured zone suggests that groundwater flow in the Giants Range granite likely occurs mostly in the upper 300 feet of the bedrock; however, the site-specific fracture data indicate that the amount of fracturing decreases significantly in the upper 20 feet of the bedrock surface (Figure 3-5).

The hydraulic conductivity of uppermost portions of the Giants Range granite (<20 feet) was tested during a 2014 geotechnical investigation. The results of this investigation are attached to this report (Appendix A). Hydraulic conductivity values for the upper portion of the Giant’s Range granite surrounding the Plant Site range from effectively zero (e.g., no water was produced in three of the packer test intervals) to 7.2×10^{-4} cm/s, with a geometric mean of 1.9×10^{-5} cm/s (Table 1-1 and Large Figure 2). (For the purposes of calculating a geometric mean, the lowest hydraulic conductivity value measured during the investigation was used for the three intervals that did not produce water). Artesian groundwater conditions were encountered in several piezometers and drillholes during investigation, including one drillhole (R14-20) that encountered approximately 10-12 gallons per minute (gpm) of flow within the upper foot of the granite, which the drillers attribute to groundwater flow at the top of bedrock.

The hydraulic conductivity measurements from this investigation reflect heterogeneity with respect to hydraulic properties of the upper 20 feet of bedrock. Regional measurements in the Giants Range granite also indicate variability: Siegel and Ericson (Reference (9)) measured specific capacity in one well in the upper 200 feet of the Giants Range, and found hydraulic conductivity was 9.1×10^{-6} cm/s, while specific capacity data from a well record for a residential well located to the north of the Plant Site suggests that the hydraulic conductivity of the upper 65 feet of the granite is 1.5×10^{-2} cm/s. Based on a compilation of field- and lab-based hydraulic conductivity values for granites in North America, Harrison et al. (Reference (10)) estimated a mean conductivity value of 10^{-8} cm/s for granite in the Lake Superior region.

The various hydraulic conductivity values from literature and site test work are shown on Large Figure 2 and in Table 1-1.

Fracturing due to glacial loading/unloading in the Giants Range is limited to the upper portions of bedrock. At depth, fractures become less frequent (Figure 3-5), and more closed. The contrast between the bulk hydraulic conductivity of the upper 20 feet of Giant's Range granite and that of other granites in the Lake Superior region (Table 1-1) generally suggests that deep-seated faults or other fractures may be discontinuous or filled at depth.

3.2.2 Duluth Complex

The Duluth Complex rock at NorthMet is massive, with very few fractures except within the upper approximately 40 feet (Figure 3-6). RQD data are collected during ongoing exploration and PolyMet's assay database is continually updated with information from drillcore logging and re-logging efforts. To date, there are over 14,000 RQD measurements for the Duluth Complex within PolyMet's database (Reference (4)). RQD data from exploratory drilling indicate that rock quality in the Duluth Complex is generally excellent (>90%). Average RQD increases from 73% at the top of bedrock to 94% within 40 feet below the top of bedrock. Figure 3-6 presents these RQD data from top of bedrock to 500 feet below top of bedrock within the Duluth Complex. The RQD data are converted to number of fractures per foot of core, using the fracture index (Fi) developed by Priest and Hudson, (Reference (52)). The average number of fractures per foot of core decreases from almost 3 to less than 1 within the first 20 feet of bedrock.

Blasting and mining (unloading) of the Duluth Complex rock may act to open joints or fractures, but the extent of this "damaged" rock will be localized within the area of the pit shells (Reference (53)). The potential increase in bedrock permeability due to damaged rock will not affect the larger-scale flow paths that deliver groundwater into and out of the mine. Regardless of the potential presence of a "damaged rock zone", the long-term average groundwater inflow rates into and out of the open pits (which are subject to seasonal and long-term climatic variations) will stabilize due to the limited capacity (low transmissivity) of the surrounding unaffected bedrock.




Figure 3-6 Number of Fractures per Foot (Fracture Index) with Depth in the Duluth Complex

Siegel and Ericson (Reference (9)) collected specific capacity information from two exploratory drillholes located between 10 and 20 miles northeast of the Mine Site in the Duluth Complex. These data were converted to hydraulic conductivities of 5.6×10^{-6} and 9.9×10^{-7} cm/s. They report that the Duluth Complex rocks yield 5 to 15 gpm in the upper portion of the bedrock unit, where joints and fractures resulting from glacial loading/unloading are transmissive. Stark (Reference (7)) estimated that the hydraulic conductivity of the Duluth Complex ranged from 1.4×10^{-7} to 1.5×10^{-4} cm/s, with a geometric mean of 4.4×10^{-6} cm/s based on aquifer tests. He also found that transmissivity is greater closer to mapped lineaments, though the data to support this conclusion are not extensive. At depth within the Duluth Complex, i.e., below approximately 300 feet, fracturing is limited to larger structural features (if present) of relatively low transmissivity.

Barr (Reference (12)) conducted 10 aquifer performance tests in exploratory drillholes that ranged in depth from 328 to 1303 feet. Hydraulic conductivity values for the Duluth Complex at the Mine Site ranged from 9.2×10^{-8} to 1.4×10^{-5} cm/s, with a geometric mean of 8.0×10^{-7} cm/s (Table 1-1). The spatial distribution of the hydraulic conductivity estimates is shown on Large Figure 2. The five hydraulic conductivity estimates derived from single-well pumping tests conducted on drillholes within about 1000 feet of the Virginia Formation/Duluth Complex contact (10^{-5} to 10^{-6} cm/s) are generally about an order of magnitude higher than those derived from more distally-located drillholes (10^{-7} to 10^{-8} cm/s).

Hydraulic conductivity results were further analyzed to assess variability related to depth. Assuming the hydraulic conductivity values estimated from the Duluth Complex aquifer tests represent both the effective, thickness-weighted average of the hydraulic conductivities of the upper, more permeable portion and the lower, less permeable portion of the Duluth Complex (an appropriate assumption for tests conducted in boreholes with distinct intervals of contrasting permeability (Reference (54 p. 252)), hydraulic conductivity was calculated under two assumed values for thickness of the bedrock contributing flow during the tests: 50 feet and 100 feet. Hydraulic conductivity values were calculated assuming no groundwater inflow occurred within the borehole beneath these two depths (Table 3-2). As shown in Table 3-2, the hydraulic conductivity values calculated for the assumed upper, fractured portion of bedrock are generally 3 to 30 times greater than the effective, measured hydraulic conductivity values

from the aquifer tests. For example, for the five boreholes located more than 1,000 feet south of the Virginia Formation/Duluth Complex contact, the geometric mean hydraulic conductivity is 1.7×10^{-7} cm/s if based on the entire test interval thickness (approximate open borehole interval) of each borehole, 1.3×10^{-6} cm/s if the effective water-producing interval is 100 feet, and 2.5×10^{-6} cm/s if the effective water-producing interval is 50 feet. The hydraulic conductivity values from the five single-well pumping tests conducted near the Virginia Formation/Duluth Complex contact remain higher than the values from drillholes located further from the contact after normalization to the two assumptions of flow-contributing bedrock thickness.

Estimates of inflow to underground structures in the area provide context for how much of this groundwater might be derived from bedrock. Underground mine facilities in the region (i.e., AMAX, Soudan Underground Mine) typically construct engineering controls (e.g., fracture grouting) to manage the quantities of water that are encountered. During the development of a 1700-foot deep exploratory mine shaft at AMAX, four individual fractures that produced water were encountered (Reference (8)). These reflect seepage from the Duluth Complex, and were encountered at 60 feet, 147 feet, approximately 1,050 to 1,080 feet (record is unclear), and 1,194 feet below ground surface. Inflow along these individual fractures ranged from 2.7 to approximately 25 gpm. After the fractures were grouted, inflow ranged from 0.8 to 4.0 gpm for the individual fractures. Average pumping rates from the AMAX shaft after engineering controls were in place were approximately 9 to 14 gpm during its operation (Reference (8)).

Table 3-2 Duluth Complex Hydraulic Conductivity Estimates under Different Assumed Aquifer Thicknesses

Source Author	Date	Location	Approximate Open Borehole Interval, ft	Bedrock K Estimate, cm/sec	Bedrock K Estimate, ft/day	Effective Bedrock K assuming Flow in Upper 50 feet of Bedrock, cm/sec	Effective Bedrock K assuming Flow in Upper 100 feet of Bedrock, cm/sec
Boreholes within 1000 feet of the Duluth Complex/Virginia Formation contact subcrop							
Barr	2006 (Phase I Hydro Investigation)	05-401M	0 - 349	1.3E-06	0.0036	8.9E-06	4.4E-06
Barr	2006 (Phase I Hydro Investigation)	05-404M	0 - 328	3.5E-06	0.01	2.3E-05	1.2E-05
Barr	2006 (Phase I Hydro Investigation)	05-407M	8 - 354	3.0E-06	0.0084	2.1E-05	1.0E-05
Barr	2006 (Phase I Hydro Investigation)	05-409C	16 - 442	1.4E-05	0.041	1.2E-04	6.4E-05
Barr	2006 (Phase I Hydro Investigation)	05-413C	12 - 336	4.2E-06	0.012	2.7E-05	1.4E-05
Boreholes in southern portion of the West Pit, > 1000 feet from the Duluth Complex/Virginia Formation contact subcrop							
Barr	2006 (Phase I Hydro Investigation)	05-411M	13 - 639	3.0E-07	0.00084	3.7E-06	1.9E-06
Barr	2006 (Phase I Hydro Investigation)	05-405C	31 - 723	2.4E-07	0.00067	3.3E-06	1.7E-06
Barr	2006 (Phase I Hydro Investigation)	05-406C	6 - 686	9.2E-08	0.00026	1.2E-06	6.3E-07
Barr	2006 (Phase I Hydro Investigation)	05-410C	7 - 668	1.5E-07	0.00042	2.0E-06	9.9E-07
Barr	2006 (Phase I Hydro Investigation)	05-414C	0 - 1303	1.4E-07	0.00039	3.6E-06	1.8E-06
Barr	2006 (Phase I Hydro Investigation)	Geometric Mean	--	8.0E-07	0.0023	8.3E-06	4.2E-06

3.2.3 Virginia Formation

The Virginia Formation is the first rock below the mineralized zone within the Duluth Complex (Figure 3-3), and will be exposed in some areas within the northern mine pit walls, as the Duluth Complex is mined along its dip-slope (Figure 3-3). The Virginia Formation is also present in subcrop below features of the Mine Site, such as the Category 1 Waste Rock Stockpile.

The hydraulic conductivity of the Virginia Formation has been affected by joints and fractures from glacial loading/unloading (where present in sub-crop), bedding plane fractures, and faults and joints related to tectonic stresses. Groundwater movement in the Virginia Formation occurs mostly in the upper portions of the bedrock affected by glacial loading and unloading (i.e., the near-surface fractures). This may be due to the aperture width of fractures, and, by extension, the hydraulic conductivity, decreasing with depth as confining pressure from the overlying rock increases.

At the Mine Site, five pumping tests (three 36-hour tests, one 96-hour test, and one 30-day test) were conducted in four wells completed within the Virginia Formation, near the contact with the Duluth Complex. Pumping test data suggest the bulk hydraulic conductivity of the upper approximately 600 feet of the Virginia Formation has hydraulic conductivity of 8.5×10^{-7} to 2.4×10^{-4} cm/s. The geometric mean of the hydraulic conductivity estimates from each of the pumping wells is 6.0×10^{-5} cm/s.

Specific capacity testing was conducted in two of the Virginia Formation wells in order to assess the relative permeability of the upper (0-300 ft) versus lower (300-600 ft) portions of the formation. This work found the upper portion of the Virginia formation to be approximately three to five times more permeable than the lower portion (Reference (14)).

3.2.4 Biwabik Iron Formation (BIF)

The BIF, which comprises the footwall at depth below the Virginia Formation at the Mine Site, represents the most hydraulically conductive of the bedrock units at NorthMet. Where the BIF is present in sub-crop, it is recognized as a regional water resource; weathered and leached BIF can supply 1000 gal/min to wells that supply villages on the Mesabi Iron Range (Reference (28)). When it is exposed near the surface (i.e., Peter Mitchell Pit to the north of the Mine Site), fractures are widespread and include bedding-plane fractures, joints and variably oriented large- and small-offset faults (i.e., Siphon Fault, Donora Fault). Although most groundwater discharge to local taconite mine pits comes from the interface between the surficial deposits and the bedrock (Reference (11)), groundwater discharging from joints within the BIF are common in dewatered pits (Reference (55)). Siegel and Ericson (Reference (9)) measured specific capacity in four wells screened in the BIF. These data suggest that hydraulic conductivity of the BIF ranges from 5.2×10^{-5} to 5.7×10^{-3} cm/s (with a geometric mean of 3.5×10^{-4} cm/s).

The hydraulic conductivity of the BIF at depth below the NorthMet mine pits likely will be less than where it is exposed in subcrop, due to the decreased aperture width resulting from the confining stress exerted by the overlying Virginia Formation and Duluth Complex. In addition, because the Virginia Formation, and not the BIF, will be exposed at the base of the mine pits, seepage from the BIF is not anticipated.

3.2.5 Summary

The bedrock hydrogeology at the Mine Site and Plant Site is characterized by near-surface fracture flow that is likely limited almost entirely to the uppermost portions of bedrock. Despite literature-based values indicating that the depth of this upper zone of higher permeability may be approximately 300 feet, RQD data for the Duluth Complex, beneath the Mine Site, suggests that the bedrock fracture network capable of transmitting significant quantities of water is limited to the upper approximately 40 feet. The meta-sedimentary rock units of the Virginia Formation that make up the footwall at the Mine Site have somewhat higher hydraulic conductivity than the more massive igneous rocks of the Duluth Complex, given the presence of bedding-plane fractures. Experience from advancing the exploration shaft at AMAX indicates that deep-seated fractures within the bedrock can contribute water to excavations at depth. These features are localized and likely discontinuous and are not able to be mapped from drillhole to drillhole in the Duluth Complex at the Mine Site.

4.0 Implications for Impact Analysis

The assessment of potential environmental impacts from the Project considers the presence of fractures capable of transmitting water and the permeability of the bedrock units (collectively referred to as bedrock hydrogeology). The groundwater components of the impact analysis were simulated using an assumption of equivalent porous media for groundwater flow through bedrock, which means that flow in individual fractures is not considered, but flow through a network of connected fractures is considered; the resulting modeled hydraulic conductivity is directly comparable to the site-specific field-based bulk hydraulic conductivity measurements from drillholes that are open to significant thicknesses of bedrock. Additional details on the modeling of flow through bedrock at the Mine Site and Plant Site are discussed further below.

4.1 Mine Site

Duluth Complex rock will be blasted and mined in the course of mine progression. During mining, the Duluth Complex and some Virginia Formation will be exposed at the surface along the sides and bottom of the open pits and will contribute groundwater flow to the open pits. The open pits will act as a sink for groundwater during operations, i.e., dewatering will induce groundwater discharge to the pit; a significant fraction of the groundwater discharging to the pits is expected to be from surficial deposits, given the higher hydraulic conductivity of this material. Localized flow from the bedrock is expected, most likely from the near-surface fractures. After pit flooding in closure, there will be continued groundwater inflow to the pits from the north via Duluth Complex (what remains following mining) and the Virginia Formation. In closure, most water leaving the pit will be through pumping to the waste-water treatment facility, with minimal flow to groundwater in the surficial deposits. Very little, if any, flow is expected to leave the pit via fractures in bedrock given the low gradient and permeability of the rock (less than 1 gpm on average). Any groundwater outflow will be through the Duluth Complex to the south.

The bedrock hydrogeology at the Mine Site is a factor in the assessment of water quality impacts as part of the SDEIS. In addition, bedrock hydrogeology is used in the development of the overall project water balance, which affects volumes of water that need to be managed. Specifically, bedrock hydrogeology is used in addressing the following questions:

- How much groundwater inflow will there be to the mine pits during operations and pit flooding?
- Will there be water quality impacts from groundwater outflow from the mine pits after they are reflooded during reclamation and long-term closure?
- Will there be water quality impacts associated with leakage/seepage from stockpiles and other surficial mine features?

Each of these questions, and the analysis conducted to date to address the questions, is presented further below in light of the geologic and hydrogeologic discussion presented in this document.

4.1.1 Groundwater Inflow to Pits

The quantity of groundwater inflow to the mine pits during operations and pit flooding is estimated using MODFLOW (Attachment C of Reference (49)). This modeling uses, among other inputs, the bulk hydraulic conductivity of the bedrock units, treating them as equivalent porous media. The bulk hydraulic properties of the bedrock, representative of the collective near-surface fractures, are considered, rather than the hydraulic conductivity of individual fractures, because the prediction of interest is the spatially-averaged groundwater inflow into the pits. Flow from individual fractures is not needed, and adding the level of mathematical complexity necessary to make this sort of prediction would be unwarranted. The Virginia Formation is the primary unit transmitting water to the pits due to the higher hydraulic conductivity of this unit compared to the Duluth Complex (Table 1-1 and Large Figure 2). Differences in hydraulic properties in the upper versus lower Virginia Formation are addressed in the groundwater model by assigning separate zones of differing hydraulic conductivity to the upper and lower portions of the Virginia Formation. In the MODFLOW model, the hydraulic conductivity values are allowed to vary during the calibration process. Specifically, bedrock hydraulic conductivity values derived from site-specific test work were considered in defining the range of allowable hydraulic conductivity adjustments during calibration.

The Mine Site GoldSim model uses the MODFLOW estimated groundwater inflow rates to establish the overall project water balance. For this assessment, uncertainty in the groundwater inflow rates, which in part reflects uncertainties in bedrock hydraulic conductivities, are represented with a probabilistic distribution that scales the MODFLOW estimated inflow values. A log-normal distribution is defined such that the mean groundwater inflow rate is the MODFLOW estimated value and the 95% confidence interval extends from approximately 0.75 to 2.0. This assumption was discussed as part of the Impact Assessment Process (IAP process) and is based on professional judgment.

4.1.2 Groundwater Impacts from Mine Pit Outflow

The estimate of water quality impacts from groundwater outflow from the mine pits considered the hydrogeology of both surficial deposits and bedrock at the Mine Site. Given the predicted gradients following pit flooding, any groundwater outflow from the pits will be to the south through the surficial deposits and the Duluth Complex. Given the fact that the hydraulic conductivity of the surficial deposits is much higher than the Duluth Complex, the majority of outflow will be through the surficial deposits. However, transport through bedrock is still considered in the GoldSim modeling of potential water quality impacts.

In the GoldSim model, bedrock is assumed to behave as an equivalent porous media with a hydraulic conductivity equal to the optimized value from the MODFLOW model calibration. Uncertainty in hydraulic conductivity of one log-cycle is considered. There is a practical inability to predict the locations of (and therefore to characterize) transmissive open fracture or fault zones in bedrock via drillholes prior to operations given the lack of continuity of features. However, any zones that could transmit significant quantities of water away from the pits following flooding would be zones that contribute groundwater inflow during dewatering and will be visible as seeps. During operations, if and when individual fracture zones are encountered that contribute abundant water to the pit, that water will be managed, and

mitigation steps will be taken to minimize flow from those zones. Management steps taken during mine pit progression may include grouting of the fracture zone to prevent local flow. Mitigation steps taken during mine pit progression that prevent in-flow from deep-seated faults (i.e., individual fracture zones that intersect the pit at depth) will also minimize out-flow (and any associated water quality impacts) from groundwater from the flooded pit through bedrock.

4.1.3 Groundwater Impacts from Stockpile Seepage or Leakage

The estimates of water quality impacts associated with leakage or seepage from stockpiles and other surficial mine features do not consider the potential for transport through bedrock. These features will primarily be constructed on top of the surficial deposits, and as a result of engineering controls constructed to collect leakage and seepage, there will be very little head driving any seepage or leakage from these features into bedrock. This, combined with the low hydraulic conductivity of the bedrock relative to the surficial deposits, results in a very low likelihood for impacts to groundwater in bedrock. Given this, the impact analysis considered the interface between the surficial deposits and bedrock to be an impermeable boundary. The effect of this assumption is that groundwater in the surficial aquifer is modeled to have faster travel times and less attenuation of constituent mass than if the model assumed groundwater flow in bedrock.

4.2 Plant Site

The bedrock hydrogeology at the Plant Site is a factor in the assessment of water quality impacts. Specifically, bedrock hydrogeology is used in addressing the following questions:

- How much seepage loss will occur through the base of the Flotation Tailings Basin?
- Will there be water quality impacts from groundwater outflow from the Tailings Basin?

Groundwater modeling was conducted to allocate seepage from the Tailings Basin to groundwater flow paths designated in the GoldSim impact analysis. The groundwater model used to estimate the quantity of seepage loss that would occur through the base of the Tailings Basin is calibrated to measured hydraulic heads within and around the Tailings Basin, to estimates of seepages losses from the Tailings Basin ponds, and to measurements of seepage to the south of the Tailings Basin. For modeling, the bedrock beneath the Tailings Basin is assumed to act as an impermeable boundary. Based on the geometric means of site-specific hydraulic conductivity data for the surficial deposits (1.7×10^{-3} cm/s; Reference (56)) and bedrock (1.9×10^{-5} cm/s; Appendix A), the hydraulic conductivity of the bedrock is nearly 100 times lower than the hydraulic conductivity of the surficial deposits. Given this disparity in hydraulic conductivity values, the majority of seepage losses from the Tailings Basin will be through the surficial deposits.

The impact analysis conducted using the GoldSim model focused on flow and transport in the surficial deposits, and not on the underlying granitic bedrock. Assuming no leakage to bedrock has the effect of decreasing travel times of constituent mass from the Tailings Basin to evaluation points in the surficial aquifer, and allowing for less attenuation of constituent mass than if the model assumed groundwater flow in bedrock. This results in mass reaching the evaluation points more quickly than would be expected

in an area where the surficial aquifer and the bedrock are connected and some constituent mass could enter the bedrock. In reality, some of the groundwater flow from the Tailings Basin may be accommodated in the upper fractured granitic bedrock, although this flow is considered to be negligible compared to the amount of groundwater flow through flow paths in the surficial deposits. The groundwater flow from the Tailings Basin through the surficial aquifer will be captured by the FTB Containment System. The impact analysis, however, incorporates an assumption that reflects the potential for flow in the uppermost portions of the granite. While the FTB Containment System is designed to capture 100% of the groundwater coming from the Tailings Basin, the impact analysis assumes that some seepage (equal to 10% of the capacity of the surficial aquifer) bypasses the FTB Containment System.

5.0 References

1. **White, D. A.** The stratigraphy and structure of the Mesabi Range, Minnesota. Minneapolis : University of Minnesota Press, 1954.
2. **Minnesota Department of Natural Resources; U.S. Army Corps of Engineers; U.S. Forest Service.** NorthMet Mining Project and Land Exchange Supplemental Draft Environmental Impact Statement. November 2013.
3. **Severson, M. J. and Zanko, L. M.** Geologic map of the Dunka Road deposti, Suluth Complex, Northern Minnesota. s.l. : Natural Resources Research Institute, University of Minnesota, Duluth, 1996. pp. 1-38.
4. **Ware, Andrew.** *Personal Communication.* July 7, 2014.
5. **Fetter, C. W.** *Applied hydrology.* 3rd. New York : Maxwell Macmillan International, 1994.
6. **Minnesota Department of Health, County Well Index (MDH CWI).** [Online] [Cited: July 28, 2014.] <http://www.health.state.mn.us/divs/eh/cwi/index.html>.
7. **Stark, J. R.** Surficial Geology and Ground-Water Geology of the Babbitt-Kawishiwi Area, Northeastern Minnesota with Planning Implications. [Master of Science thesis]. s.l. : University of Wisconsin-Madison.
8. **E.A. Hickock and Associates.** Water Resources Investigation for the Possible MINNIMAX Mining Facility. March 1977.
9. **Siegel, D. I. and Ericson, D. W., U.S. Geological Survey.** Hydrology and Water Quality of the Copper-Nickel Study Region, Northeastern Minnesota. Water-Resources Investigations Open-File Report 80-739. 1980.
10. **Harrison, W., et al.** Geology, hydrology, and mineral resources of crystalline rock areas of the Lake Superior Region, United States. Argonne, IL : Argonne National Laboratory, 1983.
11. **Adams, J. L., Leibfried, R. T. and Herr, E. S., Minnesota Department of Natural Resources.** East Range Hydrology Project, Final Report. March 2004.
12. **Barr Engineering Company.** Drill Hole Monitoring and Data Collection, Hydrogeological Investigation - Phase 1, PolyMet NorthMet Mine Site, RS-02. 2006a.
13. —. Drill Hole Monitoring and Data Collection, Hydrogeological Investigation - Phase 2, PolyMet NorthMet Mine Site, RS-10. 2006b.
14. —. Drill Hole Monitoring and Data Collection, Hydrogeological Investigation - Phase 3, PolyMet NorthMet Mine Site, RS-10A. 2007.

-
15. **Miller, J. D. and Severson, M. J.** Geology of the Duluth Complex, in Miller, J.D., Jr., Green, J.C. Severson, M.J., Chandler, V.W., Hauck, S.A., Peterson, D.M., and Wahl, T.E., 2002. *Geology and mineral potential of the Duluth Complex and related rocks of northeastern Minnesota*. s.l. : Minnesota Survey Report of Investigations 58, 2002. p. 207.
16. *The Giants Range batholith of Minnesota*. **Allison, I. S.** 1925, Journal of Geology, Vol. 33, pp. 488-508.
17. **Prince, L. A., and Hanson, G. N.** Rb-Sr isochron ages for the Giants Range granite, northeastern Minnesota. [ed.] B.R. and Smith, D.K. Doe. *Studies in mineralogy and Precambrian geology: Geological Society of America Memoir 135*. 1972, pp. 217-224.
18. **Boerboom, T. J. and Zartman, R. E.** Geology, geochemistry, and geochronology of the central Giants Range batholith, northern Minnesota. *The National Research Council of Canada: Canadian Journal of Earth Sciences*. 1993, Vol. 30, 12, pp. 2510-2522.
19. *Geology and Metamorphism of the Eastern Mesabi Iron Range*. **Ojakangas, R. W., Severson, M. J., Campbell, T. J., Lubben, J. D., Jongewaard, P. K., Halverson, D. G., Bird, J., and Everett, W.** Ely, MN : s.n., 2009. Institute on Lake Superior Geology Proceedings, 55th Annual Meeting. Vol. 55, p. 117.
20. **Miller, J. D., Severson, M. J. and Hauck, S. A.** History of the geologic mapping and mineral exploration in the Duluth Complex, in *Geology and mineral potential of the Duluth Complex and related rocks of Northeastern Minnesota*. [ed.] J. D. Miller, et al. s.l. : University of Minnesota Saint Paul, 2002. Report of Investigations 58, pp. 21-25.
21. **PolyMet Mining.** PolyMet NorthMet Geology and Resource Background, August 2006. *PolyMet Project Description Support Document ER03*. s.l. : PolyMet Mining, 2007.
22. **Cooper, R. W.** Lineament and structural analysis of the Duluth Complex, Hoyt Lakes – Kawishiwi Area, northeastern Minnesota: University of Minnesota, Ph.D. thesis. 1978. p. 280.
23. **Foose, M. P. and Cooper, R. W.** Faulting and fracturing in part of the Duluth Complex, northeastern Minnesota. 1981, Vol. 18, pp. 810-814.
24. **Cooper, W.** Lineament and structure analysis of the Duluth Complex, Hoyt Lake-Kawishiwi area, northern Minnesota. Minneapolis, MN : University of Minnesota, 1978. Ph.D. thesis, p. 220.
25. **Geerts, S. D.** Petrography and geochemistry of a platinum group element-bearing horizon in the Dunka Road prospect, (Keweenawan) Duluth Complex, northeastern Minnesota: Duluth, Minn., University of Minnesota Duluth, M.S. thesis. 1994. p. 157.
26. **Patelke, R. L., and Geerts, S. D.** *PolyMet NorthMet Drill Hole/Geologic Database ReCompilation: Location, Downhole Survey, Assay, Lithology, Geotechnical Data, and Related Information, 2004 to 2006*, PolyMet Mining Inc. Internal Report. 2006. p. 86.

-
27. **Desautels, P. and Zurowski, G.** Updated NI 43-101 technical report on the NorthMet Deposit Minnesota. s.l., USA : AGP Mining Consultants Inc., 2012.
28. **Cotter, R. D., H. L. Young, L. R. Petri, C. H. Prior.** Ground and surface water in the Mesabi and Vermilion Iron Range area, northeastern Minnesota. *U.S. Geological Survey Water-Supply Paper 1759-A*. s.l. : U.S. Government Printing Office, 1965.
29. **Cotter, R. D., et al.** Water resources in the vicinity of municipalities on the east-central Mesabi Iron Range. Washington, D.C. s.l. : U.S. Geological Survey Water-Supply Paper 1979-E, 1965b.
30. **Patelke, R. L., and Severson, M. J.** A history of copper-nickel and titanium oxide test pits, bulk samples, and related metallurgical testing in the Keweenaw Duluth Comple, northeastern Minnesota, Natural Resources Research Institute, University of Minnesota, Duluth, Technical Report, NRRI. 2005.
31. **Lindholm, G. F., Ericson, D. W., Broussard, W. L., and Hult, M. F.** Water resources of the St. Louis River watershed, northeastern Minnesota, U.S. Geological Survey, Hydrologic Investigations Atlas HA-586. 1978.
32. **U.S. Army Corps of Engineers.** *Preliminary Assessment/Site Investigation Report: Finland Air Force Station, Lake County, Minnesota*. s.l. : HARZA Consulting Engineers and Scientists, 1999.
33. **Jirsa, M. A., Southwick, D L. and Boerboom, T. J.** Structural evolution of Archean rocks in the western Wawa subprovince, Minnesota: refolding of prevleavage nappes during D2 transpression. *Candian Journal of Earth Sciences*. 1992, Vol. 29, pp. 2146-2155.
34. **Peterson, D. M. and Severson, M. J.** Archean and Paleoproterozoic rocks that form the footwall of the Duluth Complex. [ed.] J. D. Miller, et al. *Geology and mineral potential of the Duluth Complex and related rocks of Northeastern Minnesota*. s.l. : University of Minnesota Saint Paul, 2002. Report of Investigations 58, pp. 76-93.
35. **Ojakangas, R. W.** Tidal deposits in the early Proterozoic basin of the Lake Superior region; the Palms and the Pokegama Formations; evidence of subtidal-deposition of the superior-type banded iron-formation, in Medaris. [ed.] L. G. Medaris. *Proterozoic geology of the Great Lakes region: Geological Society of America Memoir 160*. 1983. pp. 49-56.
36. **Huber, N. K.** Some aspects of the Ironwood Iron-Formation of Michigan and Wisconsin. *Economic Geology*. 1959, Vol. 54, pp. 82-118.
37. **Schulz, K. J. and Cannon, W. F.** The Penokean orogeny in the Lake Superior region. *Precambrian Research*. 2007, Vol. 157, pp. 4-15.
38. **Cannon, W. F., Klasner, G. L. and Schultz, K. J.** The Gogebic Range—a sample of the northern margin of the Penokean fold and thrust belt: U.S. Geological Survey Professional Paper 1730. 2007. p. ff.

-
39. **Severson, K. J. and Hauck, S. A.** Igneous stratigraphy and mineralization in the basal portion of the Partridge River Intrusion, Duluth Complex, Allen Quadrangle, Minnesota: NaturalResources Research Institute Technical Report NRRI/TR-97/19. 1997. pp. 1-102.
40. **Davis, D. W. and Sutcliffe, R. H.** *Geological Society of America Bulletin*. 1985.
41. **Davis, D. W. and Paces, J. B.** *Earth and Planetary Science Letters*. 1990.
42. *Crustal-scale thrusting and origin of the Montreal River Monocline-A 35-km-thick cross section of the Midcontinental Rift in northern Michigan and Wisconsin.* **Cannon, W. F., Peterman, Z. E. and Sims, P. K.** 12(3), 1993, *Tectonics*, pp. 728-744.
43. **Cannon, W. F.** Closing of the Midcontinent rift-A far - field effect of Grenvillian compression. *Geology*. 1992, Vol. 22, 2, pp. 155-158.
44. **Weiblen, P. W. and Morey, G. B.** A summary of the stratigraphy, petrology and structure of the Duluth Complex. *American Journal of Science*. 1980, Vol. 280, pp. 88-133.
45. *Geologic and geochemical evidence for the nature and development of the middle Proterozoic (Keweenaw) Midcontinent Rift of North America.* **Green, J. C.** 94, 1983, *Tectonophysics*, pp. 413-437.
46. **Holst, T. B., et al.** Relationship of structural geology of the Duluth Complex to economic mineralization: A Final Report to the Minnesota Department of Natural Resources and the National Resources Institute of the University of Minnesota Duluth. 1986. Report 241-2.
47. **Cannon, W.F. and et al.** Geologic map of the Ontonagon and part of the Wakefield 30' x 60' quadrangles, Michigan. s.l. : U.S. Geological Survey, 1995.
48. *Where are the Metamorphosed Natural Orebodies of the Mesabi Range?* **Graber, R. G., and Strandlie, A. J.** Marquette, MI : s.n., 1999. Institute on Lake Superior Geology Proceedings, 45th Annual Meeting. Vol. 45, p. 17.
49. **Poly Met Mining Inc.** NorthMet Project Water Modeling Data Package Volume 1 - Mine Site (v12). March 2013.
50. *Glacio-seismotectonics: ice sheets, crustal deformation and seismicity.* **Stewart, I. S., Sauber, J., Rose, J.** s.l. : Quaternary Science Reviews, 2000. Vol. 19, pp. 1367-1389.
51. *Geology, petrology, and tectonic significance of the Beaver Bay Complex, northeastern Minnesota.* **Miller, James D and Chandler, Val W.** 1997, Vol. 312.
52. **Quigley, Paul and McSwiney, Steven.** Measurement and Analysis of Rock Mass Fractures and their Applications in Civil Engineering. February 13, 1996.


53. **Persson, P. A., Holmberg, R. and Lee, J.** Rock Blasting and Explosives Engineering. s.l. : CRC Press Inc., 1994.

54. **Butler, J. J.** *The Design, Performance, and Analysis of Slug Tests*. Boca Raton : CRC Press LLC, 1998.

55. **Jirsa, M. A., Setterholm, D. R., Bloomgren, B. A., Bauer, E. J., and Lively, R. S., University of Minnesota, Minnesota Geological Survey.** Bedrock Geology, Database, Bedrock Topography, Depth to Bedrock, Maps of the Eastern Half of the Mesabi Iron Range, Northern Minnesota (M-158). 2005.

56. **Poly Met Mining Inc.** NorthMet Project Water Modeling Data Package Volume 2 - Plant Site (v9). March 2013.


Large Figures



Bar Footer: ArcGIS 10.2.2, 2014-11-13 13:58 File: J:\Client\PolyMet_Mining\Work_Orders\Mine_Engineering_Assistance\Maps\Reports\Geotechnical_Investigation\Bedrock_Stone_Memolarge\Figure_1_Mine_Site_Bedrock_Geology.mxd User: am2


Bedrock geologic contacts and faults from Jirsa, M.A., Chandler, V.W., and Lively, R.S., 2005, Bedrock Geology of the Mesabi Iron Range, Minnesota: Minnesota Geological Survey Miscellaneous Map M-163, scale 1:100,000.

- | | | | |
|--|--|---|---|
| <ul style="list-style-type: none"> — Fault (approximate) - - - Fault (inferred) — Geologic Contact (approximate) - - - Geologic Contact (inferred) — Dunka Road Project Areas | <p>Bedrock Geology¹</p> <ul style="list-style-type: none"> Agm - Quartz monzonite and monzodiorite Agr - Quartz monzonite, monzodiorite, and monzogranite Agt - Tonalite to granodiorite Amv - Tholeiitic to calc-alkalic volcanic rocks Asb - Schist of sedimentary protolith | <ul style="list-style-type: none"> Asv - Schist of mafic to intermediate volcanic protolith Mda - Anorthositic series subsuite of the Duluth Complex Mdg - Gabbro Mdk - South Kawishiwi intrusion Mdp - Partridge River intrusion Mdu - Ultramafic, oxide-rich intrusions | <ul style="list-style-type: none"> Mia - Aurora sill Mmi - Mafic intrusions Mnv - North Shore Volcanic Group Pab - Biwabik Iron Formation Paq - Pokegama Quartzite Pav - Virginia Formation |
|--|--|---|---|



Large Figure 1
BEDROCK GEOLOGY
 Minnesota Geological Survey M163
 NorthMet Project
 Poly Met Mining Inc.
 Hoyt Lakes, MN

Bar Footer: ArcGIS 10.2.2, 2014-11-13 13:58 File: I:\Client\PolyMet_Mining\Work_Orders\Mine_Engineering_Assistance\Maps\Reports\Geotechnical_Investigation\Bedrock_Slow_Memolarge_Figure_2_Hydraulic_Conductivity_Data.mxd User: arm2



Test Interval (ft)	K Estimate (cm/s)
37 - 41.5	7.2E-04
41.5 - 46.5	-0
46 - 50.5	-0

Test Interval (ft)	K Estimate (cm/s)
24 - 30	5.2E-05
27.5 - 33.5	1.9E-04

Test Interval (ft)	K Estimate (cm/s)
37 - 42	9.0E-05

Test Interval (ft)	K Estimate (cm/s)
34 - 42	3.9E-05
42 - 46	5.8E-05

Test Interval (ft)	K Estimate (cm/s)
14 - 18.5	-0
20.5 - 26.5	1.4E-06

Test Interval (ft)	K Estimate (cm/s)
0 - 610	2.0E-04
<300	2.2E-04

Test Interval (ft)	K Estimate (cm/s)
0 - 485	1.2E-04
<200	2.5E-04

Notes:
 Unless otherwise indicated, K estimates represent entire uncased length of borehole
 Depths indicated in parentheses represent depth below ground surface
¹Estimate based on analysis of pumping data using Moench method
²Value represents geometric mean of estimates from analysis of pumping data (Moench method) and recovery data (Theis method)
³Estimate based on analysis of observation well data
⁴Estimate based on analysis of pumping well and observation well data
⁵Sources:
 Bedrock geologic contacts and faults from Jirsa, M.A., Chandler, V.W., and Lively, R.S., 2005, Bedrock Geology of the Mesabi Iron Range, Minnesota: Minnesota Geological Survey Miscellaneous Map M-163, scale 1:100,000.

<ul style="list-style-type: none"> ● Giants Range Granite ● Duluth Complex ■ Virginia Formation 	Bedrock Geology⁵ <ul style="list-style-type: none"> Agm - Quartz monzonite and monzodiorite Agr - Quartz monzonite, monzodiorite, and monzogranite Agt - Tonalite to granodiorite Amv - Tholeiitic to calc-alkalic volcanic rocks Asb - Schist of sedimentary protolith 	<ul style="list-style-type: none"> Asv - Schist of mafic to intermediate volcanic protolith Mda - Anorthositic series subsuite of the Duluth Complex Mdg - Gabbro Mdk - South Kawishiwi intrusion Mdp - Partridge River intrusion Mdu - Ultramafic, oxide-rich intrusions 	<ul style="list-style-type: none"> Mia - Aurora sill Mmi - Mafic intrusions Mnv - North Shore Volcanic Group Pab - Biwabik Iron Formation Paq - Pokegama Quartzite Pav - Virginia Formation 	<ul style="list-style-type: none"> Project Areas Dunka Road Public Waters Inventory (PWI) Watercourses
---	---	---	---	---

Large Figure 2
BEDROCK HYDRAULIC CONDUCTIVITY (K) DATA
 NorthMet Project
 Poly Met Mining Inc.
 Hoyt Lakes, MN

Appendix A

**August 14, 2014 PolyMet Geotechnical Exploration - Winter
2013/2014 Memo**

Memorandum

To: Project File
From: Kristin Alstadt, Tom Radue
Subject: PolyMet Geotechnical Exploration – Winter 2013/2014
Date: August 28, 2014
Project: 23/69-0C29
c:

During late winter 2013/2014 Barr Engineering Company (Barr) under authorization and contract with PolyMet Mining Company (PolyMet) completed a geotechnical exploration at the NorthMet site to characterize subsurface soil and bedrock along the alignment of the proposed Flotation Tailings Basin (FTB) Seepage Capture System (system). The geotechnical exploration consisted of two parts: 1) Rotasonic Exploration and 2) SPT Exploration. Exploration locations are shown on **Figure 1** and summarized on **Table 1**, and logs and associated test data are in **Attachments A** through **D**. More specifically, the exploration was performed to:

- Confirm depth to bedrock at numerous points along the proposed alignment of the seepage cutoff wall component of the system.
- Confirm soil types along the proposed alignment of the system.
- Confirm the presence of cobbles and boulders within the glacial till along the proposed cutoff wall alignment.
- Confirm the hydraulic conductivity of the soils and bedrock along the proposed cutoff wall alignment.

In general, the field exploration encountered a thin layer of peat in the wetlands overlying predominantly silty sand and gravel soils (glacial till). Peat was absent in upland areas. Underlying the glacial till was strong, competent bedrock. The peat ranged in thickness from 0 to 20 feet. The glacial till ranged in thickness from 0 to 42.5 feet. Bedrock was encountered at depths ranging from approximately 2 to 42.5 feet with bedrock at its deepest on the northwest side of the tailings basin. Bedrock fractures were generally in-filled. Cobbles and boulders were frequently encountered on the surface and in the till at various depths.

Rotasonic Borings

The rotasonic borings were performed to: 1) document and sample the soil stratigraphy and bedrock depth along the cutoff wall alignment, 2) collect soil and rock samples for examination, and 3) install standpipe piezometers to monitor ground water elevations and perform slug tests to measure in-situ

To: Project File
From: Kristin Alstadt, Tom Radue
Subject: PolyMet Geotechnical Exploration – Winter 2013/2014
Date: August 28, 2014
Page: 2

soil hydraulic conductivity. A total of 22 rotasonic borings (R14-02, 04, 05, 06, 07, 08, 09, 10, 10a, 11, 12, 13, 15, 16, 20, 24, 25, 26, 27, 28, 29, and 30) were performed as part of the geotechnical exploration. Each location was drilled to the estimated top of bedrock and then typically extended an additional 3 to 8.5 feet to confirm that bedrock rather than a boulder was encountered. If rock was encountered shallower than anticipated, several offset borings were performed to confirm bedrock depth.

Ten (10) standpipe piezometers (R14-04, 06, 08, 12, 13, 15, 16, 26, 27, and 28) were installed in 22 of the rotasonic locations to bottom-of-screen depths ranging from 10 to 35 feet. Standpipe piezometers were constructed to monitor water levels and assist in performing slug tests. The piezometers were installed in the borehole and consist of a riser with a screened pipe interval at the bottom 5 feet. Sand pack was placed in the annulus along the screened interval and a bentonite seal was placed above the sand to isolate the pore water pressure to the screened interval. The piezometers were then backfilled with bentonite grout to prevent unwanted vertical migration of water. The screened zone was installed in glacial till at depths determined at the time of drilling and typically corresponded to zones assumed to have a higher hydraulic conductivity than the surrounding soil, usually located just above bedrock. The piezometers were bailed three times during the geotechnical exploration by Barr field staff in order to clean the piezometers and establish flow through the screens. Once water levels were stabilized, slug tests were performed.

A slug test consists of rapid displacement of the static water level in a piezometer or well by adding or removing a solid piece of PVC pipe (as performed for this exploration) or building up and releasing air pressure in the well casing. The slug testing was performed with 5-foot and 10-foot long 1-inch PVC slugs. Three sets of tests were performed in each piezometer. The first and third test was performed with the 10-foot slug and the second test was performed with the 5-foot slug to confirm repeatability. A slug test in which the displacement is initiated by rapidly lowering a slug below the water level is referred to as a slug-in or falling-head test; a slug-out or rising-head test is one in which the slug is rapidly removed. Two slug tests—slug-in and slug-out—were performed sequentially at piezometers. The resulting water-level recovery to static, pre-test conditions was monitored using a data-logging pressure transducer (InSitu – LevelTroll 700). Slug testing data is undergoing final analysis and will be reported in a future update to this memorandum.

SPT Borings

The SPT geotechnical exploration consisted of soil borings performed using mud rotary and hollow stem auger drilling methods. During the drilling, standard penetration tests (SPT), soil sampling via split spoon, bulk soil sampling, and packer testing in the bedrock were performed to: (1) determine

To: Project File
From: Kristin Alstadt, Tom Radue
Subject: PolyMet Geotechnical Exploration – Winter 2013/2014
Date: August 28, 2014
Page: 3

the soil and bedrock stratigraphy, (2) collect and perform laboratory testing of undisturbed peat and disturbed till samples, (3) collect in-situ soil characteristics data such as the Standard Penetration Test (SPT) blow count (N) value, and (4) perform packer testing in the bedrock to determine in-situ hydraulic conductivity. Rock cores were collected to confirm depth to bedrock and provide qualitative information, including Rock Quality Designation (RQD) values and fracture characteristics. A total of 12 SPT borings (B14-36, 40, 44, 48, 52, 55, 62, 65, 69, 72, 76, and 80) were performed as part of the geotechnical exploration. Borings were terminated when apparent bedrock was encountered, typically indicated by standard penetration test results in excess of 50 blows for less than one-half foot of penetration, at which point coring into bedrock was performed to obtain a total core of 15-foot length to confirm that bedrock and not a boulder was encountered and to provide adequate rock borehole length for the performance of one to three packer tests per boring location.

Per the SPT borings the bedrock is strong to very strong with zones that appear to previously have been fractured. Fractures were present in most of the cored bedrock from the site and the rock cores were considered to be slightly to moderately fractured. Bedrock contained horizontal fractures, vertical fractures, and fractures ranging from 45 to 65 degrees from the horizontal. The fracture faces are slightly decomposed and fractures occasionally are in-filled with non-cohesive sediment or weathered rock. Packer testing zones containing fractures had a higher average hydraulic conductivity than bedrock without fracturing. The fracturing was most prevalent in the upper 5 to 10 feet of bedrock.

Ten (10) Packer tests were performed at various elevations within five (5) of the 12 boring locations (B14-36, 44, 55, 65, 76). The packer testing interval was determined in the field with the intent to obtain the most representative data possible for measuring the hydraulic conductivity of the bedrock. The goal of the packer tests was to perform repetitive tests that would yield reliable information on how much water the rock will conduct to serve as a basis for bedrock hydraulic conductivity. Calibration of the flow meter, gages, and head loss was conducted prior packer testing. All calibration was performed according to the standard methods in United State Bureau of Reclamation publication USBR 7310-89 (United States Bureau of Reclamation, 1989).

Packer testing readings were taken by Barr personnel in accordance with USBR 7310-89. A single or double packer was selected based on best fit with the characteristics of the borehole. All packer tests were performed at the same pressure increments of 15, 30, and 45 psi for 1-minute durations at each increment. For each pressure, once a consistent water loss was recorded for at least three (3) consecutive readings, the pressure was increased or decreased. A complete test cycle was of five-minute duration at pressure readings of 15, 30, 45, and back down to 30 and 15 psi.

To: Project File
From: Kristin Alstadt, Tom Radue
Subject: PolyMet Geotechnical Exploration – Winter 2013/2014
Date: August 28, 2014
Page: 4

Packer tests were performed in the bedrock at depths ranging from 14 to 50.5 feet below ground surface. The testing intervals were 4.5 to 8 feet in length. The packer test data was analyzed to determine the potential seepage through fractures. The selected hydraulic conductivity from each test was based on the lowest test result from the first three pressure increments to represent the in situ conditions.


There does not appear to be a relationship between packer depth and hydraulic conductivity or RQD. Hydraulic conductivity results were fairly consistent across the site with a slightly lower hydraulic conductivity in B14-36 on the west side of the site. Three of the locations tested indicated that the formation did not take any water at these locations. From the set of packer test results from the winter geotechnical exploration the geometric mean hydraulic conductivity of the bedrock at the site is 1.9×10^{-6} ft/s (5.8×10^{-5} cm/s). For reference, a hydraulic conductivity value of 3.3×10^{-9} ft/s (1.0×10^{-7} cm/s) is considered practically impervious. For packer test results where zero inflow is observed during testing; adjusting these values by incorporating the lowest test value into the calculation of the geometric mean yields a value of 6.3×10^{-7} ft/s (1.9×10^{-5} cm/s) as a measurement of potential leakage through bedrock joints or fractures. The prevalence of fractures often decreased with increasing core depth and as such the overall conductivity of the bedrock may also decrease with depth.






Table 1
Flotation Tailings Basin Seepage Containment System
SPT Borehole and Rotasonic Borehole Installation Summary

Borehole	Borehole Station ⁽¹⁾	Piezometer Installed	Packer Testing	Depth to Weathered Bedrock	Depth to Competent Bedrock	Drilled (incl. Rock Coring)	Depth to Water ⁽²⁾
				(feet)	(feet)	(feet)	(feet)
SPT Borings							
B14-36	19+54		x	--	13.5	26.5	0.0
B14-40	35+25			--	15.0	30.5	4.3
B14-44	55+48		x	31.5	36.5	46.0	2.0
B14-48	74+92			9.5	15.0	25.0	3.0
B14-52	96+85			--	47.0	65.8	4.0
B14-55	115+34		x	30.0	39.0	50.5	10.0
B14-62	152+53			17.0	>27.0	27.0	12.0
B14-65	162+85		x	20.5	22.0	37.0	0.0
B14-69	178+36			29.0	>34.0	34.0	0.0
B14-72	192+86			--	10.0	25.0	1.0
B14-76	213+12		x	25.0	27.0	42.5	0.0
B14-80	235+33			--	10.0	21.0	7.0
Rotasonic Borings							
R14-02	7+15			--	7.5	11.0	--
R14-04	22+07	x		12.0	13.0	15.0	6.0
R14-05	31+64			7.0	8.5	15.0	4.0
R14-06	40+50	x		17.0	17.5	20.0	11.0
R14-07	49+76			--	5.3	12.0	3.0
R14-08	58+50	x		--	21.0	24.0	10.0
R14-09	67+90			13.0	15.0	19.0	5.0
R14-10	76+99			--	2.0	10.0	--
R14-10A	78+81			--	14.0	21.0	5.0
R14-11	85+72			--	10.0	16.0	4.0
R14-12	95+14	x		--	31.0	35.0	2.0
R14-13	103+85	x		--	39.0	45.0	5.0
R14-15	116+67	x		--	32.0	35.0	20.0
R14-16	124+31	x		--	25.5	30.0	16.0
R14-20	156+61			--	31.0	35.0	5.0
R14-24	186+08			--	5.5	14.0	--
R14-25	196+47			--	3.5	10.5	--
R14-26	206+41	x		--	21.5	28.0	4.0
R14-27	216+26	x		--	26.0	30.0	10.0
R14-28	226+60	x		--	10.5	16.5	6.0
R14-29	232+26			--	29.0	34.0	5.0
R14-30	238+49			--	26.0	29.0	10.0

Notes:
(1) Borehole station location is shown (\pm 25 feet). Actual station location may vary due to offsets.
(2) Depth to water is at time of drilling.

Barr Footer-ArcGIS 10.2.2, 2014.08.08 10:38 File: I:\Client\PolyMet_Mining\Work_Orders\Mine_Engineering_Assistance\Maps\Reports\Geotechnical_Investigation\Bedrock_Story_Memo\Figure 1 2014 Rotasonic and SPT Investigation Locations.mxd User:miw



-  Rotasonic Location
-  Rotasonic Location with a Piezometer
-  Boring Locations
-  Boring Locations with Packer
-  Wetlands




Figure 1
2014 ROTASONIC AND SPT
INVESTIGATION LOCATIONS
NorthMet Project
PolyMet Mining Inc.
Hoyt Lakes, Minnesota

Attachment A

Rotasonic Logs



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-02

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1566.4 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 734,259.7 ft E 2,858,091.9 ft	Completion Depth:	11.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©	
								REC%	RQD % ◆
								10 20 30 40	20 40 60 80
								SHEAR STRENGTH, tsf	
								0 2.5 5	
	0	Surface Elev.: 1566.4 ft							
1565		TOPSOIL (OL): dark brown; moist; with roots and leaves; top 2.5 feet frozen. 1564.9 ft			A, B	100			
	5	SILTY SAND WITH GRAVEL (SM): fine to medium grained; brown to gray at 4 feet; moist; weathered granite fragments; some clay below 5 feet; [Till]. 1558.9 ft				100			
1560		GRANITE; mottled red, black, and white; [Bedrock]. 1555.4 ft			C	67			
	10	Bottom of Boring at 11.0 feet							

DRAFT

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Date Boring Started:	3/11/14 7:45 am	Water Levels (ft)	At Time of Drilling Dry	Remarks:
Date Boring Completed:	3/11/14 8:35 am			
Logged By:	BJL2			
Drilling Contractor:	Cascade			
Drill Rig:	CRS-17-C			Weather: 30F, partly cloudy



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-04

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1545.4 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 735,679.7 ft E 2,857,633.8 ft	Completion Depth:	15.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©		INSTRUMENTATION
								REC%	RQD % ♦	
								SHEAR STRENGTH, tsf		
		Surface Elev.: 1545.4 ft						0	2.5	5
1545	0	PEAT (PT): dark brown; moist; sapric; woody debris; top 1.5 feet frozen. 1543.9 ft	1.5ft		A	30				
1540	5	LEAN CLAY (CL): moist; some sand; some sapric peat. 1539.9 ft	5.5ft		B, C	70				
	10	POORLY GRADED SAND WITH SILT (SP-SM): medium to coarse grained; wet; with clay and gravel; [Till]. 1535.9 ft	9.5ft		D	83				
	15	POORLY GRADED GRAVEL (GM): medium grained; brown; moist; some clay; [Till]. 1533.4 ft	12.0ft			100				
		GRANITE; mottled red, black, and white; highly weathered to 13 feet; competent bedrock below; [Bedrock]. 1530.4 ft	15.0ft							
		Bottom of Boring at 15.0 feet								

DRAFT

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Date Boring Started:	3/11/14 9:30 am	Water Levels (ft)	Remarks:
Date Boring Completed:	3/11/14 10:15 am	▼ At Time of Drilling 6.0	
Logged By:	BJL2	▼ After Install 1.1	
Drilling Contractor:	Cascade		
Drill Rig:	CRS-17-C		Weather: 30F, partly cloudy



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-05

Sheet 1 of 1

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1539.3 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 736,606.1 ft E 2,857,437.1 ft	Completion Depth:	15.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©	
								REC%	RQD % ◆
								SHEAR STRENGTH, tsf	
	0	Surface Elev.: 1539.3 ft						0	2.5
	1.5	TOPSOIL (OL): dark brown; roots; top 1.5 feet frozen. 1537.8 ft							
1535	5	SILTY SAND WITH GRAVEL (SM): fine to medium grained; brown; moist to wet; weathered granite fragments throughout; changes to gray at 3 feet; [Till]. 1532.3 ft	1.5ft			67			
1530	10	GRANITE; mottled red, black, and white; weathered to 8.5 feet, competent rock below; [Bedrock]. 7.0ft			A	86			
1525	15	1524.3 ft Bottom of Boring at 15.0 feet	15.0ft			54			

DRAFT

Date Boring Started:	3/11/14 12:30 pm	Water Levels (ft)		Remarks: A second boring was offset 8 feet southwest where bedrock was encountered at 8 feet and boring was terminated in bedrock at 13.5 feet. Weather: 30F, partly cloudy
Date Boring Completed:	3/11/14 2:00 pm	At Time of Drilling	4.0	
Logged By:	BJL2	Estimated		
Drilling Contractor:	Cascade			
Drill Rig:	CRS-17-C			

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1526.4 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 737,489.5 ft E 2,857,364.4 ft	Completion Depth:	20.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©		INSTRUMENTATION
								REC%	RQD % ♦	
								0	2.5	5
		Surface Elev.: 1526.4 ft								
1525	0	SILTY SAND (SM): fine to medium grained; brown; moist; top 1.5 feet frozen; weathered granite fragments and cobbles; [Till].								
1520	5	1518.9 ft Granite boulder from 6.5 to 7.5 feet.								
1515	10	1515.4 ft SILTY SAND (SM): fine to medium grained; gray; moist; with weathered granite fragments; [Till].								
	11	1515.4 ft 10-15 feet: cobble clogged barrel, poor recovery.								
	12	1513.9 ft SANDY SILT (ML): fine grained; gray; wet; with cobbles; [Till].								
1510	15	1513.9 ft SILTY SAND WITH GRAVEL (SM): medium to coarse grained; gray; wet; [Till].								
	16	1509.4 ft GRANITE; mottled red, black, and white; weathered granite to 17.5 feet; [Bedrock].								
	17	1506.4 ft Bottom of Boring at 20.0 feet								
	20									

Date Boring Started:	3/11/14 3:00 pm	Water Levels (ft)	Remarks:
Date Boring Completed:	3/11/14 4:30 pm	▼ At Time of Drilling 11.0	
Logged By:	BJL2	▼ After Install 6.9	
Drilling Contractor:	Cascade		
Drill Rig:	CRS-17-C		Weather: 30F, partly cloudy

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

DRAFT



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-07

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1504.9 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 738,412.4 ft E 2,857,400.7 ft	Completion Depth:	12.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©	
								REC%	RQD % ◆
								SHEAR STRENGTH, tsf	
	0	Surface Elev.: 1504.9 ft						0	2.5
	0	PEAT (PT): dark brown; moist; sapric; wood debris; top 2 feet frozen.							
	1501.9 ft								
	5	SILTY SAND (SM): fine to medium grained; brown; wet; [Till].	3.0ft		A	80			
1500	5	1499.7 ft							
	5	GRANITE; mottled red, black, and white; [Bedrock].	5.3ft		B	100			
	10					50			
1495	10	1492.9 ft				75			
		Bottom of Boring at 12.0 feet	12.0ft						

DRAFT

Date Boring Started:	3/12/14 8:00 am	Water Levels (ft)		Remarks: A second boring was offset ~8 feet west where bedrock was encountered at 7 feet and the boring was terminated in bedrock at 11 feet.
Date Boring Completed:	3/12/14 10:00 am	At Time of Drilling	3.0	
Logged By:	BJL2			
Drilling Contractor:	Cascade			
Drill Rig:	CRS-17-C			
				Weather: 0 to 20F, sunny

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-08

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1502.8 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 739,287.6 ft E 2,857,372.0 ft	Completion Depth:	24.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©		INSTRUMENTATION
								REC%	RQD % ♦	
								SHEAR STRENGTH, tsf		
		Surface Elev.: 1502.8 ft						0	2.5	5
	0	PEAT (PT): dark brown; moist; top 2 feet frozen.								
1500	5	1498.8 ft SILTY SAND (SM): fine to medium grained; brown; moist; trace gravel; [Till].			A	40	4.0ft			
1495	10	1492.8 ft POORLY GRADED SAND WITH SILT AND GRAVEL (SP-SM): medium to coarse grained; brown; wet; with cobbles from 18 to 21 feet; [Till].			B	80	10.0ft			
1490	15				C	23				
1485	20	1481.8 ft GRANITE; mottled red, black, and white; [Bedrock].					21.0ft			
1480		1478.8 ft Bottom of Boring at 24.0 feet					24.0ft			

DRAFT

Date Boring Started:	3/12/14 11:00 am	Water Levels (ft)	Remarks:
Date Boring Completed:	3/12/14 12:45 pm	▼ At Time of Drilling	10.0
Logged By:	BJL2	▼ After Install	0.6
Drilling Contractor:	Cascade		
Drill Rig:	CRS-17-C		Weather: 0 to 20F, sunny


M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-09

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1493.3 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 740,225.4 ft E 2,857,373.8 ft	Completion Depth:	19.0 ft
Datum:	NAD83 Minnesota State Plane		



M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

DRAFT

Date Boring Started:	3/12/14 2:30 pm	Water Levels (ft)		Remarks:
Date Boring Completed:	3/12/14 4:00 pm	At Time of Drilling	5.0	
Logged By:	BJL2			
Drilling Contractor:	Cascade			
Drill Rig:	CRS-17-C			Weather: 10 to 20F, sunny



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-10

Sheet 1 of 1

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1492.8 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 741,099.5 ft E 2,857,371.8 ft	Completion Depth:	10.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©	
								REC%	RQD % ◆
								SHEAR STRENGTH, tsf	
	0	Surface Elev.: 1492.8 ft						0	2.5
	0	TOPSOIL (OL): dark brown; moist; roots; top 2 feet frozen. 1492.6 ft	0.3ft						
1490	5	POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; brown; moist; with weathered granite fragments; organic material; [Till]. 1490.8 ft	2.0ft			100			
1485	10	GRANITE; mottled red, black, and white; [Bedrock]. 1482.8 ft				83			
	10	Bottom of Boring at 10.0 feet	10.0ft						

DRAFT

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Date Boring Started:	3/13/14 10:00 am	Water Levels (ft)	At Time of Drilling Dry	Remarks: A second boring was offset ~30 feet south where bedrock was encountered at 3 feet. A third boring was offset ~10 feet east of the first boring where bedrock was encountered at 1.5 feet. Weather: 20 to 40F, overcast
Date Boring Completed:	3/13/14 11:30 am			
Logged By:	BJL2			
Drilling Contractor:	Cascade			
Drill Rig:	CRS-17-C			



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-10A

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1493.0 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 741,279.3 ft E 2,857,400.1 ft	Completion Depth:	21.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©		
								REC%	RQD % ◆	
								SHEAR STRENGTH, tsf		
		Surface Elev.: 1493.0 ft						0	2.5	5
	0	TOPSOIL (OL): dark brown; moist; roots and organics; top 2 feet frozen. 1492.5 ft	0.5ft							
1490	5	POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; brown; moist; with weathered granite fragments; [Till]. 1490.5 ft	2.5ft		A	100				
		BOULDER: mottled red, black, and white. 1488.0 ft	5.0ft		B	80				
1485	10	POORLY GRADED SAND WITH SILT (SP-SM): medium to coarse grained; brown; wet; gray below 10 feet; with weathered granite fragments; [Till].				100				
1480	15	1479.0 ft								
		GRANITE; mottled red, black, and white; drilling bit wore out - no recovery from 20 to 21 feet; [Bedrock].	14.0ft			67				
1475	20	1472.0 ft				0				
		Bottom of Boring at 21.0 feet	21.0ft							

DRAFT

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Date Boring Started:	3/18/14 11:30 am	Water Levels (ft)		Remarks:
Date Boring Completed:	3/18/14 12:15 pm	At Time of Drilling	5.0	
Logged By:	BJL2			
Drilling Contractor:	Cascade			
Drill Rig:	CRS-17-C			
				Weather: 20F, overcast



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-11

Sheet 1 of 1

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1483.1 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 741,794.5 ft E 2,857,729.4 ft	Completion Depth:	16.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©	
								REC%	RQD % ◆
								SHEAR STRENGTH, tsf	
	0	Surface Elev.: 1483.1 ft						0	2.5 5
	0.3	TOPSOIL (OL): dark brown; moist; organics with roots; top 1.5 feet frozen. 1482.9 ft			A	77			
1480	5	SILTY SAND (SM): fine to medium grained; brown; moist; 6-inch clay layer at 1.5 feet; [Till]. 1479.1 ft			B	100			
1475	10	POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; brown; wet; [Till]. 1474.1 ft			C	83			
1470	15	POORLY GRADED SAND WITH SILT (SP-SM): medium to coarse grained; gray; wet; with cobbles and weathered granite fragments; [Till]. 1473.1 ft							
		GRANITE; mottled red, black, and white; [Bedrock].							
	16.0	Bottom of Boring at 16.0 feet							

DRAFT

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Date Boring Started:	3/13/14 8:00 am	Water Levels (ft)		Remarks:
Date Boring Completed:	3/13/14 9:10 am	▼ At Time of Drilling	4.0	
Logged By:	BJL2			
Drilling Contractor:	Cascade			
Drill Rig:	CRS-17-C			
Weather: 20 to 40F, overcast				



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-12

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1480.3 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 742,311.8 ft E 2,858,500.4 ft	Completion Depth:	35.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©		INSTRUMENTATION
								REC%	RQD % ♦	
								SHEAR STRENGTH, tsf		
	0	Surface Elev.: 1480.3 ft						0	2.5	5
	1479.8	TOPSOIL (OL): dark brown; moist; with wood and leaf debris.			A, B	100				
	1478.3	SILT (ML): brown; moist; with sand.								
1475	5	POORLY GRADED SAND WITH SILT (SP-SM): fine to coarse grained; gray to brown; wet; some weathered granite fragments to 13 feet; [Till].				40				
1470	10									
	1467.3									
	1465.3	SILTY SAND (SM): fine grained; gray; wet; [Till].			C	100				
1465	15	SILT (ML): gray; moist; with sand; little clay at 18 feet; [Till].								
	1462.3									
1460	20	SILTY SAND (SM): fine to medium grained; gray; wet; [Till].			D	80				
	1455									
	1451.3									
1450	30	POORLY GRADED GRAVEL WITH SAND (GP): gray; wet; some cobbles with weathered granite fragments; [Till].				90				
	1449.3	GRANITE, mottled red, black, and white; [Bedrock].								
	1445.3					83				
	35	Bottom of Boring at 35.0 feet								

Date Boring Started:	3/13/14 1:45 pm	Water Levels (ft)	Remarks:
Date Boring Completed:	3/13/14 3:30 pm	▼ At Time of Drilling	2.0
Logged By:	BJL2	▼ After Install	-0.3
Drilling Contractor:	Cascade		
Drill Rig:	CRS-17-C		
			Weather: 20 to 40F, overcast

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-13


Project: Winter 2013/2014 Rotasonic Investigation	Surface Elevation: 1489.1 ft
Job No.: 23690C29.13	Drilling Method: Sonic
Location: Hoyt Lakes, MN	Sampling Method: Rotasonic Soil Core
Coordinates: N 742,310.5 ft E 2,859,372.0 ft	Completion Depth: 45.0 ft
Datum: NAD83 Minnesota State Plane	

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©		INSTRUMENTATION
								REC%	RQD % ♦	
								10 20 30 40	20 40 60 80	
								SHEAR STRENGTH, tsf		
		Surface Elev.: 1489.1 ft						0	2.5	5
	0	TOPSOIL (OL): dark brown; moist; roots and organics; top 1.5 feet frozen.								
	1488.9 ft									
1485	5	POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; brown; moist; with granite fragments.	0.3ft		A, B	80				
	1486.6 ft		2.5ft							
	1484.1 ft	SILTY SAND (SM): fine to medium grained; brown; moist; some gravel, clay, and cobbles; [Till].	5.0ft		C	100				
1480	10									
	1474.6 ft	POORLY GRADED SAND WITH SILT (SP-SM): medium to coarse grained; brown; wet; with weathered granite fragments; [Till].			D	80				
1475	15									
	1473.6 ft	SILTY SAND (SM): fine to medium grained; brown; wet; [Till].	14.5ft		E	60				
	1470		15.5ft							
	1467.1 ft	POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; brown to gray; wet; weathered granite fragments; [Till].			F	60				
1465	25									
	1465.6 ft	SILTY SAND (SM): fine grained; gray; wet; with 3 to 6 inch silt and sand layers from 30 to 34.5 feet; [Till].	22.0ft		G	20				
1460	30									
	1454.6 ft	POORLY GRADED SAND WITH SILT (SP-SM): medium to coarse grained; gray; wet; with cobbles and weathered granite fragments; brown below 37 feet; [Till].	34.5ft			100				
1455	35									
	1450.1 ft	GRANITE; mottled red, black, and white; [Bedrock].	39.0ft			100				
1450	40									
	1444.1 ft					50				
1445	45	Bottom of Boring at 45.0 feet	45.0ft							

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR TEMPLATE.GDT

Date Boring Started: 3/14/14 8:00 am	Water Levels (ft)	Remarks:
Date Boring Completed: 3/14/14 12:00 pm	▼ At Time of Drilling 5.0	
Logged By: BJL2	▼ After Install 1.9	
Drilling Contractor: Cascade CRS-17-C		
Drill Rig:		Weather: 20 to 30F, overcast

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1494.8 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 742,493.1 ft E 2,860,626.1 ft	Completion Depth:	35.0 ft
Datum:	NAD83 Minnesota State Plane		



Date Boring Started:	3/14/14 1:30 pm	Water Levels (ft)		Remarks:
Date Boring Completed:	3/14/14 4:00 pm	After Install	6.8	
Logged By:	BJL2			
Drilling Contractor:	Cascade			
Drill Rig:	CRS-17-C			Weather: 15 to 20F, overcast


M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-16

Project: Winter 2013/2014 Rotasonic Investigation	Surface Elevation: 1507.6 ft
Job No.: 23690C29.13	Drilling Method: Sonic
Location: Hoyt Lakes, MN	Sampling Method: Rotasonic Soil Core
Coordinates: N 742,916.4 ft E 2,861,262.2 ft	Completion Depth: 30.0 ft
Datum: NAD83 Minnesota State Plane	



M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Date Boring Started: 3/15/14 8:30 am	Water Levels (ft)	Remarks:
Date Boring Completed: 3/15/14 9:15 am	▼ At Time of Drilling 16.0	
Logged By: BJL2	▼ After Install 16.8	
Drilling Contractor: Cascade		
Drill Rig: CRS-17-C		Weather: 5 to 20F, overcast



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-20

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1487.3 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 743,246.7 ft E 2,864,302.4 ft	Completion Depth:	35.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©	
								REC%	RQD % ◆
								SHEAR STRENGTH, tsf	
		Surface Elev.: 1487.3 ft						0	2.5 5
1485	0	PEAT (PT): dark brown; moist; sapric; woody debris; top 1.5 feet frozen. 1486.3 ft	1.0ft			100			
1480	5	SILTY SAND WITH GRAVEL (SM): fine to medium grained; brown; moist; with clay and cobbles; [Till].			A	100			
1475	10					100			
1470	15	1470.3 ft				88			
1465	20	BOULDER: mottled red, black, and white. 1469.3 ft	17.0ft 18.0ft		B	100			
1460	25	CLAYEY SAND WITH GRAVEL (SC): fine to medium grained; brown; moist; with cobbles; boulder from 17 to 18 feet; [Till].				100			
1455	30	1463.3 ft							
1450	35	BOULDER: mottled red, black, and white. 1460.3 ft	24.0ft		C	67			
1445	30	POORLY GRADED GRAVEL WITH SAND (GP): brown and gray; wet; medium to coarse sand; [Till]. 1456.3 ft	27.0ft						
1440	31	GRANITE; mottled red, black, and white; highly weathered; [Bedrock]. 1452.3 ft	31.0ft			100			
1435	35	Bottom of Boring at 35.0 feet	35.0ft						

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Date Boring Started:	3/15/14 12:00 pm	Water Levels (ft)		Remarks: Artesian flow of ~10-12 gpm started at 31 feet. Static water level was ~34-36 inches above ground surface.
Date Boring Completed:	3/15/14 4:00 pm	At Time of Drilling	5.0	
Logged By:	BJL2			
Drilling Contractor:	Cascade			
Drill Rig:	CRS-17-C			Weather: 5 to 15F, sunny



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-24

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1491.1 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 743,227.5 ft E 2,867,188.8 ft	Completion Depth:	14.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©	
								REC%	RQD % ◆
								SHEAR STRENGTH, tsf	
	0	Surface Elev.: 1491.1 ft						0	2.5 5
1490	0	TOPSOIL (OL): brown; moist; with roots and leaf debris. 1490.1 ft	1.0ft		A, B	100			
1485	5	SILTY SAND WITH GRAVEL (SM): fine to medium grained; brown; moist; some cobbles and weathered granite fragments; [Till]. 1485.6 ft				100			
1480	10	GRANITE; mottled red, black, and white; [Bedrock].	5.5ft			100			
		1477.1 ft				50			
		Bottom of Boring at 14.0 feet	14.0ft			100			

DRAFT

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Date Boring Started:	3/16/14 8:30 am	Water Levels (ft)	Remarks:
Date Boring Completed:	3/16/14 11:30 am	▼ At Time of Drilling	
Logged By:	BJL2	Dry	
Drilling Contractor:	Cascade		
Drill Rig:	CRS-17-C		Weather: -10 to 10F, sunny



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-25

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1497.2 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 743,227.7 ft E 2,868,226.9 ft	Completion Depth:	10.5 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©	
								REC%	RQD % ◆
								SHEAR STRENGTH, tsf	
	0	Surface Elev.: 1497.2 ft						0	2.5
1495		BOULDER: mottled red, black, and white. 1496.2 ft	1.0ft		A	57			
5		SILTY SAND WITH GRAVEL: fine to medium grained; brown; moist; with weathered granite fragments; [Till]. 1493.7 ft	3.5ft			88			
1490		GRANITE; mottled red, black, and white; [Bedrock].				56			
10		1486.7 ft							
		Bottom of Boring at 10.5 feet	10.5ft						

DRAFT

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Date Boring Started:	3/16/14 12:00 pm	Water Levels (ft)	Remarks:
Date Boring Completed:	3/16/14 1:40 pm	▼ At Time of Drilling	
Logged By:	BJL2	Dry	
Drilling Contractor:	Cascade		
Drill Rig:	CRS-17-C		Weather: 10 to 20F, sunny




Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-26

Sheet 1 of 1


Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1502.5 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 743,283.6 ft E 2,869,216.9 ft	Completion Depth:	28.0 ft
Datum:	NAD83 Minnesota State Plane		



Date Boring Started:	3/16/14 2:00 pm	Water Levels (ft)	Remarks:
Date Boring Completed:	3/16/14 4:00 pm	▼ At Time of Drilling	4.0
Logged By:	BJL2	▼ After Install	1.6
Drilling Contractor:	Cascade		
Drill Rig:	CRS-17-C		Weather: 15 to 20F, sunny

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1502.8 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 743,350.1 ft E 2,870,201.4 ft	Completion Depth:	30.0 ft
Datum:	NAD83 Minnesota State Plane		



M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR TEMPLATE.GDT

Date Boring Started:	3/17/14 8:00 am	Water Levels (ft)	Remarks:
Date Boring Completed:	3/17/14 10:00 am	At Time of Drilling	
Logged By:	BJL2	After Install	1.7
Drilling Contractor:	Cascade		
Drill Rig:	CRS-17-C		Weather: 20F, overcast, some wind




Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-28

Sheet 1 of 1

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1509.5 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 742,651.3 ft E 2,870,734.5 ft	Completion Depth:	16.5 ft
Datum:	NAD83 Minnesota State Plane		



Date Boring Started:	3/17/14 1:00 pm	Water Levels (ft)	Remarks:
Date Boring Completed:	3/17/14 2:00 pm	▼ At Time of Drilling	6.0
Logged By:	BJL2	▼ After Install	4.3
Drilling Contractor:	Cascade		
Drill Rig:	CRS-17-C		Weather: 20F, overcast

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-29

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1521.5 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 742,084.4 ft E 2,870,713.4 ft	Completion Depth:	34.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©		
								REC%	RQD % ◆	
								SHEAR STRENGTH, tsf		
	0	Surface Elev.: 1521.5 ft						0	2.5	5
1520		SILTY SAND WITH GRAVEL (SM): fine to medium grained; brown; moist; with cobbles and weathered granite fragments; [Till].								
	5	1515.5 ft								
1515		BOULDER: mottled red, black, and white.	6.0ft				80			
		1513.5 ft								
	10	SILTY SAND WITH GRAVEL (SM): fine to medium grained; brown; wet; with cobbles and weathered granite fragments; [Till].	8.0ft							
1510										
	15									
1505										
	20	1502.0 ft								
1500		POORLY GRADED SAND WITH SILT (SP-SM): medium to coarse grained; gray; wet; with cobbles and weathered granite fragments; [Till].	19.5ft							
	25									
1495										
	30	1492.5 ft								
1490		GRANITE; mottled red, black, and white; fracture at 33 feet; [Bedrock].	29.0ft							
		1487.5 ft								
		Bottom of Boring at 34.0 feet	34.0ft							

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR_TEMPLATE.GDT

Date Boring Started:	3/17/14 3:00 pm	Water Levels (ft)		Remarks:
Date Boring Completed:	3/17/14 5:00 pm	At Time of Drilling	5.0	
Logged By:	BJL2			
Drilling Contractor:	Cascade			
Drill Rig:	CRS-17-C			
Weather: 20F, overcast				



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING R14-30

Project:	Winter 2013/2014 Rotasonic Investigation	Surface Elevation:	1529.2 ft
Job No.:	23690C29.13	Drilling Method:	Sonic
Location:	Hoyt Lakes, MN	Sampling Method:	Rotasonic Soil Core
Coordinates:	N 741,461.2 ft E 2,870,719.3 ft	Completion Depth:	29.0 ft
Datum:	NAD83 Minnesota State Plane		

Elevation, feet	Depth, feet	MATERIAL DESCRIPTION	Graphic Log	Samples	Sample No.	% Recovery	SPT, N value or RQD %	STANDARD PENETRATION TEST DATA N in blows/ft ©	
								REC%	RQD % ◆
								10	20
								20	40
								40	60
								60	80
								SHEAR STRENGTH, tsf	
								0	2.5
									5
	0	Surface Elev.: 1529.2 ft							
	0.5	BOULDER: gray. 1528.7 ft	0.5ft		A	73			
	5	POORLY GRADED SAND WITH SILT (SP-SM): medium grained; reddish brown; moist; trace weathered granite fragments; [Till]. 1524.2 ft	5.0ft		B	40			
	10	POORLY GRADED SAND WITH SILT (SP-SM): medium to coarse grained; brown; moist to wet; with cobbles and weathered granite fragments increasing with depth; [Till].							
	15	Pushed a rock from 15 to 20 feet.							
	20								
	25	1503.2 ft							
	26.0	GRANITE; mottled red, black, and white; fractured bedrock; no water return during drilling; [Bedrock]. 1500.2 ft	26.0ft			100			
	29.0	Bottom of Boring at 29.0 feet	29.0ft			83			

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB_BOREHOLE LOG REPORT_BARR TEMPLATE.GDT

Date Boring Started:	3/18/14 8:15 am	Water Levels (ft)		Remarks:
Date Boring Completed:	3/18/14 10:40 am	At Time of Drilling	10.0	
Logged By:	BJL2			
Drilling Contractor:	Cascade			
Drill Rig:	CRS-17-C			Weather: 20F, overcast

Attachment B
Piezometer Logs



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600


LOG OF PIEZOMETER R14-04

Sheet 1 of 1

Project: Winter 2013/2014 Piezometers	Location: Hoyt Lakes, MN	Client: PolyMet
Barr Project Number: 23690C29.13	Surface Elevation: 1545.4 ft	Top of Casing Elevation: 1547.7

STRATA		PIEZOMETER DETAILS	DEPTH, ft	ELEVATION, ft	PIEZOMETER CONSTRUCTION DETAILS FOR STANDPIPE PIEZOMETER	
DESCRIPTION	SYMBOL					
			-2.5	TPC	1547.9	PROTECTIVE CASING Diameter: 6 inches Type: Steel Interval: -2.5 - 4.5
			-2.3	TRC	1547.7	
			0.0	GS	1545.4	RISER CASING Diameter: 2 inches Type: PVC Interval: -2.3-5
			2.0		1543.4	
PEAT (PT): dark brown; moist; sapric; woody debris; top 1.5 feet frozen. 1543.9 ft			4.0	BS	1541.4	GROUT Type: Cement Interval: 0-2
			10.0	BSC	1535.4	
LEAN CLAY (CL): moist; some sand; some sapric peat. 1539.9 ft			13.0	TD	1532.4	SEAL Type: Bentonite Chips Interval: 2-4
			15.0		1530.4	
POORLY GRADED SAND WITH SILT (SP-SM): medium to coarse grained; wet; with clay and gravel; [Till]. 1535.9 ft						SANDPACK Type: Silica Sand Interval: 4-13
POORLY GRADED GRAVEL (GM): medium grained; brown; moist; some clay; [Till]. 1533.4 ft						SCREEN Diameter: 2 inches Type: Continuous 0.01" slotted PVC Interval: 5-10
GRANITE; mottled red, black, and white; highly weathered to 13 feet; competent bedrock below; [Bedrock]. 1530.4 ft						
Bottom of Boring at 15.0 feet						

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB INSTRUMENT LOG REPORT_BARR.GEOTECH TEMPLATE.GDT



Remarks:

Completion Depth: 15.0 ft	LEGEND	TPC	TOP OF PROTECTIVE CASING	WATER LEVELS(ft)
Date Started: 3/11/14		TRC	TOP OF RISER CASING	
Date Completed: 3/11/14	BPC	BASE PROTECTIVE CASING	▽ At Time of Drilling	6.0
Logged By: BJL2	GS	GROUND SURFACE	▽ After Install	1.1
Drilling Contractor: Cascade	BS	BENTONITE SEAL		
Drilling Method: Sonic	FP	FILTER PACK		
Datum: NAD83 Minnesota State Plane	TSC	TOP OF SCREEN		
Coordinates: N 735,679.7 ft E 2,857,633.8 ft	BSC	BOTTOM OF SCREEN		
	TD	TOTAL DEPTH		

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF PIEZOMETER R14-06

Sheet 1 of 1

Project: Winter 2013/2014 Piezometers	Location: Hoyt Lakes, MN	Client: PolyMet
Barr Project Number: 23690C29.13	Surface Elevation: 1526.4 ft	Top of Casing Elevation: 1528.7

STRATA		PIEZOMETER DETAILS	DEPTH, ft	ELEVATION, ft	PIEZOMETER CONSTRUCTION DETAILS FOR STANDPIPE PIEZOMETER	
DESCRIPTION	SYMBOL					
			-2.5	TPC	1528.9	PROTECTIVE CASING Diameter: 6 inches Type: Steel Interval: -2.5-4.5
			-2.3	TRC	1528.7	
			0.0	GS	1526.4	RISER CASING Diameter: 2 inches Type: PVC Interval: -2.3-12
SILTY SAND (SM): fine to medium grained; brown; moist; top 1.5 feet frozen; weathered granite fragments and cobbles; [Till]. 1518.9 ft			2.0		1524.4	GROUT Type: Cement Interval: 0-2
SILTY SAND (SM): fine to medium grained; gray; moist; with weathered granite fragments; [Till]. 1515.4 ft			10.0	BS	1516.4	
SANDY SILT (ML): fine grained; gray; wet; with cobbles; [Till]. 1513.9 ft			17.0	BSC	1509.4	SEAL Type: Bentonite Chips Interval: 2-10
SILTY SAND WITH GRAVEL (SM): medium to coarse grained; gray; wet; [Till]. 1509.4 ft			18.0	TD	1508.4	SANDPACK Type: Silica Sand Interval: 10-18
GRANITE; mottled red, black, and white; weathered granite to 17.5 feet; [Bedrock]. 1506.4 ft			20.0		1506.4	
Bottom of Boring at 20.0 feet						SCREEN Diameter: 2 inches Type: Continuous 0.01" slotted PVC Interval: 12-17
Remarks:						

Completion Depth: 20.0 ft
 Date Started: 3/11/14
 Date Completed: 3/11/14
 Logged By: BJL2
 Drilling Contractor: Cascade
 Drilling Method: Sonic
 Datum: NAD83 Minnesota State Plane
 Coordinates: N 737,489.5 ft E 2,857,364.4 ft

LEGEND	
	FILTER PACK
	BENTONITE
	CEMENT GROUT
	CUTTINGS / BACKFILL
TPC	TOP OF PROTECTIVE CASING
TRC	TOP OF RISER CASING
BPC	BASE PROTECTIVE CASING
GS	GROUND SURFACE
BS	BENTONITE SEAL
FP	FILTER PACK
TSC	TOP OF SCREEN
BSC	BOTTOM OF SCREEN
TD	TOTAL DEPTH

WATER LEVELS(ft)	
▽ At Time of Drilling	11.0
▽ After Install	6.9

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB INSTRUMENT LOG REPORT_BARR.GEOTECH TEMPLATE.GDT

The stratification lines represent approximate boundaries. The transition may be gradual.




Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF PIEZOMETER R14-08

Project: Winter 2013/2014 Piezometers	Location: Hoyt Lakes, MN	Client: PolyMet
Barr Project Number: 23690C29.13	Surface Elevation: 1502.8 ft	Top of Casing Elevation: 1505.0

STRATA		PIEZOMETER DETAILS	DEPTH, ft	ELEVATION, ft	PIEZOMETER CONSTRUCTION DETAILS FOR STANDPIPE PIEZOMETER	
DESCRIPTION	DEPTH, ft					
			-2.5	TPC	1505.3	PROTECTIVE CASING Diameter: 6 inches Type: Steel Interval: -2.5-4.5
			-2.2	TRC	1505.0	
			0.0	GS	1502.8	RISER CASING Diameter: 2 inches Type: PVC Interval: -2.2-15.5
PEAT (PT): dark brown; moist; top 2 feet frozen. 1498.8 ft	0		4.0		1498.8	
SILTY SAND (SM): fine to medium grained; brown; moist; trace gravel; [Till]. 1492.8 ft	5		13.0	BS	1489.8	GROUT Type: Cement Interval: 0-4
POORLY GRADED SAND WITH SILT AND GRAVEL (SP-SM): medium to coarse grained; brown; wet; with cobbles from 18 to 21 feet; [Till]. 1481.8 ft	10		20.5	BSC	1482.3	
	15		21.0	TD	1481.8	SEAL Type: Bentonite Chips Interval: 4-13
GRANITE; mottled red, black, and white; [Bedrock]. 1478.8 ft	20		24.0		1478.8	
Bottom of Boring at 24.0 feet	24.0					SANDPACK Type: Silica Sand Interval: 13-21
						SCREEN Diameter: 2 inches Type: Continuous 0.01" slotted PVC Interval: 15.5-20.5

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB INSTRUMENT LOG REPORT_BARR\GEOTECH TEMPLATE.GDT



Remarks:

Completion Depth: 24.0 ft
 Date Started: 3/12/14
 Date Completed: 3/12/14
 Logged By: BJL2
 Drilling Contractor: Cascade
 Drilling Method: Sonic
 Datum: NAD83 Minnesota State Plane
 Coordinates: N 739,287.6 ft E 2,857,372.0 ft

LEGEND	
	FILTER PACK
	BENTONITE
	CEMENT GROUT
	CUTTINGS / BACKFILL
TPC	TOP OF PROTECTIVE CASING
TRC	TOP OF RISER CASING
BPC	BASE PROTECTIVE CASING
GS	GROUND SURFACE
BS	BENTONITE SEAL
FP	FILTER PACK
TSC	TOP OF SCREEN
BSC	BOTTOM OF SCREEN
TD	TOTAL DEPTH

WATER LEVELS(ft)	
At Time of Drilling	10.0
After Install	0.6

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF PIEZOMETER R14-12

Project: Winter 2013/2014 Piezometers	Location: Hoyt Lakes, MN	Client: PolyMet
Barr Project Number: 23690C29.13	Surface Elevation: 1480.3 ft	Top of Casing Elevation: 1482.6

STRATA		PIEZOMETER DETAILS	DEPTH, ft	ELEVATION, ft	PIEZOMETER CONSTRUCTION DETAILS FOR STANDPIPE PIEZOMETER	
DESCRIPTION	DEPTH, ft					
			-2.5	TPC	1482.8	PROTECTIVE CASING Diameter: 6 inches Type: Steel Interval: -2.5-4.5
			-2.3	TRC	1482.6	
			0.0	GS	1480.3	
TOPSOIL (OL): dark brown; moist; with wood and leaf debris. 1479.8 ft	0		4.0		1476.3	RISER CASING Diameter: 2 inches Type: PVC Interval: -2.3-15
SILT (ML): brown; moist; with sand. 1478.3 ft	5		13.5	BS	1466.8	GROUT Type: Cement Interval: 0-4
POORLY GRADED SAND WITH SILT (SP-SM): fine to coarse grained; gray to brown; wet; some weathered granite fragments to 13 feet; [Till]. 1467.3 ft	10		20.0	BSC	1460.3	SEAL Type: Bentonite Chips Interval: 4-13.5
SILTY SAND (SM): fine grained; gray; wet; [Till]. 1465.3 ft	20		21.0	TD	1459.3	
SILT (ML): gray; moist; with sand; little clay at 18 feet; [Till]. 1462.3 ft	25					SANDPACK Type: Silica Sand Interval: 13.5-21
SILTY SAND (SM): fine to medium grained; gray; wet; [Till]. 1451.3 ft	30		35.0		1445.3	SCREEN Diameter: 2 inches Type: Continuous 0.01" slotted PVC Interval: 15-20
POORLY GRADED GRAVEL WITH SAND (GP): gray; wet; some cobbles with weathered granite fragments; [Till]. 1449.3 ft	35					
GRANITE; mottled red, black, and white; [Bedrock]. 1445.3 ft						
Bottom of Boring at 35.0 feet						

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB INSTRUMENT LOG REPORT_BARR_GEOTECH_TEMPLATE.GDT

Remarks:

Completion Depth: 35.0 ft	LEGEND	TPC TOP OF PROTECTIVE CASING TRC TOP OF RISER CASING BPC BASE PROTECTIVE CASING GS GROUND SURFACE BS BENTONITE SEAL FP FILTER PACK TSC TOP OF SCREEN BSC BOTTOM OF SCREEN TD TOTAL DEPTH	WATER LEVELS(ft)
Date Started: 3/13/14			
Date Completed: 3/13/14	FILTER PACK BENTONITE CEMENT GROUT CUTTINGS / BACKFILL	At Time of Drilling 2.0 After Install -0.3	
Logged By: BJL2			
Drilling Contractor: Cascade			
Drilling Method: Sonic			
Datum: NAD83 Minnesota State Plane			
Coordinates: N 742,311.8 ft E 2,858,500.4 ft			

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF PIEZOMETER R14-13

Project: Winter 2013/2014 Piezometers	Location: Hoyt Lakes, MN	Client: PolyMet
Barr Project Number: 23690C29.13	Surface Elevation: 1489.1 ft	Top of Casing Elevation: 1491.4

STRATA		PIEZOMETER DETAILS	DEPTH, ft	ELEVATION, ft	PIEZOMETER CONSTRUCTION DETAILS FOR STANDPIPE PIEZOMETER	
DESCRIPTION	DEPTH, ft					
			-2.5	TPC	1491.6	PROTECTIVE CASING Diameter: 6 inches Type: Steel Interval: -2.5-4.5
			-2.3	TRC	1491.4	
			0.0	GS	1489.1	
TOPSOIL (OL): dark brown; moist; roots and organics; top 1.5 feet frozen. 1488.9 ft	0		4.0		1485.1	RISER CASING Diameter: 2 inches Type: PVC Interval: -2.3-30
POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; brown; moist; with granite fragments. 1486.6 ft	5					GROUT Type: Cement Interval: 0-4
SILTY SAND (SM): fine to medium grained; brown; moist; some gravel, clay, and cobbles; [Till]. 1484.1 ft	15					SEAL Type: Bentonite Chips Interval: 4-28
POORLY GRADED SAND WITH SILT (SP-SM): medium to coarse grained; brown; wet; with weathered granite fragments; [Till]. 1474.6 ft	20		28.0	BS	1461.1	SANDPACK Type: Silica Sand Interval: 28-36
SILTY SAND (SM): fine to medium grained; brown; wet; [Till]. 1473.6 ft	25					SCREEN Diameter: 2 inches Type: Continuous 0.01" slotted PVC Interval: 30-35
POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; brown to gray; wet; weathered granite fragments; [Till]. 1467.1 ft	30		35.0	BSC	1454.1	Remarks:
SILTY SAND (SM): fine grained; gray; wet; with 3 to 6 inch silt and sand layers from 30 to 34.5 feet; [Till]. 1454.6 ft	35		36.0	TD	1453.1	
POORLY GRADED SAND WITH SILT (SP-SM): medium to	40		45.0		1444.1	

Completion Depth:	45.0 ft
Date Started:	3/14/14
Date Completed:	3/14/14
Logged By:	BJL2
Drilling Contractor:	Cascade
Drilling Method:	Sonic
Datum:	NAD83 Minnesota State Plane
Coordinates:	N 742,310.5 ft E 2,859,372.0 ft

LEGEND	
	FILTER PACK
	BENTONITE
	CEMENT GROUT
	CUTTINGS / BACKFILL
TPC	TOP OF PROTECTIVE CASING
TRC	TOP OF RISER CASING
BPC	BASE PROTECTIVE CASING
GS	GROUND SURFACE
BS	BENTONITE SEAL
FP	FILTER PACK
TSC	TOP OF SCREEN
BSC	BOTTOM OF SCREEN
TD	TOTAL DEPTH

WATER LEVELS(ft)	
▽ At Time of Drilling	5.0
▽ After Install	1.9

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB INSTRUMENT LOG REPORT_BARR.GEOTECH TEMPLATE.GDT

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF PIEZOMETER R14-13

Project: Winter 2013/2014 Piezometers	Location: Hoyt Lakes, MN	Client: PolyMet
Barr Project Number: 23690C29.13	Surface Elevation: 1489.1 ft	Top of Casing Elevation: 1491.4

STRATA		PIEZOMETER DETAILS	DEPTH, ft	ELEVATION, ft	PIEZOMETER CONSTRUCTION DETAILS FOR STANDPIPE PIEZOMETER
DESCRIPTION	DEPTH, ft				
coarse grained; gray; wet; with cobbles and weathered granite fragments; brown below 37 feet; [Till]. 1450.1 ft					PROTECTIVE CASING Diameter: 6 inches Type: Steel Interval: -2.5-4.5 RISER CASING Diameter: 2 inches Type: PVC Interval: -2.3-30 GROUT Type: Cement Interval: 0-4 SEAL Type: Bentonite Chips Interval: 4-28 SANDPACK Type: Silica Sand Interval: 28-36 SCREEN Diameter: 2 inches Type: Continuous 0.01" slotted PVC Interval: 30-35
GRANITE; mottled red, black, and white; [Bedrock]. 1444.1 ft					
Bottom of Boring at 45.0 feet					Remarks:

Completion Depth: 45.0 ft
 Date Started: 3/14/14
 Date Completed: 3/14/14
 Logged By: BJL2
 Drilling Contractor: Cascade
 Drilling Method: Sonic
 Datum: NAD83 Minnesota State Plane
 Coordinates: N 742,310.5 ft E 2,859,372.0 ft

LEGEND	
	FILTER PACK
	BENTONITE
	CEMENT GROUT
	CUTTINGS / BACKFILL
TPC	TOP OF PROTECTIVE CASING
TRC	TOP OF RISER CASING
BPC	BASE PROTECTIVE CASING
GS	GROUND SURFACE
BS	BENTONITE SEAL
FP	FILTER PACK
TSC	TOP OF SCREEN
BSC	BOTTOM OF SCREEN
TD	TOTAL DEPTH

WATER LEVELS(ft)	
▼ At Time of Drilling	5.0
▼ After Install	1.9

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB INSTRUMENT LOG REPORT_BARR_GEOTECH_TEMPLATE.GDT

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF PIEZOMETER R14-15

Project: Winter 2013/2014 Piezometers	Location: Hoyt Lakes, MN	Client: PolyMet
Barr Project Number: 23690C29.13	Surface Elevation: 1494.8 ft	Top of Casing Elevation: 1497.1

STRATA		PIEZOMETER DETAILS	DEPTH, ft	ELEVATION, ft	PIEZOMETER CONSTRUCTION DETAILS FOR STANDPIPE PIEZOMETER	
DESCRIPTION	SYMBOL					
			-2.5	TPC	1497.3	PROTECTIVE CASING Diameter: 6 inches Type: Steel Interval: -2.5-4.5
			-2.3	TRC	1497.1	
			0.0	GS	1494.8	
TOPSOIL (OL): dark brown; moist; roots and sticks. 1494.3 ft			4.0		1490.8	RISER CASING Diameter: 2 inches Type: PVC Interval: -2.3-26
POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; dark brown to brown; moist; with weathered granite fragments. 1490.3 ft						GROUT Type: Cement Interval: 0-4
SILTY SAND WITH GRAVEL (SM): medium to coarse grained; brown; moist to wet; with cobbles from 5 to 10 feet; with weathered granite fragments; [Till].			24.0	BS	1470.8	SEAL Type: Bentonite Chips Interval: 4-24
			31.0	BSC	1463.8	SANDPACK Type: Silica Sand Interval: 24-31.5
			31.5	TD	1463.3	
POORLY GRADED SAND WITH SILT (SP-SM): medium to coarse grained; brown to gray; wet; with cobbles and weathered granite fragments; [Till]; 1462.8 ft			35.0		1459.8	SCREEN Diameter: 2 inches Type: Continuous 0.01" slotted PVC Interval: 26-31
GRANITE; mottled red, black, and white; [Bedrock]. 1459.8 ft						
Bottom of Boring at 35.0 feet						

Remarks:

Completion Depth: 35.0 ft
 Date Started: 3/14/14
 Date Completed: 3/14/14
 Logged By: BJL2
 Drilling Contractor: Cascade
 Drilling Method: Sonic
 Datum: NAD83 Minnesota State Plane
 Coordinates: N 742,493.1 ft E 2,860,626.1 ft

LEGEND	
	FILTER PACK
	BENTONITE
	CEMENT GROUT
	CUTTINGS / BACKFILL
TPC	TOP OF PROTECTIVE CASING
TRC	TOP OF RISER CASING
BPC	BASE PROTECTIVE CASING
GS	GROUND SURFACE
BS	BENTONITE SEAL
FP	FILTER PACK
TSC	TOP OF SCREEN
BSC	BOTTOM OF SCREEN
TD	TOTAL DEPTH

WATER LEVELS(ft)	
After Install	6.8

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN GP.J BARR\LIBRARY.GLB INSTRUMENT LOG REPORT BARR GEOTECH TEMPLATE.GDT

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF PIEZOMETER R14-16

Sheet 1 of 1

Project: Winter 2013/2014 Piezometers	Location: Hoyt Lakes, MN	Client: PolyMet
Barr Project Number: 23690C29.13	Surface Elevation: 1507.6 ft	Top of Casing Elevation: 1509.9

STRATA		PIEZOMETER DETAILS	DEPTH, ft	ELEVATION, ft	PIEZOMETER CONSTRUCTION DETAILS FOR STANDPIPE PIEZOMETER	
DESCRIPTION	SYMBOL					
			-2.5	TPC	1510.1	PROTECTIVE CASING Diameter: 6 inches Type: Steel Interval: -2.5-4.5
			-2.3	TRC	1509.9	
			0.0	GS	1507.6	
TOPSOIL (OL): brown, moist; organics and leaf debris. 1507.1 ft			4.0		1503.6	RISER CASING Diameter: 2 inches Type: PVC Interval: -2.3-20
SILTY SAND WITH GRAVEL (SM): fine to medium grained; brown; moist to wet; [Till].			18.0	BS	1489.6	GROUT Type: Cement Interval: 0-4
			25.0	BSC	1482.6	SEAL Type: Bentonite Chips Interval: 4-18
			26.0	TD	1481.6	
1483.1 ft POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; brown; wet; [Till]. 1482.1 ft			30.0		1477.6	SANDPACK Type: Silica Sand Interval: 18-26
GRANITE; red; highly weathered; poor recovery due to drilling with water; [Bedrock]. 1477.6 ft						SCREEN Diameter: 2 inches Type: Continuous 0.01" slotted PVC Interval: 20-25
Bottom of Boring at 30.0 feet						

Remarks:

Completion Depth: 30.0 ft
 Date Started: 3/15/14
 Date Completed: 3/15/14
 Logged By: BJL2
 Drilling Contractor: Cascade
 Drilling Method: Sonic
 Datum: NAD83 Minnesota State Plane
 Coordinates: N 742,916.4 ft E 2,861,262.2 ft

LEGEND	
	FILTER PACK
	BENTONITE
	CEMENT GROUT
	CUTTINGS / BACKFILL
TPC	TOP OF PROTECTIVE CASING
TRC	TOP OF RISER CASING
BPC	BASE PROTECTIVE CASING
GS	GROUND SURFACE
BS	BENTONITE SEAL
FP	FILTER PACK
TSC	TOP OF SCREEN
BSC	BOTTOM OF SCREEN
TD	TOTAL DEPTH

WATER LEVELS(ft)	
▼ At Time of Drilling	16.0
▼ After Install	16.8

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN GP.J BARR\LIBRARY.GLB INSTRUMENT LOG REPORT BARR GEOTECH TEMPLATE.GDT

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF PIEZOMETER R14-26

Project: Winter 2013/2014 Piezometers	Location: Hoyt Lakes, MN	Client: PolyMet
Barr Project Number: 23690C29.13	Surface Elevation: 1502.5 ft	Top of Casing Elevation: 1504.8

STRATA		PIEZOMETER DETAILS	DEPTH, ft	ELEVATION, ft	PIEZOMETER CONSTRUCTION DETAILS FOR STANDPIPE PIEZOMETER	
DESCRIPTION	SYMBOL					
			-2.5	TPC	1505.0	PROTECTIVE CASING Diameter: 6 inches Type: Steel Interval: -2.5-4.5
			-2.3	TRC	1504.8	
			0.0	GS	1502.5	RISER CASING Diameter: 2 inches Type: PVC Interval: -2.3-15
			4.0		1498.5	
PEAT (PT): dark brown; frozen; wood and leaf debris; top 1 foot frozen. 1501.5 ft						GROUT Type: Cement Interval: 0-4
SILTY SAND WITH GRAVEL (SM): fine to medium grained; brown; moist to wet; some cobbles; [Till].			13.0	BS	1489.5	
						SEAL Type: Bentonite Chips Interval: 4-13
			20.0	BSC	1482.5	
1481.0 ft			21.0	TD	1481.5	SANDPACK Type: Silica Sand Interval: 13-21
GRANITE; mottled red, black, and white; [Bedrock].						
1474.5 ft			28.0		1474.5	SCREEN Diameter: 2 inches Type: Continuous 0.01" slotted PVC Interval: 15-20
Bottom of Boring at 28.0 feet						
Remarks:						

Completion Depth: 28.0 ft
 Date Started: 3/16/14
 Date Completed: 3/16/14
 Logged By: BJL2
 Drilling Contractor: Cascade
 Drilling Method: Sonic
 Datum: NAD83 Minnesota State Plane
 Coordinates: N 743,283.6 ft E 2,869,216.9 ft

	FILTER PACK	TPC	TOP OF PROTECTIVE CASING
	BENTONITE	TRC	TOP OF RISER CASING
	CEMENT GROUT	BPC	BASE PROTECTIVE CASING
	CUTTINGS / BACKFILL	GS	GROUND SURFACE
		BS	BENTONITE SEAL
		FP	FILTER PACK
		TSC	TOP OF SCREEN
		BSC	BOTTOM OF SCREEN
		TD	TOTAL DEPTH

At Time of Drilling	4.0
After Install	1.6

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB INSTRUMENT LOG REPORT_BARR.GEOTECH TEMPLATE.GDT

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF PIEZOMETER R14-27

Project: Winter 2013/2014 Piezometers	Location: Hoyt Lakes, MN	Client: PolyMet
Barr Project Number: 23690C29.13	Surface Elevation: 1502.8 ft	Top of Casing Elevation: 1505.1

STRATA		PIEZOMETER DETAILS	DEPTH, ft	ELEVATION, ft	PIEZOMETER CONSTRUCTION DETAILS FOR STANDPIPE PIEZOMETER	
DESCRIPTION	SYMBOL					
			-2.5	TPC	1505.3	PROTECTIVE CASING Diameter: 6 inches Type: Steel Interval: -2.5-4.5
			-2.3	TRC	1505.1	
			0.0	GS	1502.8	
PEAT (PT): dark brown; moist; with roots and sticks; frozen. 1502.3 ft			4.0		1498.8	RISER CASING Diameter: 2 inches Type: PVC Interval: -2.3-20
POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; brown; moist to wet; with cobbles and weathered granite fragments; [Till]. 1487.8 ft			18.0	BS	1484.8	GROUT Type: Cement Interval: 0-4
POORLY GRADED SAND (SP): medium grained; brown; wet; with cobbles and weathered granite fragments; [Till]. 1483.3 ft			25.0	BSC	1477.8	SEAL Type: Bentonite Chips Interval: 4-18
POORLY GRADED GRAVEL WITH SILT (GP): gray; wet; with cobbles and weathered granite fragments; sand layer from 23-24 feet; [Till]. 1477.8 ft			26.0	TD	1476.8	
POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; gray; wet; [Till]. 1476.8 ft			30.0		1472.8	SANDPACK Type: Silica Sand Interval: 18-26
GRANITE; mottled red, black, and white; fracture at 29.5 feet; [Bedrock]. 1472.8 ft						SCREEN Diameter: 2 inches Type: Continuous 0.01" slotted PVC Interval: 20-25
Bottom of Boring at 30.0 feet						

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB INSTRUMENT LOG REPORT_BARR.GEOTECH TEMPLATE.GDT

Remarks:

Completion Depth:	30.0 ft
Date Started:	3/17/14
Date Completed:	3/17/14
Logged By:	BJL2
Drilling Contractor:	Cascade
Drilling Method:	Sonic
Datum:	NAD83 Minnesota State Plane
Coordinates:	N 743,350.1 ft E 2,870,201.4 ft

LEGEND	
	FILTER PACK
	BENTONITE
	CEMENT GROUT
	CUTTINGS / BACKFILL
TPC	TOP OF PROTECTIVE CASING
TRC	TOP OF RISER CASING
BPC	BASE PROTECTIVE CASING
GS	GROUND SURFACE
BS	BENTONITE SEAL
FP	FILTER PACK
TSC	TOP OF SCREEN
BSC	BOTTOM OF SCREEN
TD	TOTAL DEPTH

WATER LEVELS(ft)	
▽ At Time of Drilling	10.0
▽ After Install	1.7

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF PIEZOMETER R14-28

Sheet 1 of 1

Project: Winter 2013/2014 Piezometers	Location: Hoyt Lakes, MN	Client: PolyMet
Barr Project Number: 23690C29.13	Surface Elevation: 1509.5 ft	Top of Casing Elevation: 1511.8

STRATA		PIEZOMETER DETAILS	DEPTH, ft	SYMBOL	ELEVATION, ft	PIEZOMETER CONSTRUCTION DETAILS FOR STANDPIPE PIEZOMETER
DESCRIPTION	DEPTH, ft					
			-2.5	TPC	1512.0	PROTECTIVE CASING Diameter: 6 inches Type: Steel Interval: -2.5-4.5
			-2.3	TRC	1511.8	
			0.0	GS	1509.5	RISER CASING Diameter: 2 inches Type: PVC Interval: -2.3-5
			2.0		1507.5	
POORLY GRADED SAND WITH SILT (SP-SM): fine to medium grained; brown; moist; with cobbles and weathered granite fragments; top 1 foot frozen; [Till]. 1499.0 ft	0		4.0	BS	1505.5	GROUT Type: Cement Interval: 0-2
	5		10.0	BSC	1499.5	
GRANITE; mottled red, black, and white; [Bedrock]. 1493.0 ft	10		10.5	TD	1499.0	SEAL Type: Bentonite Chips Interval: 2-4
	15		16.5		1493.0	
Bottom of Boring at 16.5 feet						SANDPACK Type: Silica Sand Interval: 4-10.5
						SCREEN Diameter: 2 inches Type: Continuous 0.01" slotted PVC Interval: 5-10
Remarks:						

Completion Depth: 16.5 ft
 Date Started: 3/17/14
 Date Completed: 3/17/14
 Logged By: BJL2
 Drilling Contractor: Cascade
 Drilling Method: Sonic
 Datum: NAD83 Minnesota State Plane
 Coordinates: N 742,651.3 ft E 2,870,734.5 ft

LEGEND	
	FILTER PACK
	BENTONITE
	CEMENT GROUT
	CUTTINGS / BACKFILL
TPC	TOP OF PROTECTIVE CASING
TRC	TOP OF RISER CASING
BPC	BASE PROTECTIVE CASING
GS	GROUND SURFACE
BS	BENTONITE SEAL
FP	FILTER PACK
TSC	TOP OF SCREEN
BSC	BOTTOM OF SCREEN
TD	TOTAL DEPTH

WATER LEVELS(ft)	
At Time of Drilling	6.0
After Install	4.3

M:\GINT\PROJECTS\23690C29.13 POLYMET TAILINGS BASIN.GPJ_BARR\LIBRARY.GLB INSTRUMENT LOG REPORT_BARR_GEOTECH TEMPLATE.GDT

The stratification lines represent approximate boundaries. The transition may be gradual.

Attachment C

SPT Logs



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-36


Sheet 1 of 1

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW12.PART 2_SPT.GPJ_BARR\LIBRARY.GLB_HORIZONTAL LOG REPORT_BARR.GEOTECH TEMPLATE.GDT



Completion Depth: 26.5
 Date Boring Started: 5/8/14
 Date Boring Completed: 5/13/14
 Logged By: GFS
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1554.7
 Coordinates: N 735,479.9 ft E 2,857,818.0 ft
 Datum: NAD83 Minnesota State Plane

Remarks: Modified location to avoid wetlands. 6 1/4" ID augers. Due to sealing difficulty, samples 1&2 are from the first hole, 3&4 are from the second hole and 4B&5 are from the final hole. Packer performed from 14-18.5 feet and 20.5-26.5 feet.

SAMPLE TYPES	WATER LEVELS (ft)	LEGEND	
Split Spoon Rock Core	At Time of Drilling 0.0	MC Moisture Content γ Dry Unit Weight ϕ Friction Angle	Q_u Unconfined Compression Q_p Hand Penetrometer UC Gs Specific Gravity RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-40


Sheet 1 of 1

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW12.PART 2_SPT.GPJ_BARR\LIBRARY\GLB_HORIZONTAL LOG REPORT_BARR_GEOTECH TEMPLATE.GDT



Completion Depth: 30.5
 Date Boring Started: 5/15/14
 Date Boring Completed: 5/16/14
 Logged By: GFS
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1534.0
 Coordinates: N 736,963.9 ft E 2,857,381.9 ft
 Datum: NAD83 Minnesota State Plane

Remarks: Modified location to avoid wetlands. 6 1/4" ID augers. Started mud rotary at 11.5 feet.

SAMPLE TYPES		WATER LEVELS (ft)		LEGEND	
Split Spoon	No Recovery	Rock Core	At Time of Drilling 4.3	MC Moisture Content	Q_u Unconfined Compression
				γ Dry Unit Weight	Q_p Hand Penetrometer UC
				ϕ Friction Angle	Gs Specific Gravity
					RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-44


Sheet 1 of 1

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW\12 PART 2_SPT.GPJ_BARR\LIBRARY\GLB_HORIZONTAL LOG REPORT_BARR_GEOTECH TEMPLATE.GDT



Completion Depth: 46.0
 Date Boring Started: 3/28/14
 Date Boring Completed: 4/3/14
 Logged By: KNA
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1502.9
 Coordinates: N 738,984.5 ft E 2,857,382.8 ft
 Datum: NAD83 Minnesota State Plane

Remarks: 4 1/2" ID augers. Started mud rotary at 20 feet. Core performed in offset hole at : N=738977.63ft, E=2857368.8ft; Packer testing performed at 33-42 feet and 42-46 feet.

SAMPLE TYPES	WATER LEVELS (ft)	LEGEND
Split Spoon 3-inch Shelby Tube Rock Core	At Time of Drilling 2.0 24 hrs After Drilling 0.0	MC Moisture Content γ Dry Unit Weight ϕ Friction Angle Q_u Unconfined Compression Q_p Hand Penetrometer UC Gs Specific Gravity RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-48


Sheet 1 of 1

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW12.PART 2_SPT.GPJ_BARR\LIBRARY.GLB_HORIZONTAL LOG REPORT_BARR_GEOTECH TEMPLATE.GDT



Completion Depth: 25.0
 Date Boring Started: 5/19/14
 Date Boring Completed: 5/20/14
 Logged By: KNA
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1491.8
 Coordinates: N 740,886.7 ft E 2,857,452.1 ft
 Datum: NAD83 Minnesota State Plane

Remarks: Modified location to avoid wetlands. 6 1/4" ID augers. Started mud rotary at 10 feet.

SAMPLE TYPES	WATER LEVELS (ft)	LEGEND
Split Spoon Rock Core	At Time of Drilling 3.0 0.5 hrs After Drilling 2.5	MC Moisture Content Q_u Unconfined Compression γ Dry Unit Weight Q_p Hand Penetrometer UC ϕ Friction Angle G_s Specific Gravity RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-52


Sheet 1 of 2

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW\12 PART 2_SPT.GPJ_BARR\LIBRARY\G.L.B. HORIZONTAL LOG REPORT_BARR_GEOTECH TEMPLATE.GDT



Continued Next Page

Completion Depth: 65.8
 Date Boring Started: 5/5/14
 Date Boring Completed: 5/7/14
 Logged By: GFS
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1486.0
 Coordinates: N 742,396.5 ft E 2,858,667.8 ft
 Datum: NAD83 Minnesota State Plane

Remarks: 6 1/4" ID augers. Started mud rotary at 20 feet.

SAMPLE TYPES	WATER LEVELS (ft)	LEGEND
Split Spoon Rock Core	At Time of Drilling 4.0	MC Moisture Content Q_u Unconfined Compression γ Dry Unit Weight Q_p Hand Penetrometer UC ϕ Friction Angle G_s Specific Gravity RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-52

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

Barr Project Number: 23690C29.13

MATERIAL DESCRIPTION (ASTM D2488)

STANDARD PENETRATION TEST DATA

N in blows/ft


10 20 30 40

WATER CONTENT %

PL LL

20 40 60

SIEVE ANALYSIS



Physical Properties

WC %	γ pcf	ϕ °	Q_u tsf	Q_p tsf	Gs	RQD %
---------	-----------------	-------------	--------------	--------------	----	----------

GRANITE; mottled red and white with black; massive; very strong; slightly decomposed; slightly to moderately fractured; fractures at horizontal and 65 degree angles; moderately healed; black/oxidized on healed joints; 6 inch quartz-rich zones; [Bedrock].

1420.3 (Continued)

Bottom of Boring at 65.8 feet

65.8

Completion Depth: 65.8
 Date Boring Started: 5/5/14
 Date Boring Completed: 5/7/14
 Logged By: GFS
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1486.0
 Coordinates: N 742,396.5 ft E 2,858,667.8 ft
 Datum: NAD83 Minnesota State Plane

Remarks: 6 1/4" ID augers. Started mud rotary at 20 feet.

SAMPLE TYPES

Split Spoon Rock Core

WATER LEVELS (ft)

At Time of Drilling 4.0

LEGEND

MC Moisture Content	Q_u Unconfined Compression
γ Dry Unit Weight	Q_p Hand Penetrometer UC
ϕ Friction Angle	Gs Specific Gravity
	RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW12 PART 2_SPT.GPJ_BARR\LIBRARY.GLB_HORIZONTAL LOG REPORT_BARR.GEOTECH TEMPLATE.GDT



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-55


Sheet 1 of 1

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW\12 PART 2_SPT.GPJ_BARR\LIBRARY\GLB_HORIZONTAL LOG REPORT_BARR_GEOTECH TEMPLATE.GDT



Completion Depth: 50.5
 Date Boring Started: 4/28/14
 Date Boring Completed: 5/2/14
 Logged By: KNA
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1494.8
 Coordinates: N 742,451.6 ft E 2,860,494.0 ft
 Datum: NAD83 Minnesota State Plane

Remarks: 6 1/4" ID augers. Started mud rotary at 20 feet. Packer performed from 37-41.5 feet, 41.5-46.5 feet, and 46-50.5 feet.

SAMPLE TYPES	WATER LEVELS (ft)	LEGEND
Split Spoon No Recovery Rock Core	At Time of Drilling 10.0	MC Moisture Content Q_u Unconfined Compression γ Dry Unit Weight Q_p Hand Penetrometer UC ϕ Friction Angle Gs Specific Gravity RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-62


Sheet 1 of 1

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW12.PART 2_SPT.GPJ_BARR\LIBRARY.GLB_HORIZONTAL LOG REPORT_BARR_GEOTECH TEMPLATE.GDT



Completion Depth: 27.0
 Date Boring Started: 4/21/14
 Date Boring Completed: 4/28/14
 Logged By: KNA
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1493.3
 Coordinates: N 743,327.3 ft E 2,863,894.1 ft
 Datum: NAD83 Minnesota State Plane

Remarks: 6 1/4" ID augers. Mud rotary started at 10 feet.

SAMPLE TYPES	WATER LEVELS (ft)	LEGEND
Split Spoon Rock Core	At Time of Drilling 12.0	MC Moisture Content Q_u Unconfined Compression γ Dry Unit Weight Q_p Hand Penetrometer UC ϕ Friction Angle Gs Specific Gravity RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-65


Sheet 1 of 1

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW12.PART 2_SPT.GPJ_BARR\LIBRARY\GLB_HORIZONTAL LOG REPORT_BARR_GEOTECH TEMPLATE.GDT



Completion Depth: 37.0
 Date Boring Started: 4/16/14
 Date Boring Completed: 4/17/14
 Logged By: KNA
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1487.2
 Coordinates: N 743,316.0 ft E 2,864,926.5 ft
 Datum: NAD83 Minnesota State Plane

Remarks: 6 1/4" ID augers. Hit refusal at 10 feet, offset 10 feet East and blind-drilled to 10 feet. Started mud rotary at 15 feet. Packer performed from 24-30 feet and 27.5-33.5 feet.

SAMPLE TYPES		WATER LEVELS (ft)		LEGEND	
Split Spoon	3-inch Shelby Tube	Undisturbed Sample	At Time of Drilling	0.0	
Rock Core					
				MC	Moisture Content
				γ	Dry Unit Weight
				ϕ	Friction Angle
				Q_u	Unconfined Compression
				Q_p	Hand Penetrometer UC
				Gs	Specific Gravity
				RQD	Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-69


Sheet 1 of 1

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW12.PART 2_SPT.GPJ_BARR\LIBRARY\GLB_HORIZONTAL LOG REPORT_BARR_GEOTECH TEMPLATE.GDT



Completion Depth: 34.0
 Date Boring Started: 4/7/14
 Date Boring Completed: 4/8/14
 Logged By: KNA/GFS
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1485.1
 Coordinates: N 743,207.5 ft E 2,866,416.5 ft
 Datum: NAD83 Minnesota State Plane

Remarks: 4 1/2" ID augers. With the augers at 24 feet, artesian flow started around the outside of the augers after sample at 23 feet was collected. Before flow started, water was 1-foot above ground surface in the augers.

SAMPLE TYPES		WATER LEVELS (ft)		LEGEND	
3-inch Shelby Tube	Split Spoon	Rock Core	End of Drilling -1.0	MC Moisture Content	Q_u Unconfined Compression
			At Time of Drilling 0.0	γ Dry Unit Weight	Q_p Hand Penetrometer UC
				ϕ Friction Angle	G_s Specific Gravity
					RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-72


Sheet 1 of 1

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW12.PART 2_SPT.GPJ_BARR\LIBRARY\G.L.B. HORIZONTAL LOG REPORT_BARR.GEOTECH TEMPLATE.GDT



Completion Depth: 25.0
 Date Boring Started: 4/4/14
 Date Boring Completed: 4/7/14
 Logged By: KNA
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1493.0
 Coordinates: N 743,232.9 ft E 2,867,866.5 ft
 Datum: NAD83 Minnesota State Plane

Remarks: 4 1/2" ID augers. Tried Denison sample at 7.5 feet. Started mud rotary at 7.5 feet.

SAMPLE TYPES	WATER LEVELS (ft)	LEGEND
Split Spoon Rock Core	At Time of Drilling 1.0	MC Moisture Content Q_u Unconfined Compression γ Dry Unit Weight Q_p Hand Penetrometer UC ϕ Friction Angle Gs Specific Gravity RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
 4700 West 77th St. Suite 200
 Minneapolis, MN 55435
 Telephone: 952-832-2600

LOG OF BORING B14-76


Sheet 1 of 1

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET_SOW12.PART 2_SPT.GPJ_BARR\LIBRARY\GLB_HORIZONTAL LOG REPORT_BARR_GEOTECH TEMPLATE.GDT



Completion Depth: 42.5
 Date Boring Started: 4/9/14
 Date Boring Completed: 4/11/14
 Logged By: GFS
 Drilling Contractor: Braun Intertec
 Drilling Method: HSA / Mud Rotary / NQ Coring
 Ground Surface Elevation: 1501.2
 Coordinates: N 743,328.6 ft E 2,869,888.1 ft
 Datum: NAD83 Minnesota State Plane

Remarks: 4 1/2" ID augers. Started mud rotary at 13 feet.

SAMPLE TYPES		WATER LEVELS (ft)		LEGEND	
Split Spoon	3-inch Shelby Tube	Rock Core	At Time of Drilling 0.0	MC Moisture Content	Q_u Unconfined Compression
				γ Dry Unit Weight	Q_p Hand Penetrometer UC
				ϕ Friction Angle	G_s Specific Gravity
					RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.



Barr Engineering Company
4700 West 77th St. Suite 200
Minneapolis, MN 55435
Telephone: 952-832-2600

LOG OF BORING B14-80

Sheet 1 of 1

Project: Winter 2013/2014 SPT Investigation

Location: Hoyt Lakes, MN

Client: PolyMet

M:\GINT\PROJECTS\23690C29.13_POLYMET\SOW\12.PART 2_SPT.GPJ_BARR\LIBRARY.GLB_HORIZONTAL LOG REPORT_BARR_GEOTECH_TEMPLATE.GDT

Elevation, feet	Depth, feet	Barr Project Number: 23690C29.13	MATERIAL DESCRIPTION (ASTM D2488)	Graphic Log	Sample Type & Rec.	STANDARD PENETRATION TEST DATA N in blows/ft	WATER CONTENT % PL LL	SIEVE ANALYSIS GRAVEL SAND SILT CLAY FINES	Physical Properties										
									WC %	γ pcf	ϕ °	Q_u tsf	Q_p tsf	Gs	RQD %				
	0	Surface Elev.: 1523.4 ft																	
1523.2	0		TOPSOIL (SM): dark brown; moist; organics and roots; with gravel; top 2 feet frozen.			14													
1520	5		SILTY SAND (SM): medium to coarse grained; brown; moist to wet; medium dense to very dense; with angular to subangular weathered granite fragments; gray clay content increasing with depth; [Till].																
1515	10	1513.4																	
1510	15		GRANITE; mottled red, black, and white; massive; very strong; slightly decomposed; slightly to moderately fractured becoming more competent with depth; fractures 45 and 60 degrees angles; totally healed with red and green sediment; [Bedrock].																
1505	20	1502.4																	67.5
	21.0		Bottom of Boring at 21.0 feet																79
	25																		100

Completion Depth: 21.0
Date Boring Started: 3/26/14
Date Boring Completed: 3/27/14
Logged By: KNA
Drilling Contractor: Braun Intertec
Drilling Method: HSA / Mud Rotary / NQ Coring
Ground Surface Elevation: 1523.4
Coordinates: N 741,777.3 ft E 2,870,717.9 ft
Datum: NAD83 Minnesota State Plane

Remarks: 4 1/2" ID augers. Drilled to 7.5 feet then offset 5 feet east and blind-drilled to 10 feet. Started mud rotary at 10 feet.

SAMPLE TYPES	WATER LEVELS (ft)	LEGEND
<input checked="" type="checkbox"/> Split Spoon <input type="checkbox"/> No Recovery <input type="checkbox"/> Rock Core	At Time of Drilling 7.0	MC Moisture Content Q_u Unconfined Compression γ Dry Unit Weight Q_p Hand Penetrometer UC ϕ Friction Angle Gs Specific Gravity RQD Rock Quality Designation

The stratification lines represent approximate boundaries. The transition may be gradual.

Attachment D
Packer Testing Results


PolyMet 2014 Packer Test Data Summary - FTB Seepage Containment System Borings

Boring	Test Interval	Testing Length	Packer	RQD	Leakage Through Fractures / Bedrock Permeability			
					Test Results ¹		Test and Inferred Results ²	
	feet	feet	cm/s	ft/s	cm/s	ft/s		
B14-36	14 - 18.5	4.5	Double	93	0	0	1.4E-06	4.8E-08
B14-36	20.5 - 26.5	6	Single	83	1.4E-06	4.8E-08	1.4E-06	4.8E-08
B14-55	37 - 41.5	4.5	Single	30	7.2E-04	2.4E-05	7.2E-04	2.4E-05
B14-55	41.5 - 46.5	5	Double	100	0	0	1.4E-06	4.8E-08
B14-55	46 - 50.5	4.5	Single	48	0	0	1.4E-06	4.8E-08
B14-44	34 - 42	8	Single	69	3.9E-05	1.3E-06	3.9E-05	1.3E-06
B14-44	42 - 46	4	Double	92	5.8E-05	1.9E-06	5.8E-05	1.9E-06
B14-65	24 - 30	6	Double	81	5.2E-05	1.7E-06	5.2E-05	1.7E-06
B14-65	27.5 - 33.5	6	Double	74	1.9E-04	6.2E-06	1.9E-04	6.2E-06
B14-76	37 - 42	5	Single	70	9.0E-05	3.0E-06	9.0E-05	3.0E-06
Geomean =					5.8E-05	1.9E-06	1.9E-05	6.3E-07

¹ Based on the lowest permeability value resulting from the first three pressure increments as the value most likely to represent in-situ conditions. Geomean excludes values where zero inflow is observed during testing.

² For Packer Test Results where zero inflow is observed during testing, permeability values are selected based on inference from lowest packer test result obtained. Geomean includes all test intervals.

The resulting permeability is not a true permeability since the rock is not a true porous media. Instead, the packer test provides a relative measurement of potential leakage through bedrock joints or fractures.



PolyMet 2014 Packer Testing

Performed: 5/13/2014

Analyzed: 5/21/2014



B14-36, 14 - 18.5ft

Notes: Double Packer Test

Packer length (ft) =	2
Screened interval (ft) =	3
Total depth of boring (ft) =	26.5
Test interval top (ft) =	14
Test interval bottom (ft) =	18.5
Original GWT (ft) =	4.7
GWT before inflation (ft) =	4.7
GWT after inflation (ft) =	4.7
GWT during test (ft) =	4.7
GWT at end of test (ft) =	4.7
Height of pressure gauge (ft) =	3
Packer inflation pressure (psi) =	140
RQD for test interval (%) =	93
Borehole radius (inches) =	1.5

Total testing interval (ft) =	4.5
Length of pipe above ground (ft) =	3
Length of pipe below ground (ft) =	12
Total length for losses (ft) =	15

Hydraulic Conductivity = cm/s ft/s
 Maximum = cm/s ft/s
 Minimum = cm/s ft/s



Flow Pressure (psi) =	15			30			45			30			15		
Time (min)	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow
0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0
1	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0
2	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0
3	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0
4	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0
5	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0	80.64	0.0	0.0

Average Flowrate (gal/min) =	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>
Applied pressure (psi) =	<input type="text" value="15"/>	<input type="text" value="30"/>	<input type="text" value="45"/>	<input type="text" value="30"/>	<input type="text" value="15"/>
Friction loss/foot (psi) =	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>
Friction loss (psi) =	<input type="text" value="1.2"/>	<input type="text" value="1.2"/>	<input type="text" value="1.2"/>	<input type="text" value="1.2"/>	<input type="text" value="1.2"/>
Effective pressure (psi) =	<input type="text" value="13.8"/>	<input type="text" value="28.8"/>	<input type="text" value="43.8"/>	<input type="text" value="28.8"/>	<input type="text" value="13.8"/>

USBR 7310-89 Calculation for Hydraulic Conductivity

q (constant rate of flow into the test interval), cm ³ /s =	0.0	0.0	0.0	0.0	0.0
L (length of the test interval), cm =	137.2	137.2	137.2	137.2	137.2
H _g (distance from ground water to pressure gauge), cm =	234.7	234.7	234.7	234.7	234.7
H _p (linear units of water head), cm =	974.8	2030.9	3087.1	2030.9	974.8
H (total gravity and pressure differential head), cm =	1209.5	2265.6	3321.8	2265.6	1209.5
r (radius of borehole), cm =	3.8	3.8	3.8	3.8	3.8
k (hydraulic conductivity), cm/s =	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>
k (hydraulic conductivity), ft/s =	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>

PolyMet 2014 Packer Testing

Performed: 5/13/2014

Analyzed: 5/21/2014



B14-36, 20.5 - 26.5ft

Notes: Double Packer Test

Packer length (ft) =	2
Screened interval (ft) =	
Total depth of boring (ft) =	26.5
Test interval top (ft) =	20.5
Test interval bottom (ft) =	26.5
Original GWT (ft) =	4.7
GWT before inflation (ft) =	4.7
GWT after inflation (ft) =	4.7
GWT during test (ft) =	4.7
GWT at end of test (ft) =	4.7
Height of pressure gauge (ft) =	3
Packer inflation pressure (psi) =	140
RQD for test interval (%) =	83
Borehole radius (inches) =	1.5

Total testing interval (ft) =	6
Length of pipe above ground (ft) =	3
Length of pipe below ground (ft) =	18.5
Total length for losses (ft) =	21.5

Hydraulic Conductivity = **1.45E-06** cm/s **4.75E-08** ft/s
 Maximum = **2.86E-06** cm/s **9.38E-08** ft/s
 Minimum = **0.00E+00** cm/s **0.00E+00** ft/s



Flow Pressure (psi) =	15			30			45			30			15		
Time (min)	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow
0	80.80	0.0	0.0	80.88	0.0	0.0	81.05	0.0	0.0	81.27	0.0	0.0	81.28	0.0	0.0
1	80.81	0.0	0.0	80.92	0.0	0.0	81.11	0.1	0.1	81.28	0.0	0.0	81.28	0.0	0.0
2	80.81	0.0	0.0	80.95	0.1	0.0	81.17	0.1	0.1	81.28	0.0	0.0	81.28	0.0	0.0
3	80.82	0.0	0.0	80.98	0.1	0.0	81.21	0.2	0.0	81.28	0.0	0.0	81.28	0.0	0.0
4	80.83	0.0	0.0	81.01	0.1	0.0	81.24	0.2	0.0	81.28	0.0	0.0	81.28	0.0	0.0
5	80.84	0.0	0.0	81.03	0.2	0.0	81.27	0.2	0.0	81.28	0.0	0.0	81.28	0.0	0.0

Average Flowrate (gal/min) =	0.0	0.0	0.04	0.00	0.00
Applied pressure (psi) =	15	30	45	30	15
Friction loss/foot (psi) =	0.08	0.08	0.08	0.08	0.08
Friction loss (psi) =	1.7	1.7	1.7	1.7	1.7
Effective pressure (psi) =	13.3	28.3	43.3	28.3	13.3

USBR 7310-89 Calculation for Hydraulic Conductivity

q (constant rate of flow into the test interval), cm ³ /s =	0.5	1.9	2.8	0.1	0.0
L (length of the test interval), cm =	182.9	182.9	182.9	182.9	182.9
H _g (distance from ground water to pressure gauge), cm =	234.7	234.7	234.7	234.7	234.7
H _p (linear units of water head), cm =	939.6	1995.7	3051.8	1995.7	939.6
H (total gravity and pressure differential head), cm =	1174.3	2230.4	3286.5	2230.4	1174.3
r (radius of borehole), cm =	3.8	3.8	3.8	3.8	3.8
k (hydraulic conductivity), cm/s =	1.45E-06	2.86E-06	2.85E-06	1.91E-07	0.00E+00
k (hydraulic conductivity), ft/s =	4.75E-08	9.38E-08	9.34E-08	6.25E-09	0.00E+00

PolyMet 2014 Packer Testing

Performed: 5/2/2014

Analyzed: 5/21/2014



B14-55, 37 - 41.5ft

Notes: Double Packer Test

Packer length (ft) =	2
Screened interval (ft) =	3
Total depth of boring (ft) =	50.5
Test interval top (ft) =	37
Test interval bottom (ft) =	41.5
Original GWT (ft) =	0
GWT before inflation (ft) =	0
GWT after inflation (ft) =	0
GWT during test (ft) =	0
GWT at end of test (ft) =	0
Height of pressure gauge (ft) =	3
Packer inflation pressure (psi) =	140
RQD for test interval (%) =	30
Borehole radius (inches) =	1.5

Total testing interval (ft) =	4.5
Length of pipe above ground (ft) =	3
Length of pipe below ground (ft) =	35
Total length for losses (ft) =	38

Hydraulic Conductivity = $7.18E-04$ cm/s $2.36E-05$ ft/s
 Maximum = $1.42E-03$ cm/s $4.66E-05$ ft/s
 Minimum = $7.18E-04$ cm/s $2.36E-05$ ft/s



Flow Pressure (psi) =	15			30			45			30			15		
Time (min)	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow
0	0.40	0.0	0.0	2.50	0.0	0.0	5.20	0.0	0.0	9.70	0.0	0.0	5.70	0.0	0.0
1	4.50	4.1	4.1	8.50	6.0	6.0	13.40	8.2	8.2	16.30	6.6	6.6	10.80	5.1	5.1
2	8.20	7.8	3.7	14.60	12.1	6.1	21.90	16.7	8.5	23.20	13.5	6.9	15.90	10.2	5.1
3	12.00	11.6	3.8	20.90	18.4	6.3	30.30	25.1	8.4	30.00	20.3	6.8	21.00	15.3	5.1
4	15.50	15.1	3.5	27.00	24.5	6.1	38.50	33.3	8.2	36.90	27.2	6.9	26.20	20.5	5.2
5	19.80	19.4	4.3	33.40	30.9	6.4	47.00	41.8	8.5	43.70	34.0	6.8	31.20	25.5	5.0

Average Flowrate (gal/min) =	3.88	6.18	8.36	6.80	5.10
Applied pressure (psi) =	15	30	45	30	15
Friction loss/foot (psi) =	0.08	0.08	0.08	0.08	0.08
Friction loss (psi) =	2.9	2.9	2.9	2.9	2.9
Effective pressure (psi) =	12.1	27.1	42.1	27.1	12.1

USBR 7310-89 Calculation for Hydraulic Conductivity

q (constant rate of flow into the test interval), cm ³ /s =	244.8	389.9	527.4	429.0	321.8
L (length of the test interval), cm =	137.2	137.2	137.2	137.2	137.2
H _g (distance from ground water to pressure gauge), cm =	91.4	91.4	91.4	91.4	91.4
H _p (linear units of water head), cm =	850.1	1906.2	2962.4	1906.2	850.1
H (total gravity and pressure differential head), cm =	941.6	1997.7	3053.8	1997.7	941.6
r (radius of borehole), cm =	3.8	3.8	3.8	3.8	3.8
k (hydraulic conductivity), cm/s =	1.08E-03	8.12E-04	7.18E-04	8.93E-04	1.42E-03
k (hydraulic conductivity), ft/s =	3.55E-05	2.66E-05	2.36E-05	2.93E-05	4.66E-05

PolyMet 2014 Packer Testing

Performed: 5/2/2014

Analyzed: 5/21/2014



B14-55, 41.5 - 46.5ft

Notes: Double Packer Test

Packer length (ft) =	2
Screened interval (ft) =	3
Total depth of boring (ft) =	50.5
Test interval top (ft) =	41.5
Test interval bottom (ft) =	46
Original GWT (ft) =	0
GWT before inflation (ft) =	0
GWT after inflation (ft) =	0
GWT during test (ft) =	0
GWT at end of test (ft) =	0
Height of pressure gauge (ft) =	3
Packer inflation pressure (psi) =	140
RQD for test interval (%) =	100
Borehole radius (inches) =	1.5

Total testing interval (ft) =	4.5
Length of pipe above ground (ft) =	3
Length of pipe below ground (ft) =	39.5
Total length for losses (ft) =	42.5

Hydraulic Conductivity = cm/s ft/s
 Maximum = cm/s ft/s
 Minimum = cm/s ft/s



Flow Pressure (psi) =	15			30			45			30			15		
Time (min)	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow
0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0
1	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0
2	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0
3	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0
4	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0
5	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0	5.50	0.0	0.0

Average Flowrate (gal/min) =	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>
Applied pressure (psi) =	<input type="text" value="15"/>	<input type="text" value="30"/>	<input type="text" value="45"/>	<input type="text" value="30"/>	<input type="text" value="15"/>
Friction loss/foot (psi) =	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>
Friction loss (psi) =	<input type="text" value="3.3"/>	<input type="text" value="3.3"/>	<input type="text" value="3.3"/>	<input type="text" value="3.3"/>	<input type="text" value="3.3"/>
Effective pressure (psi) =	<input type="text" value="11.7"/>	<input type="text" value="26.7"/>	<input type="text" value="41.7"/>	<input type="text" value="26.7"/>	<input type="text" value="11.7"/>

USBR 7310-89 Calculation for Hydraulic Conductivity

q (constant rate of flow into the test interval), cm ³ /s =	0.0	0.0	0.0	0.0	0.0
L (length of the test interval), cm =	137.2	137.2	137.2	137.2	137.2
H _g (distance from ground water to pressure gauge), cm =	91.4	91.4	91.4	91.4	91.4
H _p (linear units of water head), cm =	825.7	1881.9	2938.0	1881.9	825.7
H (total gravity and pressure differential head), cm =	917.2	1973.3	3029.4	1973.3	917.2
r (radius of borehole), cm =	3.8	3.8	3.8	3.8	3.8
k (hydraulic conductivity), cm/s =	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>
k (hydraulic conductivity), ft/s =	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>

PolyMet 2014 Packer Testing

Performed: 5/2/2014

Analyzed: 5/21/2014



B14-55, 46 - 50.5ft

Notes: Single Packer Test

Packer length (ft) =	2
Screened interval (ft) =	
Total depth of boring (ft) =	50.5
Test interval top (ft) =	46
Test interval bottom (ft) =	50.5
Original GWT (ft) =	0
GWT before inflation (ft) =	0
GWT after inflation (ft) =	0
GWT during test (ft) =	0
GWT at end of test (ft) =	0
Height of pressure gauge (ft) =	3
Packer inflation pressure (psi) =	140
RQD for test interval (%) =	48
Borehole radius (inches) =	1.5

Total testing interval (ft) =	4.5
Length of pipe above ground (ft) =	3
Length of pipe below ground (ft) =	44
Total length for losses (ft) =	47

Hydraulic Conductivity = cm/s ft/s
 Maximum = cm/s ft/s
 Minimum = cm/s ft/s



Flow Pressure (psi) =	15			30			45			30			15		
Time (min)	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow
0	1.20	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0
1	1.20	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0
2	1.20	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0
3	1.20	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0
4	1.20	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0
5	1.20	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0	1.30	0.0	0.0

Average Flowrate (gal/min) =	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>
Applied pressure (psi) =	<input type="text" value="15"/>	<input type="text" value="30"/>	<input type="text" value="45"/>	<input type="text" value="30"/>	<input type="text" value="15"/>
Friction loss/foot (psi) =	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>	<input type="text" value="0.08"/>
Friction loss (psi) =	<input type="text" value="3.6"/>	<input type="text" value="3.6"/>	<input type="text" value="3.6"/>	<input type="text" value="3.6"/>	<input type="text" value="3.6"/>
Effective pressure (psi) =	<input type="text" value="11.4"/>	<input type="text" value="26.4"/>	<input type="text" value="41.4"/>	<input type="text" value="26.4"/>	<input type="text" value="11.4"/>

USBR 7310-89 Calculation for Hydraulic Conductivity

q (constant rate of flow into the test interval), cm ³ /s =	0.0	0.0	0.0	0.0	0.0
L (length of the test interval), cm =	137.2	137.2	137.2	137.2	137.2
H _g (distance from ground water to pressure gauge), cm =	91.4	91.4	91.4	91.4	91.4
H _p (linear units of water head), cm =	801.3	1857.5	2913.6	1857.5	801.3
H (total gravity and pressure differential head), cm =	892.8	1948.9	3005.0	1948.9	892.8
r (radius of borehole), cm =	3.8	3.8	3.8	3.8	3.8
k (hydraulic conductivity), cm/s =	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>
k (hydraulic conductivity), ft/s =	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>	<input type="text" value="0.00E+00"/>

PolyMet 2014 Packer Testing

Performed: 4/3/2014

Analyzed: 5/21/2014



B14-44, 34 - 42ft

Notes: Single Packer Test

Packer length (ft) =	2
Screened interval (ft) =	
Total depth of boring (ft) =	42
Test interval top (ft) =	34
Test interval bottom (ft) =	42
Original GWT (ft) =	0
GWT before inflation (ft) =	0
GWT after inflation (ft) =	0
GWT during test (ft) =	0
GWT at end of test (ft) =	0
Height of pressure gauge (ft) =	3
Packer inflation pressure (psi) =	140
RQD for test interval (%) =	69
Borehole radius (inches) =	1.5

Total testing interval (ft) =	8
Length of pipe above ground (ft) =	3
Length of pipe below ground (ft) =	32
Total length for losses (ft) =	35

Hydraulic Conductivity = **3.93E-05** cm/s **1.29E-06** ft/s
 Maximum = **1.29E-04** cm/s **4.24E-06** ft/s
 Minimum = **3.93E-05** cm/s **1.29E-06** ft/s



Flow Pressure (psi) =	15			30			45			30			15		
Time (min)	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow
0	7.0	0.0	0.0	8.5	0.0	0.0	2.6	0.0	0.0	2.7	0.0	0.0	0.5	0.0	0.0
1	7.1	0.1	0.1	9.2	0.7	0.7	3.9	1.3	1.3	4.0	1.3	1.3	1.1	0.6	0.6
2	7.4	0.4	0.3	9.9	1.4	0.7	5.8	3.2	1.9	5.6	2.9	1.6	1.8	1.3	0.7
3	7.7	0.7	0.3	10.5	2.0	0.6	6.7	4.1	0.9	7.1	4.4	1.5	2.6	2.1	0.8
4	7.9	0.9	0.2	11.2	2.7	0.7	8.3	5.7	1.6	8.7	6.0	1.6	3.3	2.8	0.7
5	8.1	1.1	0.2	11.9	3.4	0.7	11.4	8.8	3.1	10.3	7.6	1.6	3.9	3.4	0.6

Average Flowrate (gal/min) =	0.2	0.7	1.8	1.5	0.7
Applied pressure (psi) =	15	30	45	30	15
Friction loss/foot (psi) =	0.08	0.08	0.08	0.08	0.08
Friction loss (psi) =	2.7	2.7	2.7	2.7	2.7
Effective pressure (psi) =	12.3	27.3	42.3	27.3	12.3

USBR 7310-89 Calculation for Hydraulic Conductivity

q (constant rate of flow into the test interval), cm ³ /s =	13.9	42.9	111.0	95.9	42.9
L (length of the test interval), cm =	243.8	243.8	243.8	243.8	243.8
H _g (distance from ground water to pressure gauge), cm =	91.4	91.4	91.4	91.4	91.4
H _p (linear units of water head), cm =	866.4	1922.5	2978.6	1922.5	866.4
H (total gravity and pressure differential head), cm =	957.8	2014.0	3070.1	2014.0	957.8
r (radius of borehole), cm =	3.8	3.8	3.8	3.8	3.8
k (hydraulic conductivity), cm/s =	3.93E-05	5.78E-05	9.82E-05	1.29E-04	1.22E-04
k (hydraulic conductivity), ft/s =	1.29E-06	1.90E-06	3.22E-06	4.24E-06	3.99E-06

PolyMet 2014 Packer Testing

Performed: 4/3/2014

Analyzed: 5/21/2014



B14-44, 42 - 46ft

Notes: Double Packer Test

Packer length (ft) =	2
Screened interval (ft) =	3
Total depth of boring (ft) =	46
Test interval top (ft) =	42
Test interval bottom (ft) =	46
Original GWT (ft) =	0
GWT before inflation (ft) =	0
GWT after inflation (ft) =	0
GWT during test (ft) =	0
GWT at end of test (ft) =	0
Height of pressure gauge (ft) =	3
Packer inflation pressure (psi) =	140
RQD for test interval (%) =	92
Borehole radius (inches) =	1.5

Total testing interval (ft) =	4
Length of pipe above ground (ft) =	3
Length of pipe below ground (ft) =	40
Total length for losses (ft) =	43

Hydraulic Conductivity = **5.79E-05** cm/s **1.90E-06** ft/s
 Maximum = **8.12E-05** cm/s **2.66E-06** ft/s
 Minimum = **0.00E+00** cm/s **0.00E+00** ft/s



Flow Pressure (psi) =	15			30			45			30			15		
Time (min)	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow
0	4.6	0.0	0.0	6.3	0.0	0.0	9.2	0.0	0.0	2.9	0.0	0.0	3.8	0.0	0.0
1	4.9	0.3	0.3	6.8	0.5	0.5	9.9	0.7	0.7	3.1	0.2	0.2	3.8	0.0	0.0
2	5.2	0.6	0.3	7.1	0.8	0.3	10.6	1.4	0.7	3.3	0.4	0.2	3.8	0.0	0.0
3	5.5	0.9	0.3	7.5	1.2	0.4	11.2	2.0	0.6	3.3	0.4	0.0	3.8	0.0	0.0
4	5.7	1.1	0.2	7.9	1.6	0.4	11.9	2.7	0.7	3.4	0.5	0.1	3.8	0.0	0.0
5	5.9	1.3	0.2	8.3	2.0	0.4	12.6	3.4	0.7	3.8	0.9	0.4	3.8	0.0	0.0

Average Flowrate (gal/min) =	0.3	0.4	0.7	0.2	0.0
Applied pressure (psi) =	15	30	45	30	15
Friction loss/foot (psi) =	0.08	0.08	0.08	0.08	0.08
Friction loss (psi) =	3.3	3.3	3.3	3.3	3.3
Effective pressure (psi) =	11.7	26.7	41.7	26.7	11.7

USBR 7310-89 Calculation for Hydraulic Conductivity

q (constant rate of flow into the test interval), cm ³ /s =	16.4	25.2	42.9	11.4	0.0
L (length of the test interval), cm =	121.9	121.9	121.9	121.9	121.9
H _g (distance from ground water to pressure gauge), cm =	91.4	91.4	91.4	91.4	91.4
H _p (linear units of water head), cm =	823.0	1879.1	2935.3	1879.1	823.0
H (total gravity and pressure differential head), cm =	914.4	1970.6	3026.7	1970.6	914.4
r (radius of borehole), cm =	3.8	3.8	3.8	3.8	3.8
k (hydraulic conductivity), cm/s =	8.12E-05	5.79E-05	6.41E-05	2.61E-05	0.00E+00
k (hydraulic conductivity), ft/s =	2.66E-06	1.90E-06	2.10E-06	8.55E-07	0.00E+00

PolyMet 2014 Packer Testing

Performed: 4/18/2014

Analyzed: 5/21/2014

B14-65, 24 - 30ft



Notes: Double Packer Test

Packer length (ft) =	2
Screened interval (ft) =	5
Total depth of boring (ft) =	37
Test interval top (ft) =	24
Test interval bottom (ft) =	30
Original GWT (ft) =	0
GWT before inflation (ft) =	0
GWT after inflation (ft) =	0
GWT during test (ft) =	0
GWT at end of test (ft) =	0
Height of pressure gauge (ft) =	3
Packer inflation pressure (psi) =	140
RQD for test interval (%) =	81
Borehole radius (inches) =	1.5

Total testing interval (ft) =	6
Length of pipe above ground (ft) =	8.5
Length of pipe below ground (ft) =	22
Total length for losses (ft) =	30.5

Hydraulic Conductivity = **5.19E-05** cm/s
 Maximum = **6.18E-05** cm/s
 Minimum = **5.19E-05** cm/s

1.70E-06 ft/s
2.03E-06 ft/s
1.70E-06 ft/s



Flow Pressure (psi) =	15			30			45			30			15		
Time (min)	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow
0	4.5	0.0	0.0	6.1	0.0	0.0	9.7	0.0	0.0	4.5	0.0	0.0	7.3	0.0	0.0
1	4.7	0.2	0.2	6.6	0.5	0.5	10.6	0.9	0.9	5.0	0.5	0.5	7.5	0.2	0.2
2	4.9	0.4	0.2	7.2	1.1	0.6	11.5	1.8	0.9	5.6	1.1	0.6	7.8	0.5	0.3
3	5.2	0.7	0.3	7.7	1.6	0.5	12.3	2.6	0.8	6.2	1.7	0.6	8.0	0.7	0.2
4	5.5	1.0	0.3	8.3	2.2	0.6	13.3	3.6	1.0	6.7	2.2	0.5	8.3	1.0	0.3
5	5.7	1.2	0.2	8.8	2.7	0.5	14.2	4.5	0.9	7.3	2.8	0.6	8.6	1.3	0.3

Average Flowrate (gal/min) =	0.2	0.5	0.9	0.6	0.3
Applied pressure (psi) =	15	30	45	30	15
Friction loss/foot (psi) =	0.08	0.08	0.08	0.08	0.08
Friction loss (psi) =	2.3	2.3	2.3	2.3	2.3
Effective pressure (psi) =	12.7	27.7	42.7	27.7	12.7

USBR 7310-89 Calculation for Hydraulic Conductivity

q (constant rate of flow into the test interval), cm ³ /s =	15.1	34.1	56.8	35.3	16.4
L (length of the test interval), cm =	182.9	182.9	182.9	182.9	182.9
H _g (distance from ground water to pressure gauge), cm =	91.4	91.4	91.4	91.4	91.4
H _p (linear units of water head), cm =	890.8	1946.9	3003.0	1946.9	890.8
H (total gravity and pressure differential head), cm =	982.2	2038.3	3094.5	2038.3	982.2
r (radius of borehole), cm =	3.8	3.8	3.8	3.8	3.8
k (hydraulic conductivity), cm/s =	5.19E-05	5.63E-05	6.18E-05	5.84E-05	5.63E-05
k (hydraulic conductivity), ft/s =	1.70E-06	1.85E-06	2.03E-06	1.92E-06	1.85E-06

PolyMet 2014 Packer Testing

Performed: 4/18/2014

Analyzed: 5/21/2014



B14-65, 27.5 - 33.5ft

Notes: Double Packer Test

Packer length (ft) =	2
Screened interval (ft) =	5
Total depth of boring (ft) =	37
Test interval top (ft) =	27.5
Test interval bottom (ft) =	33.5
Original GWT (ft) =	0
GWT before inflation (ft) =	0
GWT after inflation (ft) =	0
GWT during test (ft) =	0
GWT at end of test (ft) =	0
Height of pressure gauge (ft) =	3
Packer inflation pressure (psi) =	140
RQD for test interval (%) =	74
Borehole radius (inches) =	1.5

Total testing interval (ft) =	6
Length of pipe above ground (ft) =	5
Length of pipe below ground (ft) =	25.5
Total length for losses (ft) =	30.5

Hydraulic Conductivity = $1.90E-04$ cm/s $6.23E-06$ ft/s
 Maximum = $3.64E-04$ cm/s $1.19E-05$ ft/s
 Minimum = $1.90E-04$ cm/s $6.23E-06$ ft/s



Flow Pressure (psi) =	15			30			45			30			15		
Time (min)	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow
0	0.0	0.0	0.0	6.5	0.0	0.0	7.5	0.0	0.0	9.1	0.0	0.0	4.3	0.0	0.0
1	1.1	1.1	1.1	8.5	2.0	2.0	10.7	3.2	3.2	12.0	2.9	2.9	5.9	1.6	1.6
2	2.1	2.1	1.0	10.3	3.8	1.8	14.5	7.0	3.8	15.0	5.9	3.0	7.6	3.3	1.7
3	3.2	3.2	1.1	12.1	5.6	1.8	18.8	11.3	4.3	17.9	8.8	2.9	9.2	4.9	1.6
4	4.1	4.1	0.9	13.9	7.4	1.8	23.5	16.0	4.7	21.0	11.9	3.1	11.0	6.7	1.8
5	5.3	5.3	1.2	15.6	9.1	1.7	28.0	20.5	4.5	24.0	14.9	3.0	12.7	8.4	1.7

Average Flowrate (gal/min) =	1.1	1.8	4.1	3.0	1.7
Applied pressure (psi) =	15	30	45	30	15
Friction loss/foot (psi) =	0.08	0.08	0.08	0.08	0.08
Friction loss (psi) =	2.3	2.3	2.3	2.3	2.3
Effective pressure (psi) =	12.7	27.7	42.7	27.7	12.7

USBR 7310-89 Calculation for Hydraulic Conductivity

q (constant rate of flow into the test interval), cm ³ /s =	66.9	114.8	258.7	188.0	106.0
L (length of the test interval), cm =	182.9	182.9	182.9	182.9	182.9
H _g (distance from ground water to pressure gauge), cm =	91.4	91.4	91.4	91.4	91.4
H _p (linear units of water head), cm =	890.8	1946.9	3003.0	1946.9	890.8
H (total gravity and pressure differential head), cm =	982.2	2038.3	3094.5	2038.3	982.2
r (radius of borehole), cm =	3.8	3.8	3.8	3.8	3.8
k (hydraulic conductivity), cm/s =	2.29E-04	1.90E-04	2.82E-04	3.11E-04	3.64E-04
k (hydraulic conductivity), ft/s =	7.53E-06	6.23E-06	9.24E-06	1.02E-05	1.19E-05

PolyMet 2014 Packer Testing

Performed: 4/3/2014

Analyzed: 5/21/2014



B14-76, 37 - 42ft

Notes: Single Packer Test

Packer length (ft) =	2
Screened interval (ft) =	5
Total depth of boring (ft) =	42
Test interval top (ft) =	37
Test interval bottom (ft) =	42
Original GWT (ft) =	0
GWT before inflation (ft) =	0
GWT after inflation (ft) =	0
GWT during test (ft) =	0
GWT at end of test (ft) =	0
Height of pressure gauge (ft) =	3
Packer inflation pressure (psi) =	140
RQD for test interval (%) =	70
Borehole radius (inches) =	1.5

Total testing interval (ft) =	5
Length of pipe above ground (ft) =	3
Length of pipe below ground (ft) =	35
Total length for losses (ft) =	38

Hydraulic Conductivity = **9.00E-05** cm/s **2.95E-06** ft/s
 Maximum = **3.36E-04** cm/s **1.10E-05** ft/s
 Minimum = **9.00E-05** cm/s **2.95E-06** ft/s



Flow Pressure (psi) =	15			30			45			30			15		
Time (min)	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow	Flow (gal)	Cumulative	Partial Flow
0	9.5	0.0	0.0	2.5	0.0	0.0	8.0	0.0	0.0	4.0	0.0	0.0	8.4	0.0	0.0
1	10.0	0.5	0.5	3.2	0.7	0.7	10.8	2.8	2.8	6.7	2.7	2.7	9.7	1.3	1.3
2	10.5	1.0	0.5	3.9	1.4	0.7	14.0	6.0	3.2	9.1	5.1	2.4	11.1	2.7	1.4
3	10.5	1.0	0.0	4.7	2.2	0.8	17.0	9.0	3.0	11.5	7.5	2.4	12.4	4.0	1.3
4	11.0	1.5	0.5	5.5	3.0	0.8	20.1	12.1	3.1	13.9	9.9	2.4	13.6	5.2	1.2
5	11.5	2.0	0.5	6.2	3.7	0.7	23.2	15.2	3.1	16.0	12.0	2.1	14.9	6.5	1.3

Average Flowrate (gal/min) =	0.4	0.7	3.0	2.4	1.3
Applied pressure (psi) =	15	30	45	30	15
Friction loss/foot (psi) =	0.08	0.08	0.08	0.08	0.08
Friction loss (psi) =	2.9	2.9	2.9	2.9	2.9
Effective pressure (psi) =	12.1	27.1	42.1	27.1	12.1

USBR 7310-89 Calculation for Hydraulic Conductivity

q (constant rate of flow into the test interval), cm ³ /s =	25.2	46.7	191.8	151.4	82.0
L (length of the test interval), cm =	152.4	152.4	152.4	152.4	152.4
H _g (distance from ground water to pressure gauge), cm =	91.4	91.4	91.4	91.4	91.4
H _p (linear units of water head), cm =	850.1	1906.2	2962.4	1906.2	850.1
H (total gravity and pressure differential head), cm =	941.6	1997.7	3053.8	1997.7	941.6
r (radius of borehole), cm =	3.8	3.8	3.8	3.8	3.8
k (hydraulic conductivity), cm/s =	1.03E-04	9.00E-05	2.42E-04	2.92E-04	3.36E-04
k (hydraulic conductivity), ft/s =	3.39E-06	2.95E-06	7.94E-06	9.58E-06	1.10E-05