


# TOMORROW'S HABITAT

FOR THE  
WILD & RARE

AN ACTION PLAN FOR MINNESOTA WILDLIFE

## BLUFFLANDS SUBSECTION PROFILE



MINNESOTA'S COMPREHENSIVE WILDLIFE CONSERVATION STRATEGY



# Blufflands

## SUBSECTION OVERVIEW

The Blufflands Subsection in southeastern Minnesota, dominated by the Mississippi River, is characterized by bluff prairies, steep bluffs, and stream valleys, often 500 to 600 feet deep. Numerous cold-water trout streams feed major rivers such as the Root, Whitewater, Zumbro, and Cannon. Rich hardwood forests grow along the river valleys, and river-bottom forests grow along major streams and backwaters. There are few lakes.

Agriculture, both row crops and pastures, takes place in former savanna and prairie areas and is the most prominent land use in this subsection. Forestry is also an important land use, and outdoor recreational opportunities abound, with significant amounts of public lands along the river corridor. Retaining or restoring the health of stream systems is an important conservation objective in this subsection.

## SPECIES IN GREATEST CONSERVATION NEED

156 Species in Greatest Conservation Need (SGCN) are known or predicted to occur within the Blufflands – the most of all the subsections in Minnesota. These SGCN include 82 species that are federal or state endangered, threatened, or of special concern. The table, SGCN by Taxonomic Group, displays by taxonomic group the number of SGCN that occur in the subsection, as well as the percentage of the total SGCN set represented by each taxon. For example, 9 mammal SGCN are known or predicted to occur in the Blufflands, approximately 41% of all mammal SGCN in the state.

### SGCN BY TAXONOMIC GROUP

Taxa	# of SGCN	Percentage of SGCN Set by Taxon	Examples of SGCN
Amphibians	3	50.0	Pickerel frog
Birds	53	54.6	Blue-winged warbler
Fishes	26	55.3	Crystal darter
Insects	14	25.0	Karner blue butterfly
Mammals	9	40.9	Northern myotis
Mollusks	32	82.1	Hubricht's vertigo
Reptiles	16	94.1	Timber rattlesnake
Spiders	3	37.5	<i>P. apacheanus</i>

## SPECIES SPOTLIGHT

### Timber rattlesnake (*Crotalus horridus*)

**Distribution** Blufflands of SE Minnesota along the Mississippi River and its tributaries.

**Abundance** Uncommon, with spotty distribution in some DNR state parks, WMAs, and private lands.

**Legal Status** State list-Threatened.

**Comments** This snake is benefiting from legal protection, DNR education workshops for landowners and law enforcement officials, and the federal Landowner Incentive Program, a state-administered voluntary program that provides funding to private landowners to implement habitat management projects benefiting “at-risk” species.

## Quick facts

Acres: 1,287,434 (2.4% of state)

### Ownership


Public	Private	Tribal
11.2%	88.8%	0.0%

Population density (people/sq. mi.)

Current	Change (2000-2010)
58.7	+3.1



Current Land Use/Land Cover




## HIGHLIGHTS

- The Blufflands provides a critical migratory corridor for forest songbirds, raptors, and waterfowl. It is the most important subsection for reptiles and one of the most important subsections for mollusks.
- It is an important area for birds such as Henslow's sparrows, prothonotary warblers, red-shouldered hawks, Louisiana waterthrushes, and peregrine falcons. It is also an important area for Karner blue butterflies and Blanding's turtles.
- Reptiles, amphibians, snails, mussels, and fish are special features of this landscape, including timber rattlesnakes, milk snakes, paddlefish, shovelnose sturgeon, pallid shiners, American eels, pirate perch, skipjack herrings, and several Pleistocene snails.
- Areas important for SGCN include the Whitewater, Gores Pool, and McCarthy Lake WMAs; Upper Mississippi River NWR; Kellogg-Weaver Dunes, Great River Bluffs, John Latsch, Whitewater, and Frontenac SPs; and Cannon River Turtle Preserve and Mound Prairie SNAs.



Photo by Barney Oldfield

SGCN ELEMENT OCCURRENCES BY TOWNSHIP



This map depicts the number of validated records of species in greatest conservation need since 1990 per township and public land/conservancy land. It suggests relationships between known SGCN occurrences and conservation management lands.

Sources: MN DNR Natural Heritage database, MN DNR County Biological Survey (MCBS), MN DNR Statewide Mussel Survey, MN DNR Fisheries Fish database. Areas with no MCBS animal surveys may have had mussel and fish surveys, as well as reports of other species occurrences recorded in the MN DNR Natural Heritage database.

SPECIES PROBLEM ANALYSIS

The species problem analysis provides information on the factors influencing the vulnerability or decline of SGCN that are known or predicted to occur in the subsection. The table lists the nine problems, or factors, used in the analysis, and the percentage of SGCN in the subsection for which each factor influences species vulnerability or decline. The results of the species problem analysis indicate that habitat loss and degradation in the subsection are the most significant challenges facing SGCN populations.

NOTE: The inverse of the percentages for each problem does not necessarily represent the percentage of SGCN for which the factor is not a problem, but instead may indicate that there is not sufficient information available to determine the level of influence the factor has on SGCN in the subsection.

Problem	Percentage of SGCN in the Subsection for Which This Is a Problem
Habitat Loss in MN	82
Habitat Degradation in MN	88
Habitat Loss/Degradation Outside of MN	27
Invasive Species and Competition	29
Pollution	35
Social Tolerance/Persecution/Exploitation	23
Disease	1
Food Source Limitations	4
Other	21

# Blufflands

## KEY HABITATS - For Species in Greatest Conservation Need

The CWCS identified key habitats for SGCN within the subsection using a combination of five analyses, labeled A-E below. The table depicts the five analyses, and under which analyses the key habitats qualified. To qualify as a key habitat for the subsection, the habitat had to meet the criteria used in at least one of the five analyses, as specified in the descriptions to the right of the table. The graphs below depict results from four (A-D) of the five analyses used in determining key habitats. Those habitats that meet the criteria are highlighted in **RED** in the graph for that analysis. Those habitats that do not meet the criteria are shaded in **GOLD**. Analysis E is not represented by a graph; the results of this analysis are presented as a list of key rivers/streams in Appendix I. For a more detailed explanation of the five analyses used, see [Chapter 7, Methods and Analyses](#).

KEY HABITATS	ANALYSIS				
	A	B	C	D	E
<a href="#">Oak Savanna</a>	X		X		
<a href="#">Prairie</a>	X	X	X		
<a href="#">Wetland-Nonforest</a>			*		
<a href="#">Shoreline-dunes-cliff/talus</a>		X			
<a href="#">River-Headwater to Large</a>				X	X
<a href="#">River-Very Large (Mississippi River)</a>				X	X

### Description of Analyses

**A: Terrestrial habitat use analysis** - terrestrial habitats that represent more than 5% of 1890s or 1990s landcover and are modeled to have the most SGCN using them based on a z-test with  $p < 0.01$ .

**B: Specialist terrestrial habitat use analysis** - terrestrial habitats that represent more than 5% of 1890s or 1990s landcover and have more than 15 species, 20% of which use 2 or fewer habitats (specialist species).


**C: Terrestrial habitat change analysis** - terrestrial habitats that represent more than 5% of the 1890s landcover and have declined by more than 50% in the 1990s landcover. For wetlands this change was based on an analysis done by Anderson & Craig in *Growing Energy Crops on Minnesota's Wetlands: The Land Use Perspective* (1984).

**D: Aquatic habitat use analysis** - lake or stream habitats that have the most SGCN use based on a z-test with  $p < 0.01$  of all subsections.


**E: The Nature Conservancy/SGCN Occurrence analysis** - stream reaches identified in the Areas of Aquatic Biodiversity Significance in the four TNC Ecoregional Assessments and reaches with high SGCN occurrences (see [Appendix I](#) for list of stream reaches).

\*Wetlands do not represent more than 5% of the 1890s or 1990s landcover, but the 1984 Anderson & Craig study indicates wetlands have declined by greater than 50% in this subsection.


### A/B – Terrestrial Habitat Use/Specialist Terrestrial Habitat Use



### C – Terrestrial Habitat Change




### D – Aquatic Habitat Use



### E – The Nature Conservancy/SGCN Occurrence

To reference the key rivers and streams for the subsection, see [Appendix I](#).

## DISTRIBUTION OF KEY HABITATS AND SPECIES RICHNESS BY TOWNSHIP



This map depicts key habitats and the number of species of SGCN per township based on the sources listed below. It suggests there is often a relationship between key habitats and species richness (i.e., the variety of species of SGCN in a township).

**Sources:**

- Major River Centerline Traces in Minnesota, 1984
- MCBS Native Plant Communities (NPC), 2005
- MN DNR 24K Rivers and Streams, 2005
- MN DNR County Biological Survey (MCBS), 2005
- MN DNR Fish database, 2005
- MN DNR Natural Heritage database, 2005
- MN DNR Statewide Mussel Survey, 2005
- The Nature Conservancy Rivers and Streams combined dataset, 2005

For more information on how this map was constructed, please see the [Subsection Profile Overview in Chapter 5](#).

## SUBSECTION HABITAT PERCENTAGES AND HABITAT USE BY SGCN TAXA

This table presents information on the percentages for each habitat in the subsection (showing changes in coverage between the mid- to late 1800s and the 1990s), as well as habitat use by SGCN taxonomic group. Habitats are listed in ranked order for percent coverage within the subsection in the 1990s. Key habitats for the subsection (as identified on previous page) are listed in **BOLD**. SGCN habitat use is broken down by taxonomic group, with a total number of species for all taxonomic groups listed at the far right of the table.

HABITAT	Percentage of Subsection (1890s)	Percentage of Subsection (1990s)	SGCN BY TAXONOMIC GROUP							Total Number of Species
			Amphibians	Birds	Fishes	Insects	Mammals	Mollusks	Reptiles	
Cropland	N/A	34.0		5			3		1	9
Forest-Upland Deciduous (Hardwood)	33.6	28.3		15		3	5	1	6	30
Grassland	N/A	22.9		15			8		11	34
Forest-Lowland Deciduous	8.0	4.9	1	15			4		3	24
Developed	N/A	2.4		5		2	5		1	13
Lake-Deep	N/A	2.3	1	1	1				1	4
Lake-Shallow	N/A	1.4		7	1				2	10
<b>Oak Savanna</b>	45.1	1.1		16		5	8		11	40
<b>Wetland-Nonforest</b>	1.1	1.1	2	23		1	2		3	31
Forest-Lowland Coniferous	0.0	0.8		7			1			8
Forest-Upland Coniferous	0.0	0.8		13		2	3		7	25
Forest-Upland Deciduous (Aspen-oak)	1.6	0.0		13			3			16
<b>Prairie</b>	7.3	0.0		13		7	7		11	41
<b>Shoreline-dunes-cliff/talus</b>	N/A	N/A	1	11		1		5	6	24
Shrub-Lowland	N/A	N/A	1	14			2		2	19
<b>River-Headwater to Large</b>	N/A	N/A	2	3	14	3		9	4	35
<b>River-Very Large (Mississippi River)</b>	N/A	N/A	2	2	19			24	4	51

N/A: Insufficient data available to determine percent coverage within subsection. We have no data to indicate the existence of cropland, grassland, or developed land prior to settlement by people of European descent, although these land uses likely did occur at very low levels.  
 NOTE: 0.0 indicates less than 0.05 percent coverage.

## Ten-Year Goals, Management Challenges, Strategies, and Priority Conservation Actions

### Goal I: Stabilize and increase SGCN populations

*Management Challenge 1 – There has been significant loss and degradation of SGCN habitat*

*Strategy I A – Identify key SGCN habitats and focus management efforts on them*

#### Priority Conservation Actions to Maintain, Enhance, and Protect the Key Habitats

1. **Oak savanna habitats**, actions include:
  - a. Manage invasive species
  - b. Use prescribed fire and other practices to maintain savanna
  - c. Encourage oak savanna restoration efforts
  - d. Provide technical assistance and protection opportunities to interested individuals and organizations
2. **Native prairie habitats**, actions include:
  - a. Manage invasive species
  - b. Use prescribed fire and other practices to maintain prairie
  - c. Manage grasslands adjacent to native prairie to enhance SGCN habitat
  - d. Encourage prairie restoration efforts
  - e. Provide technical assistance and protection opportunities to interested individuals and organizations
3. **Nonforested wetlands**, actions include:
  - a. Enforce the Wetlands Conservation Act
  - b. Manage habitats adjacent to wetlands to enhance SGCN values
  - c. Provide technical assistance and protection opportunities to interested individuals and organizations
4. **Cliff and bluff habitats**, actions include:
  - a. Support the protection of cliff and bluff habitats from damaging development
  - b. Enhance cliff and bluff habitats to support SGCN
  - c. Provide technical assistance and protection opportunities to interested individuals and organizations
5. **Stream habitats**, actions include:
  - a. Maintain good-water quality, hydrology, geomorphology, and connectivity in priority stream reaches
  - b. Maintain and enhance riparian areas along priority stream reaches
  - c. Provide technical assistance and protection opportunities to interested individuals and organizations

*Management Challenge 2 – Some SGCN populations require specific management actions*

*Strategy I B – Manage federal and state listed species effectively*

#### Priority Conservation Actions for Specific SGCN

1. Implement existing federal recovery plans
2. Develop and implement additional recovery plans
3. Provide technical assistance to managers, officials, and interested individuals related to listed species
4. Enforce federal and state endangered species laws, as well as other wildlife laws and regulations

*Strategy I C – Manage emerging issues affecting specific SGCN populations*

#### Priority Conservation Actions for Specific SGCN

1. Work with partners to effectively address emerging issues affecting SGCN populations
2. Enforce federal and state wildlife laws and regulations

### Goal II: Improve knowledge about SGCN

*Management Challenge 1 – More information about SGCN and SGCN management is needed*

*Strategy II A – Survey SGCN populations and habitats*

#### Priority Conservation Actions for Surveys

1. Survey SGCN populations within the subsection, actions include:
  - a. Continue MCBS rare animal surveys
  - b. Survey SGCN populations related to key habitats
  - c. Survey wildlife taxa underrepresented by MCBS animal surveys
2. Survey SGCN habitats within the subsection, actions include:
  - a. Assess the amount and quality of key habitats and map their locations

## *Strategy II B – Research populations, habitats, and human attitudes/activities*

### **Priority Conservation Actions for Research**

1. Research important aspects of species populations within the subsection, actions include:
  - a. Better understand the life history and habitat requirements of important SGCN
2. Research important aspects of SGCN habitats within the subsection, actions include:
  - a. Identify best management practices for maintaining and enhancing key habitats
  - b. Identify important patterns and distributions of key habitats to better support SGCN populations
  - c. Identify important functional components within key habitats to support specific SGCN
  - d. Explore important, emerging SGCN habitat management issues
3. Research important aspects of people’s understanding of SGCN within the subsection, actions include:
  - a. Identify people’s attitudes and values regarding SGCN
  - b. Identify places and ways people can enjoy and appreciate SGCN

## *Strategy II C – Monitor long-term changes in SGCN populations and habitats*

### **Priority Conservation Actions for Monitoring**

1. Monitor long-term trends in SGCN populations, actions include:
  - a. Continue existing population monitoring activities
  - b. Develop additional monitoring activities for specific SGCN populations
2. Monitor long-term trends in SGCN habitats, actions include:
  - a. Develop long-term monitoring activities for important SGCN habitats

## *Strategy II D – Create performance measures and maintain information systems*

### **Priority Conservation Actions for Performance Measures and Information Systems**

1. Create and use performance measures, actions include:
  - a. Develop partner-specific performance measures within the subsection
  - b. Develop project-specific performance measures for SWG-funded projects
  - c. Actively incorporate monitoring and performance measure information to enhance adaptive management
2. Maintain and update information management systems

## **Goal III: Enhance people’s appreciation and enjoyment of SGCN**

### *Management Challenge 1 – Need for greater appreciation of SGCN by people*

#### *Strategy III A – Develop outreach and recreation actions*

### **Priority Conservation Actions for Outreach and Recreation**

1. Create new information and communicate with people to enhance their appreciation of SGCN
2. Create opportunities for people to appropriately enjoy SGCN-based recreation

# ***Tomorrow's Habitat for the Wild and Rare: An Action Plan for Minnesota Wildlife***

## **How to use this subsection profile**

### **Intended audience: Natural resource professionals and interested stakeholders**

- ✧ Identify how the priority conservation actions and key habitats intersect and inform your current and future priorities.
- ✧ Using your additional insights and local knowledge, “step-down” the priority conservation actions into more detailed actions and practical on-ground tasks.
- ✧ Use it to understand species in greatest conservation need priorities and tell a story about the subsection (its history, biology, ecology, demography) to other natural resource professionals, managers, decision makers and land owners.
- ✧ Visit our website, or give us a call, and tell us how you’re using it, how others are using it, and ideas that “step-down” the priority conservation actions.

### **Website:**

[www.dnr.state.mn.us/cwcs](http://www.dnr.state.mn.us/cwcs)

### **For more information, please contact:**

Emmett Mullin, Project Manager, MN DNR, phone: 651-259-5566, email: emmett.mullin@dnr.state.mn.us

Daren Carlson, Ecologist/GIS Analyst, MN DNR, phone: 651-259-5079, email: daren.carlson@dnr.state.mn.us

Brian Stenquist, Strategic Planner, MN DNR, phone: 651-259-5144, email: brian.stenquist@dnr.state.mn.us

### **How to cite this document:**

Minnesota Department of Natural Resources, 2006. *Tomorrow's Habitat for the Wild and Rare: An Action Plan for Minnesota Wildlife*, Comprehensive Wildlife Conservation Strategy. Division of Ecological Services, Minnesota Department of Natural Resources.



©2006, State of Minnesota, Department of Natural Resources

Department of Natural Resources  
500 Lafayette Road  
St. Paul, MN 55155-4040  
(651) 296-6157 (Metro Area)  
1-888-MINNDNR (646-6367) (MN Toll Free)

Equal opportunity to participate in and benefit from programs of the Minnesota Department of Natural Resources is available to all individuals regardless of race, color, creed, religion, national origin, sex, marital status, public assistance status, age, sexual orientation, disability or activity on behalf of a local human rights commission. Discrimination inquiries should be sent to MN DNR, 500 Lafayette Road, St. Paul, MN 55155-4049; or the Equal Opportunity Office, Department of the Interior, Washington, D.C. 20240.

This document is available in alternative formats to individuals with disabilities by calling (651) 296-6157 (Metro Area) or 1-888-MINNDNR (MN Toll Free) or Telecommunication Device for the Deaf/TTY: (651) 296-5484 (Metro Area) or 1-800-657-3929 (Toll Free TTY).

Printed on recycled paper containing a minimum of 10% post-consumer waste and soy-based ink.