GUIDE TO THE NONGAME MAMMALS OF

SOUTHWEST MINNESOTA-

REGION 4W



MINNESOTA

DEPARTMENT OF

NATURAL

RESOUCES

Guide to the Nongame Mammals of Southwest Minnesota

Region 4 West

By Carrol Henderson and Julie Reitter

This preliminary guide has been prepared as a reference to the occurrence and distribution of nongame mammals of Region 4 West in southwest Minnesota. Taxonomy is based on Jones, et al., (1975). Identification marks are described in Burt and Grossenheider (1964).

Game mammals are not included in this survey.

Counties in this region are Redwood, Renville, Kandiyohi, Lac Qui Parle, Yellow Medicine, Chippewa, Swift, Big Stone, and Meeker. Figure 1 is a map of Region 4 West.

Table 1 is a list of the nongame mammals of Region 4 West.

TABLE 1 - Nongame Mammals of Region 4 West

Marsupials

Virginia opossum (A)

Insectivores

Masked shrew
Arctic shrew
Northern water shrew (?)
Pygmy shrew (?)
Short-tailed shrew
Eastern mole

Bats

Little brown bat Keen's little brown bat (?)* Silver-haired bat Eastern pipistrelle (?)* Big brown bat* Red bat Hoary bat

Carnivores

Short-tailed weasel Least weasel* Long-tailed weasel* Spotted skunk* Striped skunk Coyote Cougar (A)*

Squirrels

Woodchuck
Thirteen-lined ground squirrel
Richardson's ground squirrel
Franklin's ground squirrel
Eastern chipmunk
Southern flying squirrel*
Northern flying squirrel (?)*
Red squirrel

Other Rodents

Plains pocket gopher
Plains pocket mouse
Western harvest mouse
Deer mouse
White-footed mouse
Northern grasshopper mouse*
Gapper's red-backed vole
Meadow vole
Prairie vole
Norway rat (E)
House mouse (E)
Meadow jumping mouse

Ungulates

Pronghorn (A)*
American elk (X)

Key

- * Priority species reports needed
- ** Priority species known only from this region
- E Exotic species
- ? Hypothetical species
- A Accidental species
- X Extirpated species

A total of 37 nongame mammal species are found in Region 4 West. The northern water shrew, pygmy shrew, Keen's little brown bat, eastern pipistrelle, and northern flying squirrel are hypothetical and need documentation to verify their presence.

The house mouse and Norway rat are the only two exotic species.

The American elk is extirpated from this region.

Priority Species

There are no species which are found only in Region 4 West. Priority species on which more data is needed are the big brown bat, least weasel, long-tailed weasel, spotted skunk, cougar, northern grasshopper mouse, and pronghorn.

Threatened and Endangered Species

There are no officially threatened or endangered nongame mammals in Region 4 West.

Data Collection

If you encounter any new county records, be sure to record the date, county, township, range, section number (or distance and direction from the nearest town) and habitat in which the animal was found. Note all identifying features which distinguish that species from similar ones. Photographs or plaster casts of tracks are important for large mammals like cougars. Skulls of small mammal specimens should be retained for documentation of new county records when studies result in the collection of specimens.

Mammal records should be sent to the Nongame Supervisor, Department of Natural Resources, Box 7, Centennial Bldg., 658 Cedar St., St. Paul, Minnesota 55155.

County Records

County records for this region are given in Table 2.

TABLE 2 - Nongame Mammals of Region 4 West

| | REDWOOD | RENVILLE | KANDIYOHI | LAC QUI PARLE | YELLOW MEDICINE | CHIPPEWA | SWIFT | BIG STONE | MEEKER |
|------------------------------|---------|----------|-----------|---------------|--------------------|----------|-------|-----------|-----------|
| Virginia Opossum | X5 | | | | | | | | |
| Masked Shrew | X5 | X5 | X5 | X5,6+ | | | | X5 | |
| Arctic Shrew | | SF. | | | | | | | X8 |
| Northern Water Shrew | | | | | | | | | |
| Pygmy Shrew | | | | | | | | | |
| Short-tailed Shrew | х5 | X5 | х7 | X5,6+ | Х5 | | X5,6+ | X5,6- | |
| Eastern Mole | X5 | х8 | | | | | | | |
| Little Brown Bat | | | | X4 | | | | | |
| Keen's Little Brown Bat | | | | | | | Bue | | |
| Silver-Haired Bat | | | X5,7 | | | | | | |
| Eastern Pipistrelle | | | | | | | | | |
| Big Brown Bat | x5 | | х7 | | | | | | |
| Red Bat | | | | X5,6- | | | | | X5,6 |
| Hoary Bat | | | | | | | | X5 | X5, 6+ |
| Short-tailed Weasel | X5 | х7 | | | X5,6- | | | | |
| Least Weasel | | х7 | X4 | | | | | | |
| Long-tailed Weasel | X4 | | X4 | X4 | | X4 | X4,7 | х4 | |
| Spotted Skunk | X5,6- | | | X5,6- | | X5,6- | X5,6- | | X5, 6+ |
| Striped Skunk | X5 | X4,5 | X5,6- | X5,6- | X5,6- | X5,6- | X5,6- | X4,5 | X5 |
| Coyote | X4 | | | Х5 | X4 | | | | |
| Cougar | | | | | X4 | | | | |
| Woodchuck | | | X4 7 | X4 | | x4 - | | | |
| Richardson's Ground Squirrel | X4,5 | | | X4,5 6+ | X4,5 | | X4 | X4,5 | |

| | REDWOOD | RENVILLE | KANDIYOHI | LAC QUI PARLE | YELLOW | CHIPPEVA | THIMS | BIG STONE | MEEKER |
|--------------------------------|---------|----------|-----------|---------------|--------|----------|-------|-----------|--------|
| Thirteen-lined Ground Squirrel | | | X5,7 | X5,6+ | X5,6+ | X5 | X4,5 | X5,6- | |
| Franklin's Ground Squirrel | | X5 | х7 | Х4 | | | X4 | | |
| Eastern Chipmunk | | | х7 | | | | X4 | X5,6- | |
| Red Squirrel | X5 | X4 | X4,7 | X4 | X5 | X4 | | | |
| Southern Flying Squirrel | | х8 | | | | | | | |
| Northern Flying Squirrel | | | | | | | | | |
| Plains Pocket Gopher | X5 | | х7 | X5 | | | | X5,6- | |
| Plains Pocket Mouse | | | | X5,6+ | | | | | |
| Western Harvest Mouse | | X5,7 | | X5,6+ | | | | | |
| Deer Mouse | X5,6+ | X5 | X5,7 | X5,6+ | X5,6+ | X5 | X5 | X5,6+ | Х5 |
| White-footed Mouse | X5 | | х7 | X5 | X5,6+ | | | | |
| Northern Grasshopper Mouse | | | X7,8 | X5,6+ | | | | | |
| Gapper's Red-backed Vole | | | х7 | | | | | | |
| Meadow Vole | X5,6+ | X5 | X5,7 | X5,6+ | X5 | X5 | X5,6+ | X5,64 | X5 |
| Prairie Vole | | | | 716 | | | | X5,6+ | |
| Norway Rat | Х5 | | х7 | | | | | | |
| House Mouse | X5 | Х5 | X5,7 | X5,6+ | X5 | X5 | X5 | Х5 | X5 |
| Meadow Jumping Mouse | X5 | | х7 | X5,6+ | | | | | |
| American Elk | | 18 [| | | | | | | |
| Pronghorn | | | | Х4 | | | | | |
| | GHT. | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

LITERATURE CITED

- X-3 Burt, W.H. and R.P. Grossenheider 1964. A field guide to the Mammals. 2nd Ed. Houghton Mifflon Co. Boston. 284 pp.
- X-4 Department of Natural Resources Wildlife data files of wildlife breeding and distribution records. Section of Wildlife, St. Paul.
- X-5 Ernst, C.H. and L. French 1977. Mammals of Southwestern Minnesota. J. Minn. Acad. Sci. 43(1):28-31
- X-6 Gunderson, H.L. and J.R. Beer 1953. The Mammals of Minnesota. Univ. Minn. Press Mpls. 190 pp. (6+ = specimans seen, 6- = authentic records)
- X-7 Hazard, E.B. 1978. Mammals that occur, or might occur, in or near Kandiyohi County, with notes on locality records. Mimeo. 2 pp.
- X-8 Heaney, L.R. and E.C. Birney 1975. Comments on the distribution and natural history of some mammals in Minnesota. Canadian Field Nat. 89:29-34
- X-9 Jones, J.K. Jr., D.C. Carter and H.H. Genoways 1975. Rev. checklist of North American Mammals North of Mexico. Occ. Pap. Mus. Texas Tech. Univ. 28:1-14