

Fisheries Research Peer Reviewed Publications  
April 2009

- Aday, D.D., R.J.H. Hoxmeier, and D.H. Wahl. 2003. Direct and indirect effects of gizzard shad on bluegill population size structure. *Transactions of the American Fisheries Society* 132:47-56.
- Adelman, I.R., M.L. Armstrong, T.L. Close, W.J. Daley, H.L. Forsgren, P.C. Jacobson, S.L. McMullin, R.A. Rosen, C.G. Scalet, and A.V. Zale. 1997. The revised American Fisheries Society Professional Certification Program. *Fisheries* 22(8)11-15.
- Anderson, C.S. 1985. The structure of sculpin populations along a stream size gradient. *Environmental Biology of Fishes*. 13:93-102.
- Anderson, C.S. 1995. Calculating size-dependent relative survival from samples taken before and after selection. Pages 455-466 *in* D.H. Secor, J.M. Dean, and S.E. Compana, editors. *Recent Developments in Otolith Research*. University of South Carolina Press, Columbia.
- Anderson, C.S. 1995. Measuring and correcting for size-selection in electrofishing mark-recapture experiments. *Transactions of the American Fisheries Society* 124:663-676.
- Anderson, C.S. 1998. Partitioning total size selectivity of gill nets for walleye (*Stizostedion vitreum*) into encounter, contact, and retention components. *Canadian Journal of Fisheries and Aquatic Sciences* 55:1854-1863.
- Barton, B.A., A.H. Haukenes, B.G. Parsons, and J.R. Reed. 2003. Plasma cortisol and chloride stress responses in juvenile walleyes during capture, transport, and stocking procedures. *North American Journal of Aquaculture* 65:210-219.
- Beard, T.D., M.T. Drake, J.E. Breck, and N.A. Nate. The effects of simulated angling regulations on stunted bluegill populations. *North American Journal of Fisheries Management* 17:525-532.
- Bergersen, E.P., M.F. Cook, and R.J. Baldes. 1993. Winter movements of burbot (*Lota Lota*) during an extreme drawdown in Bull Lake, Wyoming, USA. *Ecology of Freshwater Fish* 2:141:145.
- Billington, N.D., D. Isermann, R. Koigi, and D. Willis. 2004. How long can *Stizostedion* specimens remain in gillnets in summer before significant breakdown of diagnostic isozyme markers occurs? *Gene Families and Isozymes Bulletin*.
- Bjerselius, R., W. Li, J.H. Teeter, J.G. Seelye, P.B. Johnson, P.J. Maniak, G.C. Grant, C.N. Polkinghorne and P.W. Sorensen. 2000. Direct behavioral evidence that

- unique bile acids released by larval sea lamprey (*Petromyzon marinus*) function as a migratory pheromone. Canadian Journal of Fisheries and Aquatic Sciences 57:557-569.
- Borkholder, B.D., and B.G. Parsons. 2001. Relationship between electrofishing catch rates of age-0 walleye and water temperature in Minnesota lakes. North American Journal of Fisheries Management 21:318-325.
- Bremigan, M.T., S.M. Hanson, P.A. Soranno, K.S. Cheruvellil, and R.D. Valley. 2005. Aquatic vegetation, largemouth bass, and water quality responses to low-dose fluridone two years post treatment. Journal of Aquatic Plant Management 43: 65-75.
- Brooks, R.C., R.C. Heidinger, R.J.H. Hoxmeier, and D.H. Wahl. 2002. Relative survival of three sizes of walleyes stocked into Illinois lakes. North American Journal of Fisheries Management 22:995-1006.
- Carlson, A. C., and F. J. Rahel. 2007. A basinwide perspective on entrainment of fish in irrigation canals. Transactions of the American Fisheries Society 136:1335-1343.
- Chadwick, J.W., M.F. Cook, and D.S. Winters. 1987. Vertical gill net for studying depth distribution of fish in small lakes. North American Journal of Fisheries Management 7:593-594.
- Close, T.L., and C.S. Anderson. 1992. Dispersal, density dependent growth, and survival of steelhead fry in Lake Superior tributaries. North American Journal of Fish Management. 12(4):728-735.
- Close, T.L. 2000. Detection and retention of postocular visible implant elastomer in fingerling rainbow trout. North American Journal of Fisheries Management 20:542-545.
- Close, T.L. and T.S. Jones. 2002. Detection of visible implant elastomer in fingerling and yearling rainbow trout. North American Journal of Fisheries Management 22:961-964.
- Coffin, A.B., D.L. Pereira, and G.R. Spangler. 2003. Stock-specific growth rates of lake herring, *Coregonus artedii*, in western Lake Superior. Environmental Biology of Fishes 68:39-48.
- Cohen, Y., P. Radomski, and R. Moen. 1993. Assessing the interdependence of assemblages from Rainy Lake fisheries data. Canadian Journal of Fisheries and Aquatic Sciences 50:402-409.
- Cohen, Y., P. Radomski. 1993. Water level regulations and fisheries in Rainy Lake Namakan Reservoir. Canadian Journal of Fisheries and Aquatic Sciences 50:1934-1945.

- Cook, M.F., and E.P. Bergersen. 1988. Movements, habitat selection, and activity periods of northern pike in Eleven Mile Reservoir, Colorado. *Transactions of the American Fisheries Society* 117:495-502.
- Cook, M.F., and S.P. Canton. 1988. Calculation of percent gas saturation in water by use of a spreadsheet. *The Progressive Fish-Culturist* 50:248-250.
- Cook, M.F., T.J. Goeman, P.J. Radomski, J.A. Younk, and P.C. Jacobson. 2001. Creel limits in Minnesota: a proposal for change. *Fisheries* 26(5):19-26.
- Cross, T.K., and R.C. Summerfelt. 1986. BOD dynamics in small eutrophic lakes in relation to artificial mixing. *Lake and Reservoir Management* 2:286-292.
- Cross, T.K., and R.C. Summerfelt. 1987. Oxygen demand of lakes: Sediment and water column BOD. *Lake and Reservoir Management* 3:109-116.
- Cross, T.K., M.C. McInerny, and D.H. Schupp. 1995. Seasonal bias in trap net catches of bluegill in Minnesota lakes. *North American Journal of Fisheries Management* 15:382-389.
- Cross, T.K., and M.C. McInerny. 2005. Spatial habitat dynamics affecting bluegill abundance in Minnesota bass-panfish lakes. *North American Journal of Fisheries Management* 25:1051-1066.
- DeVries, D. R., G. M. Lein, and R. J. H. Hoxmeier. (in press) Paddlefish populations in the Alabama River drainage. Pages xxx-xxx in C. P. Paukert, and G. Scholten, editors. *Paddlefish Management, Propagation, and Conservation in the 21<sup>st</sup> Century: Building from 20 years of Research and Management*. American Fisheries Society, Bethesda, Maryland.
- Dieterman, D.J., M.S. Baird, and D.L. Galat. 2000. Mortality of paddlefish in hoop nets in the Lower Missouri River. *North American Journal of Fisheries Management* 20:226-230.
- Dieterman, D.J., and C.R. Berry. 2000. Summer habitat associations of rare fishes in South Dakota tributaries to the Minnesota River. *Proceedings of the South Dakota Academy of Science* 79:103-110.
- Dieterman, D.J. and D.L. Galat. 2004. Large-scale factors associated with sicklefin chub distribution in the Missouri and lower Yellowstone rivers. *Transactions of the American Fisheries Society* 133:577-587.
- Dieterman, D.J. and D.L. Galat. 2005. Variation in body form, taste buds, and brain patterns of the sicklefin chub, *Macrhybopsis meeki*, in the Missouri River and lower Yellowstone River, USA. *Journal of Freshwater Ecology* 20:561-574.

- Dieterman, D.J., E. Roberts, P.J. Braaten, and D.L. Galat. 2006 (*in press*). Reproductive development in the sicklefin chub, *Macrhybopsis meeki*, in the Missouri River. The Prairie Naturalist 38(2).
- Dieterman, D. J., and R. J. H. Hoxmeier. 2009. Instream evaluation of passive integrated transponder retention in brook trout and brown trout: effects of season, body placement, and fish length. North American Journal of Fisheries Management 29:109-115.
- Drake, M.T. and W.W. Taylor. 1996. Influence of spring and summer water temperature on brook charr, *Salvelinus fontinalis*, growth and age structure in the Ford River, Michigan. Environmental Biology of Fishes 45:41-51.
- Drake, M.T., J.E. Claussen, D.P. Phillip, and D.L. Pereira. 1997. A comparison of bluegill reproductive strategies and growth among lakes with different fishing intensities. North American Journal of Fisheries Management 17:496-507.
- Drake, M.T. and D.L. Pereira. 2002. Development of an index of biotic integrity for small inland lakes in central Minnesota. North American Journal of Fisheries Management 22:1105-1123.
- Drake, M.T., and R.D. Valley. 2005. Validation and Application of a Fish-based Index of Biotic Integrity for Small Central Minnesota Lakes. North American Journal of Fisheries Management 25:1095-1111.
- Fieberg, J. and Staples, D.F. (*in press*). The role of variability and uncertainty in testing hypotheses involving parameters in stochastic demographic models. *Canadian Journal of Zoology*.
- Fullhart, H.G., B.G. Parsons, D.W. Willis, and J.R. Reed. 2002. Yellow perch piscivory and its possible role in structuring littoral zone fish communities in small Minnesota lakes. Journal of Freshwater Ecology 17:37-43.
- Gangl, R.S. and D.L. Pereira. 2003. Biological performance indicators for management of Minnesota's large lake walleye fisheries. North American Journal of Fisheries Management 23:1303-1311.
- Goeman, T.J. 1991. Walleye mortality during a live-release tournament on Mille Lacs, Minnesota. North American Journal of Fisheries Management 11:57-61.
- Goeman, T.J., P.D. Spencer, and R.B. Pierce. 1993. Effectiveness of liberalized bag limits as management tools for altering northern pike population size structure. North American Journal of Fisheries Management 13:621-624.
- Goeman, T.J., D.L. Bonneau, D. Baccante, R.D. Clark, D.W. Willis, and G.D. Novinger. 1995. Special fishing regulations for managing freshwater sport fisheries: An American Fisheries Society Position Statement. Fisheries 20(12):32-34.

- Gorman, O.T., S.A. Moore, A.J. Carlson, and H.R. Quinlan. 2008. Nearshore Habitat and Fish Community Associations of Coaster Brook Trout in Isle Royale, Lake Superior. *Transactions of the American Fisheries Society* 137:1252-1267.
- Grant, G.C. 1996. RNA-DNA ratios in white muscle tissue biopsies reflect recent growth rates of adult brown trout. *Journal of Fish Biology* 48:1223-1230.
- Grant, G.C. and P.E. Maslin. 1999. Movements and reproduction of hardhead and Sacramento squawfish in a small California stream. *The Southwestern Naturalist* 44:296-310.
- Grant, G.C., B. Vondracek and P.W. Sorensen. 2002. Spawning interactions between sympatric brown and brook trout may contribute to species replacement. *Transactions of the American Fisheries Society* 131:569-576.
- Grant, G.C., P. Radomski, and C.S. Anderson. 2004. Using underwater video to directly estimate gear selectivity: the retention probability for walleye (*Sander vitreus*) in gillnets. *Canadian Journal of Fisheries and Aquatic Sciences* 61:168-174.
- Hanson, M.A., K.D. Zimmer, M.G. Butler, B.A. Tangen, B.R. Herwig, and N.H. Euliss, Jr. 2005. Biotic interactions as determinants of ecosystem structure in prairie wetlands: an example using fish. *Wetlands* 25:764-775.
- Hayes, D.B., W.W. Taylor, M.T. Drake, S.M. Marod, and G.E. Whelan. 1998. The value of headwaters to brook trout (*Salvelinus fontinalis*), in the Ford River, Michigan, USA. Pages 175-185 in M.J. Haigh, J.Krecek, G.S. Rajwar, and M.P. Kilmartin, editors. *Headwaters: Water resources and soil conservation*. Oxford & IBH Publishing Co., New Delhi.
- Herwig, B.R., D.A. Soluk, J.M. Dettmers, and D.H. Wahl. 2004. Trophic structure and energy flow in backwater lakes of two large floodplain rivers assessed using stable isotopes. *Canadian Journal of Fisheries and Aquatic Sciences* 61:12-22.
- Hoxmeier, R.J.H., and D.R. DeVries. 1996. Status of paddlefish in the Alabama waters of the Tennessee River. *North American Journal of Fisheries Management* 16:935-938.
- Hoxmeier, R.J.H., and D.R. DeVries. 1997. Habitat use and population structure of adult and juvenile paddlefish in the lower Alabama River. *Transactions of the American Fisheries Society* 126:288-301.
- Hoxmeier, R.J.H., and D.R. DeVries. 1998. Influence of trophic status on larval fish abundance in four southeastern US reservoirs. *Journal of Lake and Reservoir Management* 14:451-455.

- Hoxmeier, R.J.H., D.D. Aday, and D.H. Wahl. 2001. Factors influencing precision of age estimation from scales and otoliths of bluegill in Illinois reservoirs. *North American Journal of Fisheries Management* 21:106-112.
- Hoxmeier, R.J.H., and D.H. Wahl. 2002. Evaluation of supplemental stocking of largemouth bass across reservoirs: effects of predation, prey availability, and natural recruitment. Pages 639-647 in D.P. Philipp and M.S. Ridgway, editors. *Black bass: ecology, conservation, and management*. American Fisheries Society, Symposium 31, Bethesda, Maryland.
- Hoxmeier, R.J.H., D.H. Wahl, M.L. Hooe, and C.L. Pierce. 2004. Growth and survival of larval walleye in response to prey availability. *Transactions of the American Fisheries Society* 133:45-54.
- Hoxmeier, R.J.H., D.H. Wahl, R.C. Brooks, and R.C. Heidinger. 2006. Growth and survival of age-0 walleye (*Sander vitreus*): interactions among walleye size, prey availability, predation, and abiotic factors. *Canadian Journal of Fisheries and Aquatic Sciences* 63:2173-2182.
- Hoxmeier, R. J. H., D. D. Aday, and D. H. Wahl. 2009. Examining interpopulation variation in bluegill growth rates and size structure: effects of harvest, maturation, and environmental variables. *Transactions of the American Fisheries Society* 138:423-432.
- Isermann, D.A., P.W. Bettoli, and S.M. Sammons. 1999. Efficacy of identifying stocked crappies in a Tennessee reservoir through oxytetracycline marking. *North American Journal of Fisheries Management* 19:1122-1123.
- Isermann, D.A., W.L. McKibbin, and D.W. Willis. 2002. Analysis of methods for quantifying crappie recruitment variability. *North American Journal of Fisheries Management* 22:1124-1135.
- Isermann, D.A., P.W. Bettoli, S.M. Sammons, and T.N. Churchill. 2002. Initial post-stocking mortality, oxytetracycline marking, and year-class contribution of crappies stocked into Tennessee reservoirs. *North American Journal of Fisheries Management* 22:1399-1408.
- Isermann, D.A., S.M. Sammons, P.W. Bettoli, and T.N. Churchill. 2002. Predictive evaluation of size limits as management strategies for Tennessee reservoir crappie fisheries. *North American Journal of Fisheries Management* 22:1349-1357.
- Isermann, D.A., P.A. Hanchin, and D.W. Willis. 2002. Comparison of two mesh sizes for collecting larval yellow perch in surface trawls. *North American Journal of Fisheries Management* 22:585-589.

- Isermann, D.A., G.D. Scholten, J. Meerbeek, and D.W. Willis. 2003. Comparison of removal and processing times for three different structures used for walleye age determination. *North American Journal of Fisheries Management* 23:625-631.
- Isermann, D.A., S.R. Chipps, and M.L. Brown. 2004. Seasonal Daphnia biomass in winterkill and non-winterkill lakes of South Dakota. *North American Journal of Fisheries Management* 24:287-292.
- Isermann, D.A., and C.T. Knight. 2005. A computer program for age-length keys incorporating age assignment to individual fish. *North American Journal of Fisheries Management* 25:1153-1160.
- Isermann, D.A., D.W. Willis, D.O. Lucchesi, and B.G. Blackwell. 2005. Seasonal harvest, exploitation, size-selectivity, and catch preferences associated with winter yellow perch anglers on South Dakota lakes. *North American Journal of Fisheries Management* 25:827-840.
- Isermann, D.A., and C.S. Vandergoot. 2005. Predicting walleye total length from head and mandible measurements. *North American Journal of Fisheries Management* 25:316-321.
- Isermann, D.A., and C.T. Knight. 2005. Potential effects of jaw tag loss on exploitation estimates for Lake Erie walleyes. *North American Journal of Fisheries Management* 25:557-562.
- Isermann, D. A. 2007. Evaluating walleye length limits in the face of population variability: case histories from western Minnesota. *North American Journal of Fisheries Management* 27:551-558.
- Isermann, D.A., and A.J. Carlson. 2008. Initial mortality and retention associated with using passive integrated transponders in black crappie. *North American Journal of Fisheries Management* 28:1157-1159.
- Jacobson, P.C., and W.W. Taylor. 1985. Simulation of harvest strategies for a fluctuating population of lake whitefish. *North American Journal of Fisheries Management* 5:537-546.
- Jacobson, P.C. 1996. Trophy and consumptive value-per-recruit analysis for a trophy walleye fishery. *North American Journal of Fisheries Management* 16:75-80.
- Jacobson, P.C. 2005. Experimental analysis of a reduced daily bluegill limit in Minnesota. *North American Journal of Fisheries Management* 25:203-210.
- Jacobson, P.C. 2004. Contribution of stocked walleyes (*Sander vitreus*) to the statewide harvest in Minnesota. Pages 113-114 in T. P. Barry and J. A. Malison, editors. *Proceedings of PERCIS III: The third international percoid fish symposium*, University of Wisconsin Sea Grant Institute, Madison.

- Jacobson, P.C. and C.S. Anderson. 2007. Optimal stocking densities of walleye fingerlings in Minnesota lakes. *North American Journal of Fisheries Management* 27:650-658.
- Jacobson, P.C., Jones, T.S., Rivers, P, and D.P. Pereira. 2008. Field estimation of a lethal oxythermal niche boundary for adult ciscoes in Minnesota lakes. *Transactions of the American Fisheries Society* 137:1464-1474.
- Kallemeyn, L., Y. Cohen, and P. Radomski. 1993. Rehabilitating the Rainy Lake - Namakan Reservoir aquatic ecosystem by restoration of a more natural hydrologic regime. *Biological Report* 19:432-448.
- Kreeger, T.J., D.L. Pereira, M. Callahan, and M. Beckel. 1996. Activity patterns of gray wolves in small vs. large enclosures. *Zoo Biology* 15:395-401.
- Lauer, T.E., S.M. Shroyer, J.M. Kilpatrick, T.S. McComish, and P.J. Allen. 2005. Yellow perch length-fecundity and length-egg size relationships in Indiana waters of Lake Michigan. *North American Journal of Fisheries Management* 25:791-796.
- Logsdon, D.E., B.J. Pittman, and G.C. Barnard. 2004. Oxytetracycline Marking of Newly Hatched Walleye Fry. *North American Journal of Fisheries Management* 24:1071-1077.
- Logsdon, D. E. 2007. Use of unsectioned dorsal spines for estimated walleye ages. *North American Journal of Fisheries Management* 27:1112-1118.
- Logsdon, D. E., L. M. Miller and C. S. Anderson. Evaluation of long-term retention and detection of oxytetracycline marks in walleye otoliths using genetic methodology. (accepted for publication in the *Transactions of the American Fisheries Society*)
- Lovvorn, J.R., D.Yule, and C.E. Derby. 1998. Greater predation by double-crested cormorants on cutthroat versus rainbow trout fingerlings in a Wyoming river. *Canadian Journal of Zoology* 77:1984-1990.
- Lovvorn, J.R., D. Yule, and C.E. Derby. 1999. Greater predation by Double-crested Cormorants on cutthroat versus rainbow trout fingerlings stocked in a Wyoming river. *Canadian Journal of Zoology* 77:1984-1990.
- Maceina, M.J. and D.L. Pereira. 2006. Recruitment data. In M.L. Brown and C.S. Guy [eds.] *Analysis and interpretation of freshwater fisheries data*. American Fisheries Society, Bethesda, Maryland.
- McInerny, M.C., and J.W. Held. 1988. Collections of young-of-the-year blue suckers (*Cycleptus elongatus*) in Navigation Pool 9 of the Upper Mississippi River. *Transactions of the Wisconsin Academy of Science, Arts, and Letters* 76:69-71.



- McInerny, M.C. 1988. Evaluation of trapnetting for sampling black crappie. Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies 42:98-106.
- McInerny, M.C. 1990. Gas-bubble disease in three fish species inhabiting the heated discharge of a steam-electric station using hypolimnetic water. Water, Air and Soil Pollution 49:7-15.
- McInerny, M.C., and D.J. Degan. 1991. Dynamics of a black crappie population in a heterogeneous cooling reservoir. North American Journal of Fisheries Management 11:525-533.
- McInerny, M.C., and D.J. Degan. 1993. Electrofishing catch rates as an index of largemouth bass population density in two large reservoirs. North American Journal of Fisheries Management 13:223-228.
- McInerny, M.C., and J.W. Held. 1995. First-year growth of seven co-occurring fish species of Navigation Pool 9 of the Mississippi River. Journal of Freshwater Ecology 10(1):33-41.
- McInerny, M.C., and T.K. Cross. 1999. Effects of lake productivity, climate warming, and intraspecific density on growth and growth patterns of black crappie in southern Minnesota lakes. Journal of Freshwater Ecology 14(2):255-264.
- McInerny, M.C., and T.K. Cross. 1999. Comparison of three mark-recapture sampling designs for estimating population size of largemouth bass in Minnesota lakes. North American Journal of Fisheries Management 19:758-764.
- McInerny, M.C., and T.K. Cross. 2000. Effects of sampling time, intraspecific density, and environmental variables on electrofishing catch per effort of largemouth bass in Minnesota lakes. North American Journal of Fisheries Management 20:328-336.
- McInerny, M.C., and T.K. Cross. 2005. An Evaluation of Mark-Recapture Estimates of Black Crappie Population Size Determined by Trap-Netting during Fall and Spring in Minnesota Lakes. North American Journal of Fisheries Management 25:475-490.
- McInerny, M.C., and T.K. Cross. 2006. Factors affecting trap-net catchability of black crappies in natural Minnesota lakes. North American Journal of Fisheries Management 26:652-664.
- Milewski, C.L., C.R. Berry, and D. Dieterman. 2001. Use of the index of biological integrity in eastern South Dakota rivers. The Prairie Naturalist 33:135-151.

- Miller, L.M., T.L. Close, and A.R. Kapuscinski. 2004. Lower fitness of hatchery and hybrid rainbow trout compared to naturalized populations in Lake Superior tributaries. *Molecular Ecology* 13:3379-3388.
- Miller, L.M., M.C. McInerney, and J. Roloff. 2008. Crappie hybridization in southern Minnesota lakes and its effects on growth estimates. *North American Journal of Fisheries Management* 28:1120-1131.
- Moring, J.R., P.D. Eiler, M.T. Negus, and K.E. Gibbs. 1986. Ecological importance of submerged pulpwood logs in a Maine reservoir. *Transactions of the American Fisheries Society* 115:335-342.
- Moring, J.R., M.T. Negus, R.D. McCullough, and S.W. Herke. 1989. Large concentrations of submerged pulpwood logs as fish attraction structures in a reservoir. *Bulletin of Marine Science* 44(2):609-615.
- Moss, R.E., J.W. Scanlan, and C.S. Anderson. 1983. Observations on the natural history of the blue sucker (*Cycleptus elongatus* Le Sueur) in the Neosho River. *American Midland Naturalist* 109:15-22.
- Moyle, P.B., T. Kennedy, D. Kuda, L. Martin and G. Grant. 1991. Fishes of Bly Tunnel, Lassen County, California. *Great Basin Naturalist* 51:267-270.
- Negus, M.T. 1982. Modified anchoring system for vertical gill nets. *North American Journal of Fisheries Management* 2(4):412-413.
- Negus, M.T. 1987. The influence of submerged pulpwood on feeding and condition of fishes in a reservoir. *Hydrobiologia* 148:63-72.
- Negus, M.T., J.M. Aho, and C.S. Anderson. 1987. Influences of acclimation temperature and development stage on behavioral responses of lake chubsucker to temperature gradients. *American Fisheries Society Symposium* 2:157-163.
- Negus, M.T. 1995. Bioenergetics modeling as a salmonine management tool applied to Minnesota waters of Lake Superior. *North American Journal of Fisheries Management* 15:60-78.
- Negus, M.T., and D.J. Dexter. 1995. A compact, inexpensive, automatic system to deliver water at alternating temperatures for hatchery studies. *The Progressive Fish-Culturist* 57:315-319.
- Negus, M.T. 1998. Evaluation of stocking methods for lake trout fry. *Journal of Great Lakes Research* 24:969-973.
- Negus, M.T. 1999. Thermal marking of otoliths in lake trout sac fry. *North American Journal of Fisheries Management* 19:127-140.

- Negus, M.T. 1999. Survival traits of naturalized, hatchery, and hybrid strains of anadromous rainbow trout during egg and fry stages. *North American Journal of Fisheries Management* 19:930-941
- Negus, M.T. 2003. Determination of smoltification status in juvenile migratory rainbow trout and Chinook salmon in Minnesota. *North American Journal of Fisheries Management* 23:913-927.
- Negus, M.T., and F.T. Tureson. 2004. Retention and nonlethal external detection of calcein marks in rainbow trout and Chinook salmon. *North American Journal of Fisheries Management* 24:741-747.
- Negus, M. T., D. R. Schreiner, T. N. Halpern, S. T. Schram, M. J. Seider, and D. M. Pratt. 2008. Bioenergetics evaluation of the fish community in the western arm of Lake Superior in 2004. *North American Journal of Fisheries Management* 28:1649-1667.
- Nelson, L.R., P.J. Wingate, J.C. Skrypek, and R.M. Holmes. 1993. Building natural resource management plans in Minnesota through public involvement. *Transactions 58th North American Wildlife and Natural Resource Conference*. 1993:211-215.
- Ogle, D.H., G.R. Spangler, and S.M. Shroyer. 1994. Determining fish age from temporal signatures in growth increments. *Canadian Journal of Fisheries and Aquatic Sciences* 51:1721-1727.
- Olson, D.E., and P.K. Cunningham. 1989. Sport-fishing trends shown by an annual Minnesota Fishing Contest over a 58-year period. *North American Journal of Fisheries Management* 9:287-297.
- Page, K.S., G. C. Grant, P. Radomski, T.S. Jones, and R.E. Bruesewitz. 2004. Fish total length measurement error from recreational anglers: causes and consequences for the Mille Lacs walleye fishery. *North American Journal of Fisheries Management* 24:939-951.
- Parsons, B.G., and W.A. Hubert. 1988. Influence of habitat availability on spawning site selection by kokanees in streams. *North American Journal of Fisheries Management* 8:426-431.
- Parsons, B.G., and W.A. Hubert. 1988. Reproductive characteristics of two kokanee stocks in tributaries to Flaming Gorge Reservoir, Utah and Wyoming. *Great Basin Naturalist* 48:46-50.
- Parsons, B.G., D.L. Pereira, and D.H. Schupp. 1991. A resort-based head collection program for expanding recreational harvest information on walleyes. *American Fisheries Society Symposium* 12:507-514.

- Parsons, B.G., and D.L. Pereira. 1997. Dispersal of walleye fingerlings following stocking. *North American Journal of Fisheries Management* 17:988-994.
- Parsons, B.G., and D.L. Pereira. 2001. Relationship between walleye stocking and year-class strength in three Minnesota lakes. *North American Journal of Fisheries Management* 21:801-808.
- Parsons, B.G., and J.R. Reed. 2005. Movement of black crappies and bluegills among interconnected lakes in Minnesota. *North America Journal of Fisheries Management* 25:689-695.
- Parsons, B.G, and J.R. Reed. 2005. Effect of t-bar anchor tags on growth of black crappies. *North American Journal of Fisheries Management* 25:1591-1595.
- Paukert, C.P., J.A. Klammer, R.B. Pierce, and T.D. Simonson. 2001. An overview of northern pike regulations in North America. *Fisheries* 26(6): 6-13.
- Paukert, C., McInerny, M, and R. Schultz. 2007. Historical trends in creel limits, length-based limits, and season restrictions for black basses in the United States and Canada. *Fisheries* 32:62-72.
- Payer, R.D., R.B. Pierce, and D.L. Pereira. 1989. Hooking mortality of walleyes caught on live and artificial baits. *North American Journal of Fisheries Management* 9:188-192.
- Pereira, D.L., and G.W. LaBar. 1983. Age and growth characteristics of trout-perch (*Percopsis omiscomaycus*) in Lake Champlain, Vermont. *New York Fish and Game Journal* 30:201-209.
- Pereira, D.L., and I.R. Adelman. 1985. Interactions of temperature, size and photoperiod on growth and smoltification of chinook salmon (*Oncorhynchus tshawytscha*). *Aquaculture* 46:185-192.
- Pereira, D.L., Y. Cohen, and G.R. Spangler. 1992. Dynamics and species interactions in the commercial fishery of the Red Lakes, Minnesota. *Canadian Journal of Fisheries and Aquatic Sciences* 49:293-302
- Pereira, D.L., C.S. Anderson, P. Radomski, T. Sak, and A. Stevens. 1995. Potential to index climate with growth and recruitment of temperate fishes. *Canadian Special Publications of Fisheries and Aquatic Sciences* 121:709-717.
- Pereira, D.L., C. Bingham, G.R. Spangler, D.J. Conner, and P.K. Cunningham. 1994. Construction of a 100-year biochronology from sagittae of freshwater drum (*Aplodinotus grunniens*), p. 177-196. *In* D.H. Secor, J.M. Dean, and S.E. Campana [eds.] *Recent developments in fish otolith research*. University of South Carolina Press, Columbia, South Carolina.

- Pereira, D.L., C. Bingham, G.R. Spangler, Y. Cohen, D.J. Conner, and P.K. Cunningham. 1995. Growth and recruitment of freshwater drum (*Aplodinotus grunniens*) as related to long-term temperature patterns. Canadian Special Publications of Fisheries and Aquatic Sciences 121:617-629.
- Pereira, D.L., M.G. Halverson, R.E. Ramsell, and M.T. Drake. 2002. Changes in the largemouth bass fishery of Lake Minnetonka, Minnesota: evidence from tournament monitoring. Pages 513-524, in D.P. Philipp and M.S. Ridgway, editors. Black bass: ecology, conservation and management, American Fisheries Society, Symposium 31, Bethesda, Maryland.
- Pereira, D.L. and Michael J. Hansen. 2003: A perspective on challenges to recreational fisheries management: summary of the symposium on active management of recreational fisheries. North American Journal of Fisheries Management 23:1276-1282.
- Phalen, P.S., R.J. Muncy, and T.K. Cross. 1989. Hybrid striped bass movements and habitat in Ross Barnett Reservoir, Mississippi. Proceedings of the Annual Conference Southeastern Association of Fish and Wildlife Agencies 42:35-43.
- Pierce, R.B., D.W. Coble, and S. Corley. 1981. Fish catches in baited and unbaited hoop nets in the Upper Mississippi River. North American Journal of Fisheries Management 1:204-206.
- Pierce, R.B., D.W. Coble, and S. Corley. 1985. Influence of river stage on shoreline electrofishing catches in the Upper Mississippi River. Transactions of the American Fisheries 114:857-860.
- Pierce, R.B., and C.M. Tomcko. 1993. Tag loss and handling mortality for northern pike marked with plastic anchor tags. North American Journal of Fisheries Management 13:613-615.
- Pierce, R.B., and A.G. Bindman. 1994. Comparison of absolute fishing effort and hourly instantaneous angler counts in a small lake. North American Journal of Fisheries Management 14:447-448.
- Pierce, R.B., C.M. Tomcko, and T.D. Kolander. 1994. Indirect and direct estimates of gill-net size selectivity for northern pike. North American Journal of Fisheries Management 14:170-177.
- Pierce, R.B., C.M. Tomcko, and D.H. Schupp. 1995. Exploitation of northern pike in seven small north-central Minnesota lakes. North American Journal of Fisheries Management 15:601-609.
- Pierce, R.B. 1997. Variable catchability and bias in population estimates for northern pike. Transactions of the American Fisheries Society 126:658-664.

- Pierce, R.B., and C.M. Tomcko. 1998. Angler noncompliance with slot length limits for northern pike in five small Minnesota lakes. *North American Journal of Fisheries Management* 18:720-724.
- Pierce, R.B., and M.F. Cook. 2000. Recreational darkhouse spearing for northern pike in Minnesota: Historical changes in effort and harvest, and comparisons with angling. *North American Journal of Fisheries Management* 20: 239-244.
- Pierce, R.B., C.M. Tomcko, and M.T. Drake. 2003. Population dynamics, trophic interactions, and production of northern pike in a shallow bog lake and their effects on simulated regulation strategies. *North American Journal of Fisheries Management* 23: 323-330.
- Pierce, R.B., C.M. Tomcko, and T.L. Margenau. 2003. Density dependence in growth and size structure of northern pike populations. *North American Journal of Fisheries Management* 23: 331-339.
- Pierce, R.B., and C.M. Tomcko. 2003. Interrelationships among production, density, growth, and mortality of northern pike in seven north-central Minnesota lakes. *Transactions of the American Fisheries Society* 132: 143-153.
- Pierce, R.B., and C.M. Tomcko. 2003. Variation in gill-net and angling catchability with changing density of northern pike in a small Minnesota lake. *Transactions of the American Fisheries Society* 132: 771-779.
- Pierce, R.B. 2003. Effects of walleye stocking on the fish community of Lake Thirteen. In *Proceedings of Percis III: The Third International Percid Fish Symposium* (Barry, T. P, and J. A Malison, eds.), pp. 119-120. University of Wisconsin Sea Grant Institute, Madison, Wisconsin.
- Pierce, R.B. 2004. Oviduct insertion of radio transmitters as a means of locating northern pike spawning habitat. *North American Journal of Fisheries Management* 24: 244-248.
- Pierce, R.B., and C.M. Tomcko. 2005. Density and biomass of native northern pike populations in relation to basin-scale characteristics of north-central Minnesota lakes. *Transactions of the American Fisheries Society* 134: 231-241.
- Pierce, R.B., C.M. Tomcko, and M.T. Negus. 2006. Interactions between stocked walleyes and native yellow perch in Lake Thirteen, Minnesota: a case history of percid community dynamics. *North American Journal of Fisheries Management* 26:97-107.
- Pierce, R. B., S. Shroyer, B. Pittman, D. E. Logsdon, and T. D. Kolander. 2006. Catchability of larval and juvenile northern pike in Quatrefoil light traps. *North American Journal of Fisheries Management* 26: 908-915.

- Pierce, R. B., J. A. Younk, and C. M. Tomcko. 2007. Expulsion of miniature radio transmitters along with eggs of muskellunge and northern pike - a new method for locating critical spawning habitat. *Environmental Biology of Fishes* 79: 99-109.
- Pothoven, S.A., B. Vondracek, and D.L. Pereira. *In Press*. Effects of vegetation removal on fish community structure and predator-prey interactions. *North American Journal of Fisheries Management*.
- Radomski, P.J., and T.J. Goeman. 1995. The homogenizing of Minnesota lake fish assemblages. *Fisheries* 20(7):20-23.
- Radomski, P.J., and T.J. Goeman. 1996. Decision-making and modeling in freshwater sport fisheries management. *Fisheries* 21(12):14-21.
- Radomski, P.J. 1999. Commercial fishing and property rights. *Fisheries* 24(6):22-29.
- Radomski, P., and T.J. Goeman. 2001. Consequences of human lakeshore development on emergent and floating-leaf vegetation. *North American Journal of Fisheries Management* 21(1):46-61.
- Radomski, P.J., G.C. Grant, P.C. Jacobson and M.F. Cook. 2001. Visions for recreational fishing regulations. *Fisheries* 26(5):7-18.
- Radomski, P. 2003. Initial attempts to actively manage recreational fishery harvest in Minnesota. *North American Journal of Fisheries Management* 23: 1329-1342.
- Radomski, P., J.R. Bence, and T.J. Quinn II. 2005. Comparison of a virtual population analysis and a statistical kill-at-age analysis for a recreational kill-dominated fishery. *Canadian Journal of Fisheries and Aquatic Sciences* 62:436-452.
- Reed, J.R., and W.D. Davies. 1991. Population dynamics of black crappies and white crappies in Weiss Reservoir, Alabama: Implications for the implementation of harvest regulations. *North American Journal of Fisheries Management* 11:598-603.
- Reed, J.R., and B.G. Parsons. 1999. Angler opinions of bluegill management and related hypothetical effects on bluegill fisheries in four Minnesota lakes. *North American Journal of Fisheries Management* 19:515-519.
- Reed, J.R., M.C. McInerney, and L. Erickson-Eastwood. 2008. Development of statewide standardized regulations for Minnesota lakes using crappies as an example. *American Fisheries Society Symposium* 62:509-516.
- Reeves, K.A., and R.E. Bruesewitz. 2007. Factors influencing the hooking mortality of walleyes caught by recreational anglers on Mille Lacs, Minnesota. *North American Journal of Fisheries Management* 27:443-452.

- Ruzycki, J.R., D.A. Beauchamp, and D.L. Yule. 2003. Effects of introduced lake trout on native cutthroat trout in Yellowstone Lake. *Ecological Applications* 13:23-37.
- Sammons, S.M., P.W. Bettoli, and D.A. Isermann. 2002. Recruitment variation of crappies in response to hydrology in Tennessee reservoirs. *North American Journal of Fisheries Management* 22: 1393-1398.
- Sammons, S.M., D.A. Isermann, and P.W. Bettoli. 2002. Variation in population characteristics and gear selection between black and white crappies in Tennessee reservoirs: potential effects on management decisions. *North American Journal of Fisheries Management* 22:863-869.
- Schofield, C.L., C. Keleher, and H.K. Van Offelen. 1990. Population dynamics of brook trout (*Salvelinus fontinalis*) during maintenance liming of an acidic lake. *Water, Air, and Soil Pollution* 33:41-53.
- Schupp, D.H., ASPE, L. Erie
- Shroyer, S.M., and T.S. McComish. 1998. Forecasting abundance of quality-size yellow perch in Indiana waters of Lake Michigan. *North American Journal of Fisheries Management* 18:19-24.
- Shroyer, S.M., and T.S. McComish. 2000. Relationship between alewife abundance and yellow perch recruitment in southern Lake Michigan. *North American Journal of Fisheries Management* 20:220-225.
- Shroyer, S. M., and D. E. Logsdon. In press. Detection distances of radio and acoustic tags in Minnesota lakes and rivers. *North American Journal of Fisheries Management*.
- Siler, J.R., W.F. Foris, and M.C. McInerney. 1986. Spatial heterogeneity in fish parameters within a reservoir. pp 122-136 in: G.E. Hall and M.J. Van Den Avyle, eds. *Reservoir fisheries management - strategies for the 80's*. Reservoir Committee, Southern Division American Fisheries Society, Bethesda.
- Strand, R.F. 1986. Identification of principal spawning areas and seasonal distribution and movements of muskellunge in Leech Lake Minnesota. *American Fisheries Society Special Publication* 15:62-73.
- Strand, R.F. 1986. SUMMARY: Review of technical contributions. *American Fisheries Society Special Publication* 15:360-369.
- Thorn, W.C. 1990. Effects of habitat improvement and a special regulation on a brown trout population. Pages 45-53 in J.C. Borawa, editor. *Brown trout Workshop: Biology and Management*. Trout Committee, Southern Division of the American Fisheries Society.



- Thorn, W.C. 1992. Evaluation of trout stocking in southeast Minnesota streams. Pages 130-148 *in* M. Marcinko and D. Graff, editors. Proceedings of the East Coast Trout Culture and Management Workshop. American Fisheries Society East Coast Trout Culture and Management Workshop. Bethesda, Maryland.
- Thorn, W.C. 1995. Restoration of improvement of trout streams in southeast Minnesota (abstract). Page 65 *in* no editor, Proceeding of the East Coast Trout Culture and Management Workshop II. American Fisheries Society East Coast Trout and Management Workshop, Bethesda, Maryland.
- Thorn, W.C., C.S. Anderson, W.E. Lorenzen, D.L. Bushong, and J.W. Wagner. 1997. A review of trout management in southeast Minnesota streams. *North American Journal of Fisheries Management* 17:860-872.
- Thorn, W.C. and M. Ebbers. 1997. Brook trout restoration in southern Minnesota. Pages 188-192 *in* R.E. Gresswell, P. Dwyer, and R.H. Hamre, editors. *Wild Trout VI. Putting the native back in wild trout*. Trout Unlimited, Inc.
- Thorn, W.C., C.A. Anderson, and D.L. Hendrickson. 2001. Successful restrictive regulations for brown trout: why are they rare? Pages 29-35 *in* R. DuBois, K. Kayle, M. Ebbers, and S. Turner, editors. *Trout and the Trout Angler II*. American Fisheries Society, North Central Division, Salmonid Technical Committee, St. Paul, Minnesota.
- Tomcko, C.M., R.A. Stein, and R.F. Carline. 1984. Predation by tiger muskellunge on bluegill: Effects of predator experience, vegetation, and prey density. *Transactions of the American Fisheries Society* 113:588-594.
- Tomcko, C.M., and R.B. Pierce. 1992. Limnological characteristics of mine pit lakes in northeast Minnesota. *Achieving Land Use Potential Through Reclamation - Proceedings of the American Society for Surface Mining and Reclamation* (1992): 169-176.
- Tomcko, C.M. 1997. A review of northern pike *Esox lucius* hooking mortality. Minnesota Department of Natural Resources, Division of Fisheries Fish Management Report 32, St. Paul.
- Tomcko, C.M., and R.B. Pierce. 2000. The relationship of bluegill growth, lake morphometry, and water quality in Minnesota. *Transactions of the American Fisheries Society* 130: 317-321.
- Tomcko, C.M., and R.B. Pierce. 2005. Bluegill recruitment, growth, population size structure, and associated factors in Minnesota lakes. *North American Journal of Fisheries Management* 25:171-179.
- Valley, R.D., W. Crowell, C.H. Welling, and N. Proulx. 2006. Effects of a low-dose fluridone treatment on submersed aquatic vegetation in a eutrophic Minnesota

- lake dominated by Eurasian watermilfoil and coontail. *Journal of Aquatic Plant Management* 44: 19-25.
- Valley, R.D. and R.M. Newman. 1998. Competitive interactions between Eurasian watermilfoil and northern watermilfoil in experimental tanks. *Journal of Aquatic Plant Management* 36: 121-126.
- Valley, R.D., and M.T. Bremigan. 2002. Effects of macrophyte bed architecture on largemouth bass foraging: implications of exotic macrophyte invasions. *Transactions of the American Fisheries Society* 131: 234-244.
- Valley, R.D., and M.T. Bremigan. 2002. Effects of selective removal of Eurasian watermilfoil on age-0 largemouth bass piscivory and growth in Southern Michigan Lakes. *Journal of Aquatic Plant Management* 40: 79-87.
- Valley, R.D., M.T. Drake, C.S. Anderson. 2005. Evaluation of alternative interpolation techniques for the mapping of remotely-sensed submersed vegetation abundance. *Aquatic Botany* 81: 13-25.
- Valley, R. D., W. Crowell, C. H. Welling, and N. Proulx. 2006. Effects of a low-dose fluridone treatment on submersed aquatic vegetation in a eutrophic Minnesota lake dominated by Eurasian watermilfoil and coontail. *Journal of Aquatic Plant Management* 44:19-25.
- Valley, R. D., and M. T. Drake. 2007. What does resilience of a clear-water state in lakes mean for the spatial heterogeneity of submersed macrophyte biovolume? *Aquatic Botany* 87:307-319.
- Van Offelen, H.K., C.C. Krueger, and C.L. Schofield. Survival, growth, movement, and distribution of two brook trout strains stocked into small Adirondack streams. *North American Journal of Fisheries Management* 13:86-95.
- Van Offelen, H.K., C.C. Krueger, C.L. Schofield, and C. Keleher. Survival, distribution, and ion composition in two strains of brook trout (*Salvelinus fontinalis*) fry after exposure to episodic pH depressions in an Adirondack lake. *Canadian Journal of Fisheries and Aquatic Sciences* 51:792-799.
- M. S. Ward, M. R. Anderson, S. J. Fisher, D. A. Isermann, Q. E. Phelps, and D. W. Willis. 2004. Relations between climatological variables and larval yellow perch abundance in eastern South Dakota glacial lakes. *Journal of Freshwater Ecology* 19:213-218.
- Wingate, P.J. 1984. Philosophy of muskellunge management. *American Fisheries Society. Special Publication Number* 15:199-203.

- Wingate, P.J. 1990. Wilderness area fisheries management. Pages 353-356 in D.W. Lime, editor. Managing America's enduring wilderness. Minnesota Agricultural Experiment Station, St. Paul.
- Wingate, P.J. 1991. U.S. State's view and regulations on fish introductions. Canadian Journal of Fisheries and Aquatic Sciences. 48(Supplement):167-170.
- Wingate, P.M. 2000. The lack of value in the public tagging of freshwater fish. Fisheries 25(4):26-27.
- Wingate, P.J. 2006. A recipe for successful muskellunge management – a Minnesota success story. Environmental Biology of Fishes. *In Press*.
- Wisenden, B.D., J. Klitzke, R. Nelson, D. Friedl, P.C. Jacobson. 2004. Predator-recognition training of hatchery-reared walleye (*Stizostedion vitreum*) and a field test of a training method using yellow perch (*Perca flavescens*). Canadian Journal of Fisheries and Aquatic Sciences 61:2144-2150.
- Yule, D.L., and C. Luecke. 1993. Lake trout consumption and recent changes in the fish assemblage of Flaming Gorge Reservoir. Transactions of the American Fisheries Society 122:1058-1069.
- Yule, D.L. 2000. Comparison of horizontal acoustic and purse seine estimates of salmonid densities and sizes in eleven Wyoming waters. North American Journal of Fisheries Management 20:759-775.
- Yule, D.L., R.A. Whaley, P.H. Mavrakis, D.D. Miller, and S.A. Flickinger. 2000. Use of strain, season of stocking, and size at stocking to improve fisheries for rainbow trout in reservoirs with walleye. North American Journal of Fisheries Management 20:10-18.
- Zimmer, K.D., B.R. Herwig, and L.M. Laurich. 2006. Nutrient excretion by fish in wetland ecosystems and its potential to support algal production. Limnology & Oceanography 51: 197-207.
- Zimmer, K.D., B.R. Herwig, and L.M. Laurich. Nutrient excretion by fish in wetland ecosystems and its potential to support algal production. (Accepted for publication in Limnology & Oceanography).