



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANGLOGOLD ASHANTI MINNESOTA INC.
6300 S. SYRACUSE WAY #500
CENTENNIAL CO 80111
USA

Page: 1
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 1-SEP-2016
Account: AAMICLSR

CERTIFICATE TB16134957

This report is for 18 Rock samples submitted to our lab in Thunder Bay, ON, Canada on 16-AUG-2016.

The following have access to data associated with this certificate:

PHIL LARSON

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-32 | Pulverize 1000g to 85% < 75 um |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|-----------|------------------------------|------------|
| Au-ICP22 | Au 50g FA ICP-AES finish | ICP-AES |
| ME-ICP06 | Whole Rock Package - ICP-AES | ICP-AES |
| C-IR07 | Total Carbon (Leco) | LECO |
| S-IR08 | Total Sulphur (Leco) | LECO |
| ME-MS81 | Lithium Borate Fusion ICP-MS | ICP-MS |
| ME-MS42 | Up to 34 elements by ICP-MS | ICP-MS |
| OA-GRA05 | Loss on Ignition at 1000C | WST-SEQ |
| TOT-ICP06 | Total Calculation for ICP06 | ICP-AES |
| ME-4ACD81 | Base Metals by 4-acid dig. | ICP-AES |

To: ANGLOGOLD ASHANTI MINNESOTA INC.
ATTN: PHIL LARSON
6300 S. SYRACUSE WAY #500
CENTENNIAL CO 80111
USA

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANGLOGOLD ASHANTI MINNESOTA INC.
 6300 S. SYRACUSE WAY #500
 CENTENNIAL CO 80111
 USA

Page: 2 - A
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2016
 Account: AAMICLSR

CERTIFICATE OF ANALYSIS TB16134957

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-ICP06 SiO2 % | ME-ICP06 Al2O3 % | ME-ICP06 Fe2O3 % | ME-ICP06 CaO % | ME-ICP06 MgO % | ME-ICP06 Na2O % | ME-ICP06 K2O % | ME-ICP06 Cr2O3 % | ME-ICP06 TiO2 % | ME-ICP06 MnO % | ME-ICP06 P2O5 % | ME-ICP06 SrO % | ME-ICP06 BaO % |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|------------------------|------------------------|----------------------|----------------------|-----------------------|----------------------|------------------------|-----------------------|----------------------|-----------------------|----------------------|----------------------|
| AGAR3512 | | 1.64 | 0.001 | 48.4 | 17.55 | 10.95 | 14.60 | 2.24 | 0.61 | 0.34 | 0.03 | 1.41 | 0.15 | 0.05 | 0.07 | 0.02 |
| AGAR3513 | | 0.08 | 0.001 | 72.7 | 14.45 | 1.77 | 1.56 | 0.34 | 3.76 | 3.96 | <0.01 | 0.31 | 0.02 | 0.08 | 0.04 | 0.06 |
| AGAR3514 | | 0.34 | 0.001 | 68.2 | 16.55 | 2.02 | 3.10 | 0.76 | 5.95 | 1.43 | <0.01 | 0.13 | 0.05 | 0.06 | 0.10 | 0.05 |
| AGAR3515 | | 0.27 | 0.001 | 70.3 | 15.20 | 3.88 | 1.65 | 1.47 | 3.87 | 2.30 | <0.01 | 0.30 | 0.03 | 0.09 | 0.05 | 0.07 |
| AGAR3516 | | 0.47 | 0.001 | 65.7 | 17.35 | 4.42 | 0.95 | 2.06 | 4.03 | 2.63 | 0.01 | 0.53 | 0.04 | 0.15 | 0.04 | 0.06 |
| AGAR3517 | | 0.11 | 0.002 | 40.8 | 13.85 | 20.9 | 8.32 | 3.23 | 2.85 | 0.47 | 0.04 | 0.66 | 0.14 | 0.04 | 0.03 | 0.01 |
| AGAR3518 | | 0.21 | 0.001 | 59.1 | 18.80 | 4.77 | 4.51 | 1.72 | 7.54 | 0.53 | 0.01 | 1.42 | 0.05 | 0.04 | 0.07 | 0.02 |
| AGAR3519 | | 0.78 | 0.006 | 56.0 | 12.65 | 14.80 | 7.49 | 1.99 | 3.07 | 0.44 | <0.01 | 1.80 | 0.23 | 0.26 | 0.03 | 0.01 |
| AGAR3520 | | 0.34 | <0.001 | 51.7 | 13.20 | 17.70 | 7.06 | 2.61 | 2.87 | 0.41 | <0.01 | 1.89 | 0.21 | 0.18 | 0.02 | 0.02 |
| AGAR3526 | | 0.26 | 0.001 | 57.8 | 18.40 | 6.00 | 5.60 | 2.00 | 5.06 | 2.23 | <0.01 | 0.31 | 0.10 | 0.14 | 0.07 | 0.12 |
| AGAR3528 | | 0.19 | 0.001 | 78.4 | 6.49 | 6.31 | 1.96 | 1.97 | 1.34 | 1.01 | <0.01 | 0.25 | 0.07 | 0.05 | 0.02 | 0.05 |
| AGAR3532 | | 1.07 | 0.001 | 67.6 | 8.87 | 9.54 | 6.79 | 1.86 | 0.54 | 0.50 | <0.01 | 1.25 | 0.14 | 0.11 | 0.03 | 0.02 |
| AGAR3534 | | 1.04 | 0.001 | 47.8 | 19.40 | 8.49 | 9.03 | 5.47 | 3.56 | 1.23 | 0.01 | 0.30 | 0.16 | 0.15 | 0.08 | 0.05 |
| AGAR3537 | | 1.77 | 0.005 | 93.8 | 2.12 | 2.51 | 0.59 | 0.38 | 1.11 | 0.03 | <0.01 | 0.22 | 0.03 | 0.02 | <0.01 | <0.01 |
| AGAR3548 | | 1.39 | 0.001 | 59.6 | 18.65 | 3.94 | 5.95 | 2.01 | 6.01 | 0.89 | <0.01 | 0.35 | 0.05 | 0.15 | 0.08 | 0.05 |
| AGAR3552 | | 1.32 | 0.001 | 60.5 | 19.00 | 3.99 | 3.61 | 1.74 | 8.97 | 0.16 | <0.01 | 0.31 | 0.05 | 0.18 | 0.05 | 0.01 |
| AGAR3553 | | 0.60 | <0.001 | 65.4 | 18.25 | 3.05 | 2.18 | 1.38 | 6.02 | 1.46 | <0.01 | 0.16 | 0.06 | 0.06 | 0.09 | 0.02 |
| AGAR3554 | | 0.80 | 0.001 | 70.1 | 13.70 | 5.11 | 0.63 | 1.56 | 4.16 | 1.55 | <0.01 | 0.22 | 0.02 | 0.07 | 0.02 | 0.04 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANGLOGOLD ASHANTI MINNESOTA INC.
 6300 S. SYRACUSE WAY #500
 CENTENNIAL CO 80111
 USA

Page: 2 - B
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2016
 Account: AAMICLSR

CERTIFICATE OF ANALYSIS TB16134957

| Sample Description | Method Analyte Units LOR | OA-GRA05 LOI % | TOT-ICP06 Total % | C-IR07 C % | S-IR08 S % | ME-MS81 Ba ppm | ME-MS81 Ce ppm | ME-MS81 Cr ppm | ME-MS81 Cs ppm | ME-MS81 Dy ppm | ME-MS81 Er ppm | ME-MS81 Eu ppm | ME-MS81 Ga ppm | ME-MS81 Gd ppm | ME-MS81 Ge ppm | ME-MS81 Hf ppm |
|--------------------|-----------------------------------|----------------------|-------------------------|------------------|------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.01 | 0.01 | 0.01 | 0.01 | 0.5 | 0.5 | 10 | 0.01 | 0.05 | 0.03 | 0.03 | 0.1 | 0.05 | 5 | 0.2 |
| AGAR3512 | | 2.78 | 99.20 | 0.09 | 1.01 | 201 | 11.7 | 180 | 1.79 | 3.76 | 2.26 | 0.93 | 33.7 | 3.66 | 5 | 2.3 |
| AGAR3513 | | 1.05 | 100.10 | 0.03 | 0.12 | 544 | 27.2 | 20 | 1.31 | 0.77 | 0.43 | 0.44 | 17.5 | 1.15 | <5 | 3.8 |
| AGAR3514 | | 1.24 | 99.64 | 0.14 | 0.06 | 432 | 30.2 | 10 | 0.56 | 0.87 | 0.37 | 0.50 | 19.4 | 1.48 | <5 | 2.0 |
| AGAR3515 | | 1.63 | 100.84 | 0.14 | 0.24 | 615 | 28.0 | 20 | 1.09 | 0.95 | 0.43 | 0.55 | 20.1 | 1.49 | <5 | 3.8 |
| AGAR3516 | | 2.84 | 100.81 | 0.41 | 0.26 | 543 | 54.8 | 90 | 1.88 | 2.28 | 1.25 | 1.05 | 23.0 | 3.33 | <5 | 4.2 |
| AGAR3517 | | 8.15 | 99.49 | 0.01 | 9.84 | 93.2 | 6.2 | 280 | 1.06 | 1.96 | 1.15 | 0.61 | 14.8 | 1.83 | <5 | 1.3 |
| AGAR3518 | | 1.55 | 100.13 | <0.01 | 0.85 | 153.0 | 13.3 | 80 | 1.33 | 4.83 | 2.87 | 1.53 | 16.6 | 4.65 | <5 | 1.5 |
| AGAR3519 | | 0.86 | 99.63 | 0.04 | 0.14 | 109.5 | 23.5 | <10 | 0.59 | 9.09 | 5.83 | 2.01 | 25.5 | 8.20 | <5 | 5.8 |
| AGAR3520 | | 0.21 | 98.08 | 0.02 | 0.02 | 162.5 | 14.3 | <10 | 0.39 | 7.56 | 4.94 | 1.70 | 23.5 | 6.85 | <5 | 5.3 |
| AGAR3526 | | 1.69 | 99.52 | 0.05 | 0.09 | 1140 | 38.6 | 20 | 0.35 | 1.60 | 1.13 | 0.84 | 18.4 | 2.19 | <5 | 1.7 |
| AGAR3528 | | 1.49 | 99.41 | 0.11 | 0.07 | 452 | 5.8 | 10 | 0.60 | 1.33 | 0.81 | 0.28 | 9.3 | 1.14 | <5 | 0.9 |
| AGAR3532 | | 1.26 | 98.51 | 0.05 | 0.03 | 164.5 | 14.6 | 10 | 0.23 | 4.15 | 2.54 | 1.03 | 14.4 | 3.85 | <5 | 2.6 |
| AGAR3534 | | 2.30 | 98.03 | 0.06 | <0.01 | 500 | 30.7 | 100 | 0.18 | 1.45 | 0.88 | 0.73 | 14.4 | 1.73 | <5 | 0.9 |
| AGAR3537 | | 0.50 | 101.31 | 0.18 | 0.20 | 13.2 | 1.3 | 30 | 0.03 | 0.33 | 0.28 | 0.11 | 1.7 | 0.47 | <5 | 0.5 |
| AGAR3548 | | 1.32 | 99.05 | 0.07 | 0.04 | 462 | 26.3 | 20 | 0.30 | 0.91 | 0.54 | 0.63 | 19.6 | 1.58 | <5 | 2.1 |
| AGAR3552 | | 1.26 | 99.83 | 0.07 | 0.01 | 53.7 | 28.9 | 10 | 0.05 | 0.88 | 0.55 | 0.63 | 16.8 | 1.69 | <5 | 2.0 |
| AGAR3553 | | 1.70 | 99.83 | 0.05 | 0.01 | 222 | 10.6 | 10 | 0.98 | 0.46 | 0.18 | 0.39 | 21.1 | 0.63 | <5 | 2.7 |
| AGAR3554 | | 2.87 | 100.05 | 0.03 | 0.43 | 380 | 11.0 | 30 | 0.84 | 0.47 | 0.26 | 0.23 | 15.7 | 0.61 | <5 | 2.0 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANGLOGOLD ASHANTI MINNESOTA INC.
 6300 S. SYRACUSE WAY #500
 CENTENNIAL CO 80111
 USA

Page: 2 - C
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2016
 Account: AAMICLSR

CERTIFICATE OF ANALYSIS TB16134957

| Sample Description | Method Analyte Units LOR | ME-MS81 Ho ppm 0.01 | ME-MS81 La ppm 0.5 | ME-MS81 Lu ppm 0.01 | ME-MS81 Nb ppm 0.2 | ME-MS81 Nd ppm 0.1 | ME-MS81 Pr ppm 0.03 | ME-MS81 Rb ppm 0.2 | ME-MS81 Sm ppm 0.03 | ME-MS81 Sn ppm 1 | ME-MS81 Sr ppm 0.1 | ME-MS81 Ta ppm 0.1 | ME-MS81 Tb ppm 0.01 | ME-MS81 Th ppm 0.05 | ME-MS81 Tm ppm 0.01 | ME-MS81 U ppm 0.05 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|
| AGAR3512 | | 0.69 | 4.9 | 0.27 | 3.4 | 8.7 | 1.65 | 9.5 | 2.50 | 5 | 532 | 0.1 | 0.53 | 0.76 | 0.31 | 0.31 |
| AGAR3513 | | 0.16 | 13.6 | 0.05 | 2.9 | 10.9 | 2.98 | 42.2 | 1.76 | 1 | 256 | 0.2 | 0.14 | 3.12 | 0.06 | 0.83 |
| AGAR3514 | | 0.15 | 14.9 | 0.04 | 4.2 | 12.5 | 3.16 | 27.0 | 1.93 | 1 | 823 | 0.1 | 0.18 | 4.19 | 0.07 | 0.58 |
| AGAR3515 | | 0.18 | 14.1 | 0.06 | 3.9 | 11.1 | 3.01 | 40.0 | 2.14 | 1 | 363 | 0.3 | 0.18 | 3.07 | 0.07 | 0.97 |
| AGAR3516 | | 0.40 | 25.2 | 0.16 | 4.9 | 25.6 | 6.40 | 70.7 | 4.67 | 1 | 295 | 0.3 | 0.36 | 4.90 | 0.17 | 1.45 |
| AGAR3517 | | 0.39 | 2.8 | 0.16 | 1.5 | 4.6 | 0.90 | 23.3 | 1.42 | 1 | 186.5 | 0.1 | 0.30 | 0.35 | 0.15 | 0.32 |
| AGAR3518 | | 0.91 | 4.8 | 0.31 | 3.4 | 10.5 | 1.99 | 15.5 | 3.75 | 1 | 564 | 0.1 | 0.72 | 1.06 | 0.36 | 0.71 |
| AGAR3519 | | 1.89 | 8.6 | 0.76 | 10.0 | 18.2 | 3.49 | 13.0 | 6.23 | 1 | 169.0 | 0.6 | 1.31 | 0.97 | 0.76 | 0.29 |
| AGAR3520 | | 1.68 | 5.7 | 0.72 | 8.9 | 11.6 | 2.08 | 8.9 | 4.44 | 2 | 124.5 | 0.5 | 1.17 | 0.84 | 0.69 | 0.25 |
| AGAR3526 | | 0.32 | 19.0 | 0.17 | 2.8 | 17.4 | 4.59 | 52.6 | 2.76 | <1 | 596 | 0.1 | 0.26 | 2.35 | 0.19 | 0.68 |
| AGAR3528 | | 0.26 | 2.4 | 0.10 | 0.4 | 3.6 | 0.77 | 33.2 | 1.13 | <1 | 98.5 | <0.1 | 0.16 | 0.36 | 0.11 | 0.15 |
| AGAR3532 | | 0.76 | 5.6 | 0.34 | 4.9 | 10.8 | 1.98 | 17.2 | 3.20 | 2 | 166.5 | 0.3 | 0.62 | 0.47 | 0.33 | 0.22 |
| AGAR3534 | | 0.25 | 15.2 | 0.12 | 1.0 | 14.8 | 3.64 | 38.2 | 2.62 | <1 | 618 | <0.1 | 0.21 | 2.00 | 0.09 | 0.53 |
| AGAR3537 | | 0.10 | 0.5 | 0.03 | 0.9 | 1.0 | 0.15 | 0.6 | 0.32 | <1 | 16.5 | <0.1 | 0.06 | 0.14 | 0.05 | 0.09 |
| AGAR3548 | | 0.16 | 12.1 | 0.07 | 2.5 | 13.6 | 3.27 | 26.7 | 2.32 | <1 | 672 | 0.1 | 0.16 | 1.72 | 0.07 | 0.67 |
| AGAR3552 | | 0.18 | 12.7 | 0.06 | 2.6 | 14.4 | 3.43 | 5.9 | 2.68 | <1 | 364 | 0.1 | 0.18 | 2.18 | 0.08 | 0.76 |
| AGAR3553 | | 0.09 | 4.9 | 0.03 | 1.8 | 4.3 | 1.14 | 37.6 | 0.83 | <1 | 689 | 0.1 | 0.08 | 0.83 | 0.04 | 0.57 |
| AGAR3554 | | 0.09 | 5.4 | 0.05 | 2.4 | 4.7 | 1.22 | 27.7 | 0.74 | 1 | 121.0 | 0.1 | 0.07 | 0.96 | 0.04 | 0.33 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANGLOGOLD ASHANTI MINNESOTA INC.
 6300 S. SYRACUSE WAY #500
 CENTENNIAL CO 80111
 USA

Page: 2 - D
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2016
 Account: AAMICLSR

CERTIFICATE OF ANALYSIS TB16134957

| Sample Description | Method Analyte Units LOR | ME-MS81 V ppm 5 | ME-MS81 W ppm 1 | ME-MS81 Y ppm 0.5 | ME-MS81 Yb ppm 0.03 | ME-MS81 Zr ppm 2 | ME-MS42 As ppm 0.1 | ME-MS42 Bi ppm 0.01 | ME-MS42 Hg ppm 0.005 | ME-MS42 In ppm 0.005 | ME-MS42 Re ppm 0.001 | ME-MS42 Sb ppm 0.05 | ME-MS42 Se ppm 0.2 | ME-MS42 Te ppm 0.01 | ME-MS42 Tl ppm 0.02 | ME-4ACD81 Ag ppm 0.5 |
|--------------------|-----------------------------------|--------------------------|--------------------------|----------------------------|------------------------------|---------------------------|-----------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|-------------------------------|
| AGAR3512 | | 256 | 1 | 18.2 | 1.92 | 67 | 1.5 | 0.49 | <0.005 | 0.008 | 0.001 | 0.07 | 0.4 | 0.02 | 0.05 | <0.5 |
| AGAR3513 | | 31 | 1 | 3.8 | 0.38 | 138 | 2.0 | 0.09 | <0.005 | 0.021 | <0.001 | 0.07 | 0.5 | 0.02 | 0.08 | <0.5 |
| AGAR3514 | | 16 | 1 | 4.2 | 0.41 | 67 | 0.4 | 0.09 | <0.005 | <0.005 | <0.001 | 0.08 | <0.2 | <0.01 | 0.04 | <0.5 |
| AGAR3515 | | 30 | 2 | 4.4 | 0.36 | 128 | 0.7 | 0.11 | <0.005 | 0.009 | <0.001 | 0.06 | 0.2 | 0.03 | 0.09 | <0.5 |
| AGAR3516 | | 97 | 1 | 10.7 | 1.14 | 141 | 52.4 | 0.21 | <0.005 | 0.015 | 0.001 | 0.06 | 0.4 | 0.07 | 0.12 | <0.5 |
| AGAR3517 | | 220 | <1 | 10.0 | 1.13 | 37 | 1.8 | 1.38 | <0.005 | 0.007 | 0.002 | 0.10 | 2.1 | 0.06 | 0.17 | <0.5 |
| AGAR3518 | | 71 | 1 | 24.1 | 2.33 | 45 | 0.5 | 0.96 | <0.005 | 0.006 | 0.003 | 0.07 | 0.6 | 0.08 | 0.05 | <0.5 |
| AGAR3519 | | 78 | 2 | 47.5 | 5.37 | 200 | 0.3 | 0.04 | <0.005 | 0.034 | 0.001 | 0.05 | 0.4 | 0.05 | 0.08 | <0.5 |
| AGAR3520 | | 97 | 1 | 38.8 | 4.51 | 167 | 0.2 | 0.01 | <0.005 | 0.047 | 0.001 | <0.05 | <0.2 | 0.01 | 0.02 | <0.5 |
| AGAR3526 | | 90 | 1 | 9.8 | 1.26 | 60 | 0.6 | 0.05 | <0.005 | 0.006 | <0.001 | 0.13 | 0.2 | 0.01 | 0.03 | <0.5 |
| AGAR3528 | | 111 | 1 | 6.4 | 0.68 | 28 | 1.2 | 0.01 | <0.005 | 0.007 | <0.001 | 0.11 | 0.3 | 0.05 | 0.04 | <0.5 |
| AGAR3532 | | 218 | <1 | 20.8 | 2.37 | 89 | 2.1 | 0.03 | <0.005 | 0.013 | <0.001 | 0.08 | 0.4 | 0.03 | <0.02 | <0.5 |
| AGAR3534 | | 134 | <1 | 7.3 | 0.90 | 29 | 0.3 | 0.01 | <0.005 | <0.005 | <0.001 | 0.05 | <0.2 | <0.01 | <0.02 | <0.5 |
| AGAR3537 | | 35 | 3 | 2.2 | 0.32 | 15 | 2.3 | 0.28 | <0.005 | <0.005 | 0.001 | 0.06 | <0.2 | 0.11 | <0.02 | <0.5 |
| AGAR3548 | | 73 | <1 | 4.4 | 0.47 | 72 | 0.7 | 0.01 | <0.005 | <0.005 | <0.001 | 0.07 | <0.2 | 0.01 | 0.02 | <0.5 |
| AGAR3552 | | 66 | 1 | 4.7 | 0.54 | 69 | 1.0 | 0.02 | <0.005 | <0.005 | <0.001 | 0.09 | <0.2 | 0.04 | <0.02 | <0.5 |
| AGAR3553 | | 20 | 1 | 2.4 | 0.21 | 86 | 0.6 | 0.08 | 0.005 | 0.005 | <0.001 | 0.11 | <0.2 | 0.01 | 0.02 | <0.5 |
| AGAR3554 | | 33 | 1 | 2.5 | 0.31 | 66 | 1.3 | 0.03 | <0.005 | <0.005 | <0.001 | 0.12 | 0.2 | 0.01 | 0.07 | <0.5 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: ANGLOGOLD ASHANTI MINNESOTA INC.
 6300 S. SYRACUSE WAY #500
 CENTENNIAL CO 80111
 USA

Page: 2 - E
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2016
 Account: AAMICLSR

CERTIFICATE OF ANALYSIS TB16134957

| Sample Description | Method Analyte Units LOR | ME-4ACD81 | ME-4ACD81 | ME-4ACD81 | ME-4ACD81 | ME-4ACD81 | ME-4ACD81 | ME-4ACD81 | ME-4ACD81 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | Cd | Co | Cu | Li | Mo | Ni | Pb | Sc |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.5 | 1 | 1 | 10 | 1 | 1 | 2 | 1 |
| AGAR3512 | | <0.5 | 50 | 89 | 10 | 1 | 101 | 14 | 31 |
| AGAR3513 | | <0.5 | 3 | 17 | <10 | 1 | 5 | 12 | 4 |
| AGAR3514 | | <0.5 | 4 | 9 | 10 | 1 | 8 | 8 | 2 |
| AGAR3515 | | <0.5 | 6 | 34 | 10 | 2 | 9 | 10 | 4 |
| AGAR3516 | | <0.5 | 13 | 50 | 50 | 2 | 38 | 15 | 12 |
| AGAR3517 | | <0.5 | 203 | 273 | 20 | 1 | 140 | 5 | 32 |
| AGAR3518 | | <0.5 | 19 | 88 | <10 | 2 | 44 | 5 | 10 |
| AGAR3519 | | <0.5 | 15 | 22 | <10 | 3 | 1 | <2 | 24 |
| AGAR3520 | | <0.5 | 39 | 12 | <10 | 1 | 1 | <2 | 24 |
| AGAR3526 | | <0.5 | 13 | 20 | <10 | <1 | 15 | 6 | 6 |
| AGAR3528 | | <0.5 | 16 | 50 | <10 | <1 | 12 | 2 | 7 |
| AGAR3532 | | <0.5 | 18 | 45 | <10 | <1 | 14 | 3 | 21 |
| AGAR3534 | | <0.5 | 28 | 6 | 10 | <1 | 57 | 4 | 14 |
| AGAR3537 | | <0.5 | 8 | 5 | <10 | 2 | 5 | 2 | 3 |
| AGAR3548 | | <0.5 | 11 | 14 | <10 | <1 | 15 | 2 | 5 |
| AGAR3552 | | <0.5 | 12 | 83 | <10 | <1 | 12 | 3 | 5 |
| AGAR3553 | | <0.5 | 5 | 6 | 20 | <1 | 9 | 6 | 2 |
| AGAR3554 | | <0.5 | 2 | 7 | 10 | <1 | 2 | 10 | 5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: ANGLOGOLD ASHANTI MINNESOTA INC.
6300 S. SYRACUSE WAY #500
CENTENNIAL CO 80111
USA

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1-SEP-2016
Account: AAMICLSR

CERTIFICATE OF ANALYSIS TB16134957

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

| | | |
|--------------------|----------------------------------------------------------------------------------------|-----------|
| Applies to Method: | Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada. | |
| | CRU-31 | CRU-QC |
| | PUL-QC | SPL-21 |
| | | LOG-22 |
| | | WEI-21 |
| | | PUL-32 |
| Applies to Method: | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. | |
| | Au-ICP22 | C-IR07 |
| | ME-MS42 | ME-MS81 |
| | TOT-ICP06 | ME-4ACD81 |
| | | OA-GRA05 |
| | | ME-ICP06 |
| | | S-IR08 |