

# Expanding the Floral Palette for Bees in Prairie Reconstructions

*Prairie reconstructions planted with a diversity of plants support a diversity of bees. However, plant diversity is not enough. Particular plant species or types of plants are essential for restoring native bee communities. Including these plants in seed mixes is often challenging given lack of seed availability and difficulty in establishment. We have listed plants revolving around three important characteristics: early flowering time, taxonomic uniqueness, and species that have unique plant/pollinator relationships. Increasing the representation of these plants will benefit pollinator groups that are of conservation concern, especially bumble bees, early spring bees, and pollen specialist bees.*

## Early Flowering Plants

Early blooming flowers are critical to bee conservation. However, early blooming plants are notoriously difficult to source and establish in prairie reconstructions. Early blooming flowers are critical to bee conservation. A number of bee species are active only in the spring. Spring is also when bumble bee queens are emerging and establishing colonies. This can be one of the most sensitive times in colony development, as the queen must establish and provision a nest without assistance of the workers that will follow later in the year. Stresses at this time of the year could be particularly disastrous for bumble bee populations.



veiny pea  
*Lathyrus venosus*

Plant Species	Common Name	Bloom Time	Value
<i>Penstemon</i> sp.	beardtongues	Early May to Late June	Long flower shape- ideal for queen bumble bees
<i>Pedicularis canadensis</i>	wood betony	Mid-May to Early June	Long flower shape- ideal for queen bumble bees
<i>Scrophularia lanceolata</i>	lanceleaf figwort	Early to Late June	Long flower shape- prolific nectar producer
<i>Lathyrus venosus</i>	veiny pea	Mid-May to Mid-June	Early season pollen source



large-mouthed beardtongue  
*Penstemon grandiflorus*



wood betony  
*Pedicularis canadensis*



lanceleaf figwort  
*Scrophularia lanceolata*

## Plant Diversity

Forb diversity is one of the best predictors of bee community diversity. The vast majority of flowering plants used in restorations come from only three plant families: asters (Asteraceae), mints (Lamiaceae), and legumes (Fabaceae). We know that other plant families can be particularly attractive to bees, especially the rose (Rosaceae) and bellflower (Campanulaceae) families. Below are species that represent these important families and are known to be attractive to bees.



harebell  
*Campanula rotundifolia*

Plant Species	Common Name	Bloom Time	Value
<i>Spirea alba</i>	white meadowsweet	Mid-June	Mass flowering and often very attractive to nectar-seeking insects
<i>Campanula rotundifolia</i>	harebell	Mid-June to October	One of the few native species in the bellflower family; they attract a wide range of bees

## Specialist Bees

Bees with narrow diets have an increased risk of decline. Some of the rarest specialist bees are found on plants not included in or well represented in restorations. Listed are four species that have one or more specialist bee associations, but are not commonly seen in prairie restorations. Many of these species are also highly attractive to non-specialist species as well.

Plant Species	Common Name	Bloom Time	Value
<i>Amorpha canescens</i>	leadplant	Late June to Early July	Hosts a large range of pollen specialist bees- pollen source for generalists as well
<i>Heuchera richardsonii</i>	prairie alum root	Mid-May to mid-June	Hosts a rare bee that collects pollen only from this species. Also early flowering
<i>Lysimachia</i> sp.	loosestrife	July to August	Host to a rare group of bees known as the oil bees ( <i>Macropis</i> )
<i>Cirsium</i> sp.	thistles (native)	Mid-June to mid-August	Host a pollen specialist bee and are also highly attractive as nectar sources for bumble bees and butterflies



leadplant  
*Amorpha canescens*



prairie alum root  
*Heuchera richardsonii*





loosestrife  
*Lysimachia* sp.



field thistle  
*Cirsium discolor*

## Take Aways

 In addition to high plant diversity, particular types of plants are critical to support distinct and often declining native bees.

 Seed availability and specific biology remain challenges in adopting new species.

## Acknowledgements

Authored by:  
Ian Lane (lanex173@umn.edu)

Edited by:  
Daniel Cariveau, Megan Benage, Paul Charland, & Gina Quiram

Designed by:  
Ian Lane & Anthony Auletta

Photo Credits:  
Ian Lane, Heather Holm, Gina Quiram, Dave Jungst

